

Printing date 01/11/2023

Revision date 01/11/2023

Page 1/11

1 Identification

- · Product identifier
- · Trade name: Hydroxyproline Oxidation Buffer
- Article number: 400553
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

• Classification of the substance or mixture	
GHS02 Flame	
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
GHS05 Corrosion	
Skin Corrosion 1B	H314 Causes severe skin burns and eye damage.
Eye Damage 1	H318 Causes serious eye damage.
GHS07	
Specific Target Organ Toxicity - Single Exposu	re 3 H336 May cause drowsiness or dizziness.
 Label elements GHS label elements The product is classified and labeled according 	g to the Globally Harmonized System (GHS). (Contd. on page 2)

US ·

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Hydroxyproline Oxidation Buffer

. Horard piotogra	(Contd. from page 1)
· Hazard pictogra	ins
GHS02 GHS05	5 GHS07
· Signal word Dar	nger
· Hazard-determir	ning components of labeling:
Sodium hydroxide	9
Isopropyl alcohol	
 Hazard statemer 	
	mable liquid and vapor.
	vere skin burns and eye damage.
	drowsiness or dizziness.
· Precautionary st	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dusts or mists.
P264	Wash thoroughly after handling.
P271 P280	Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.
	1 If swallowed: Rinse mouth. Do NOT induce vomiting.
	3 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
1 303 1 301 1 33	water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	8 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P363	Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification sy	0
• NFPA ratings (se	
in i A launys (Si	
Hea	lth = 3
3 Hea	



· HMIS-ratings (scale 0 - 4)

HEALTH 3	Health = 3
FIRE 3	1110 0
REACTIVITY 0	Reactivity = 0

(Contd. on page 3)

US

Printing date 01/11/2023

Revision date 01/11/2023

(Contd. from page 2)

Trade name: Hydroxyproline Oxidation Buffer

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

 Dangerous component 	ents:	
CAS: 67-63-0 RTECS: NT8050000	Isopropyl alcohol	26.0%
CAS: 77-92-9 RTECS: GE7350000	citric acid	3.614%
CAS: 1310-73-2 RTECS: WB4900000	Sodium hydroxide	2.514%
· Other ingredients		
CAS: 7732-18-5 RTECS: ZC0110000	Water	63.513%
CAS: 127-09-3 RTECS: AJ4300010	Sodium Acetate	3.716%
CAS: 64-19-7 RTECS: AF1225000	TBA Acetic Acid	0.643%

4 First-aid measures

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

(Contd. on page 4)

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Hydroxyproline Oxidation Buffer

(Contd. from page 3)

	precautions, protective equipment and emergency procedures	
	iratory protective device.	
	ective equipment. Keep unprotected persons away.	
	plenty of water.	
	w to enter sewers/ surface or ground water.	
Methods a	nd material for containment and cleaning up:	
	n liquid-binding material (sand, diatomite, acid binders, universal binders, sawd	ust).
	lizing agent. ntaminated material as waste according to item 13.	
	equate ventilation.	
	to other sections	
	n 7 for information on safe handling.	
	n 8 for information on personal protection equipment.	
	n 13 for disposal information. Action Criteria for Chemicals	
Protective		
	Isopropyl alcohol	400 ppm
	Sodium Acetate	11 mg/m ³
	Sodium Acetate Sodium hydroxide	0.5 mg/m ³
	TBA Acetic Acid	5 ppm
		5 ppm
PAC-2:		
	Isopropyl alcohol	2000* ppm
	Sodium Acetate	120 mg/m ³
	Sodium hydroxide	5 mg/m³
64-19-7	TBA Acetic Acid	35 ppm
PAC-3:		
	Isopropyl alcohol	12000** ppm
407.00.0	Sodium Acetate	700 mg/m ³
127-09-3		
	Sodium hydroxide	50 mg/m ³ 250 ppm

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
 Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 5)

US

Revision date 01/11/2023

Trade name: Hydroxyproline Oxidation Buffer

(Contd. from page 4)

• Further information about storage conditions:
Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

Printing date 01/11/2023

· Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

67-63-0 Isopropyl alcohol

- PEL Long-term value: 980 mg/m³, 400 ppm
- REL Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
- TLV Short-term value: 400 ppm Long-term value: 200 ppm BEI, A4

1310-73-2 Sodium hydroxide

- PEL Long-term value: 2 mg/m³
- REL Ceiling limit value: 2 mg/m³
- TLV Ceiling limit value: 2 mg/m³

· Ingredients with biological limit values:

67-63-0 Isopropyl alcohol

- BEI 40 mg/L
 - Medium: urine
 - Time: end of shift at end of workweek
 - Parameter: Acetone (background, nonspecific)

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- · Breathing equipment:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 6)

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Hydroxyproline Oxidation Buffer

(Contd. from page 5) Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Color: According to product specification · Odor: Characteristic · Odor threshold: Not determined. · pH-value at 20 °C (68 °F): 6.5 · Change in condition Melting point/Melting range: Undetermined. **Boiling point/Boiling range:** 82 °C (179.6 °F) · Flash point: 12 °C (53.6 °F) · Flammability (solid, gaseous): Highly flammable. 425 °C (797 °F) · Ignition temperature: · Decomposition temperature: Not determined. · Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/ vapor mixtures are possible. · Explosion limits: Lower: 2 Vol % Upper: 12 Vol % · Vapor pressure at 20 °C (68 °F): 43 hPa (32.3 mm Hg) · Density: Not determined. · Relative density Not determined. · Vapor density Not determined. · Evaporation rate Not determined. (Contd. on page 7)

US

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Hydroxyproline Oxidation Buffer

	(Contd. from	pag
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octan	ol/water): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	26.6 %	
Water:	63.5 %	
VOC content:	26.64 %	
	266.4 g/l / 2.22 lb/gal	
Solids content:	9.8 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

67-63-0 Isoprop	yl alcohol		
Oral	LD50	5,045 mg/kg (rat)	
Dermal	LD50	12,800 mg/kg (rabbit)	
Inhalative	LC50	16,000 mg/m³/8h (rat)	
	LC50/4 h	30 mg/l (rat)	
Irritation of skin	Irritation	500 mg (rabbit)	
Irritation of eyes	Irritation	100 mg/24h (rabbit)	
	Data	100 mg/24h (rabbit)	
77-92-9 citric ad	cid		
Oral	LD50	5,040 mg/kg (mouse)	
1310-73-2 Sodiu	um hydroxide	· · · ·	
Oral	LDLO	1.57 mg/kg (hmn)	
	LD50	2,000 mg/kg (rat)	
		TDLO	44 mg/kg (

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Hydroxyproline Oxidation Buffer

	LDLO	1.57 mg/kg
Intraperitoneal L	.D50 40 mg/kg (mouse)	
Primary irritant effect:	•	
on the skin: Caustic effect on ski	in and mucous membranes.	
on the eye:		
Strong caustic effect.		
Strong irritant with the danger of s		
Sensitization: No sensitizing effe		
Additional toxicological information		ernally approved calculation methods for
preparations:	J dangers according to inte	ernally approved calculation methods for
Corrosive		
Irritant		
Swallowing will lead to a strong of esophagus and stomach.	austic effect on mouth and	throat and to the danger of perforation of
Carcinogenic categories		
IARC (International Agency for	Research on Cancer)	
67-63-0 Isopropyl alcohol		3
NTP (National Toxicology Prog	ram)	
None of the ingredients is listed.		
OSHA-Ca (Occupational Safety	& Health Administration)	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 9)

⁻ ÚS

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Hydroxyproline Oxidation Buffer

(Contd. from page 8)

- Uncleaned packagings:
 Recommendation: Disposal must be made according to official regulations.
 Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN2924
UN proper shipping name	
DOT	Flammable liquids, corrosive, n.o.s. (Isopropar
IMDG	Sodium hydroxide) FLAMMABLE LIQUID, CORROSIVE, N.O (ISOPROPANOL (ISOPROPYL ALCOHOL), SODII HYDROXIDE)
ΙΑΤΑ	Flammable liquid, corrosive, n.o.s. (ISOPROPAN (ISOPROPYL ALCOHOL), SODIUM HYDROXIDE)
Transport hazard class(es)	
DOT	
S B	
Class	3 Flammable liquids
Label	3, 8
Class Label	3 Flammable liquids 3/8
ΙΑΤΑ	
Class Label	3 Flammable liquids 3 (8)
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code) EMS Number: Segregation groups	Warning: Flammable liquids : 338 F-E,S-C (SGG18) Alkalis
Stowage Category	B

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Hydroxyproline Oxidation Buffer

	(Contd. from page 9	
· Stowage Code	SW2 Clear of living quarters.	
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.	
· Transport/Additional information:		
· DOT · Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 5 L	
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	
· IATA · Remarks:	When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity.	
· UN "Model Regulation":	UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S (ISOPROPANOL (ISOPROPYL ALCOHOL), SODIUM HYDROXIDE), 3 (8), II	

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

- · Section 313 (Specific toxic chemical listings):
- 67-63-0 Isopropyl alcohol
- · TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

- · Chemicals known to cause reproductive toxicity for males:
- None of the ingredients is listed.

(Contd. on page 11)

⁻US

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Hydroxyproline Oxidation Buffer

(Contd. from page 10)

A4

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

67-63-0 Isopropyl alcohol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of preparation / last revision 01/11/2023

· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit **BEI: Biological Exposure Limit** Flammable Liquids 2: Flammable liquids - Category 2 Skin Corrosion 1B: Skin corrosion/irritation - Category 1B Eye Damage 1: Serious eye damage/eye irritation - Category 1 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3



Printing date 01/11/2023

Revision date 01/11/2023

Page 1/9

1 Identification

- · Product identifier
- · Trade name: Hydroxyproline Assay Reagent 1
- Article number: 400554
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the su	ibstance or mixture
GHS08 Health	hazard
Sensitization - Respirato	ry 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
GHS05 Corros	ion
Skin Corrosion 1B	H314 Causes severe skin burns and eye damage.
Eye Damage 1	H318 Causes serious eye damage.
Aquatic Acute 3	H402 Harmful to aquatic life.
• Label elements • GHS label elements The product is classified	and labeled according to the Globally Harmonized System (GHS). (Contd. on page 2)

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Hydroxyproline Assay Reagent 1

· Hazard pictog	grams (Contd. from page 1)
 ✓	
GHS05 GHS	608
· Signal word [Danger
	nining components of labeling:
Chloramine Tr	
Hazard staten	
	severe skin burns and eye damage.
H402 Harmful	se allergy or asthma symptoms or breathing difficulties if inhaled.
Precautionary	
P260	Do not breathe dusts or mists.
P264	Wash thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P284	[In case of inadequate ventilation] wear respiratory protection.
	331 If swallowed: Rinse mouth. Do NOT induce vomiting.
	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
	water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P342+P311	If experiencing respiratory symptoms: Call a poison center/doctor.
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
Classification	
NFPA ratings	(scale 0 - 4)
	lealth = 3
	ire = 0
	Reactivity = 0
HMIS-ratings	(scale 0 - 4)
HEALTH *3	Health = *3
	Fire = 0

REACTIVITY 0 Reactivity = 0 · Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.

(Contd. on page 3)

US

Revision date 01/11/2023

Printing date 01/11/2023

Trade name: Hydroxyproline Assay Reagent 1

(Contd. from page 2)

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:

7080-50-4 Chloramine Trihydrate

· Other ingredients

CAS: 7732-18-5 Water RTECS: ZC0110000 86.0%

US

14.0%

4 First-aid measures

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment. A solid water stream may be inefficient.
- Special hazards arising from the substance or mixture 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
 Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.

 Environmental precautions:
 Do not allow product to reach sewage system or any water course.
 Inform respective authorities in case of seepage into water course or sewage system.
 Dilute with plenty of water.
 Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up:
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Use neutralizing agent.
 Dispose contaminated material as waste according to item 13.
 Ensure adequate ventilation.
 (Contd. on page 4)
 (Contd. on page 4)

Printing date 01/11/2023

Revision date 01/11/2023

(Contd. from page 3)

Trade name: Hydroxyproline Assay Reagent 1

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· PAC-1:

None of the ingredients is listed.

· PAC-2:

None of the ingredients is listed.

· PAC-3:

None of the ingredients is listed.

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

⁻ US

us

Safety Data Sheet acc. to OSHA HCS

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Hydroxyproline Assay Reagent 1

(Contd. from page 4)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

Information on basic physical and General Information	chemical properties
Appearance:	
Form:	Liquid
Color:	According to product specification
Odor:	Characteristic
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 100 °C (212 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Hydroxyproline Assay Reagent 1

		(Contd. from page
Density:	Not determined.	
Relative density	Not determined.	
· Vapor density	Not determined.	
• Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octand	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	86.0 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	14.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

- Oral LD50 3,571 mg/kg
- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- [·] on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: Sensitization possible through inhalation.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

- Harmful
- Corrosive

(Contd. on page 7)

⁻ ÚS

Printing date 01/11/2023

Revision date 01/11/2023

(Contd. from page 6)

Trade name: Hydroxyproline Assay Reagent 1

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, IMDG, IATA	not regulated	
UN proper shipping name		
DOT, IMDG, IATA	not regulated	

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Hydroxyproline Assay Reagent 1

		(Contd. from page 7
· Transport hazard class(es)		
[·] DOT, ADN, IMDG, IATA [·] Class	not regulated	
 Packing group DOT, IMDG, IATA 	not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
 Transport in bulk according to Anne MARPOL73/78 and the IBC Code 	ex II of Not applicable.	
· UN "Model Regulation":	not regulated	

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

 Section 355 (extremely hazardous substances): 	
None of the ingredients is listed.	
 Section 313 (Specific toxic chemical listings): 	
None of the ingredients is listed.	
 TSCA (Toxic Substances Control Act): 	
7732-18-5 Water	ACTIVE
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
 Chemicals known to cause reproductive toxicity for males: 	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value)	
None of the ingredients is listed.	
 NIOSH-Ca (National Institute for Occupational Safety and Health) 	
None of the ingredients is listed.	
	(Contd. on page 9)

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Hydroxyproline Assay Reagent 1

(Contd. from page 8)

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of preparation / last revision 01/11/2023

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Skin Corrosion 1B: Skin corrosion/irritation - Category 1B Eye Damage 1: Serious eye damage/eye irritation - Category 1 Sensitization - Respiratory 1: Respiratory sensitisation - Category 1 Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard - Category 3

us -



Printing date 01/11/2023

Revision date 01/11/2023

Page 1/12

1 Identification

- · Product identifier
- · Trade name: Hydroxyproline Assay Reagent 2
- Article number: 400555
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

• Classification of the substance or mixture		
GHS02 Flame		
Flammable Liquids 2	H225	Highly flammable liquid and vapor.
GHS05 Corrosion		
Eye Damage 1	H318	Causes serious eye damage.
GHS07		
Acute Toxicity - Oral 4	H302	Harmful if swallowed.
Skin Irritation 2	H315	Causes skin irritation.
Specific Target Organ Toxicity - Single Exposure 3	H335-H336	May cause respiratory irritation. May cause drowsiness or dizziness. (Contd. on page 2)

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Hydroxyproline Assay Reagent 2

	(Contd. from page 1)
· Label elements	
GHS label eleme	nts
The product is cla	issified and labeled according to the Globally Harmonized System (GHS).
Hazard pictogram	ns
	∧
<u>-</u>	
GHS02 GHS05	GHS07
· Signal word Dan	ger
· Hazard-dotormin	ing components of labeling:
4-dimethylaminob	
Hydrochloric acid	onzaidonydo
Isopropyl alcohol	
· Hazard statemer	nts
H225 Highly	y flammable liquid and vapor.
	ful if swallowed.
H315 Caus	es skin irritation.
	es serious eye damage.
	cause respiratory irritation. May cause drowsiness or dizziness.
 Precautionary st 	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243 P261	Take precautionary measures against static discharge.
P264	Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312	If swallowed: Call a poison center/doctor if you feel unwell.
	3 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
	water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	B If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P330	Rinse mouth.
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P233 P403+P235	Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool.
P405+P255	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
	(Contd. on page 3)
	US

Printing date 01/11/2023

Revision date 01/11/2023

(Contd. from page 2)

Trade name: Hydroxyproline Assay Reagent 2

· Classification system:

• NFPA ratings (scale 0 - 4)

30

Health = 3 Fire = 3 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH*3Health = *3FIRE3Fire = 3REACTIVITY0Reactivity = 0

· Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous compone	ents:	
CAS: 67-63-0 RTECS: NT8050000	Isopropyl alcohol	70.0%
CAS: 100-10-7 RTECS: CU 5775000	4-dimethylaminobenzaldehyde	14.9143%
CAS: 7647-01-0 RTECS: MW4025000	Hydrochloric acid	11.4%
· Other ingredients		
CAS: 7732-18-5 RTECS: ZC0110000	Water	3.6857%

4 First-aid measures

· Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Immediately call a doctor.
- · Information for doctor:

• **Most important symptoms and effects, both acute and delayed** No further relevant information available.

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 4)

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Hydroxyproline Assay Reagent 2

(Contd. from page 3)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available. • Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
 Environmental precautions:
- Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.
- Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:		
67-63-0	Isopropyl alcohol	400 ppm
100-10-7	4-dimethylaminobenzaldehyde	8.2 mg/m ³
7647-01-0	7647-01-0 Hydrochloric acid	
· PAC-2:		
67-63-0	67-63-0 Isopropyl alcohol	
	4-dimethylaminobenzaldehyde	90 mg/m³
7647-01-0	Hydrochloric acid	22 ppm
· PAC-3:		
67-63-0	Isopropyl alcohol	12000** ppm
	4-dimethylaminobenzaldehyde	250 mg/m³
7647-01-0	Hydrochloric acid	100 ppm

7 Handling and storage

· Handling:

- Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.

(Contd. on page 5)

US

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Hydroxyproline Assay Reagent 2

(Contd. from page 4)

· Conditions for safe storage, including any incompatibilities

• Storage: Store in accordance with information listed on the product insert.

- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- **Components with limit values that require monitoring at the workplace:** The following constituents are the only constituents of the product which have a PEL, TLV or other
- recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

67-63-0 Isopropyl alcohol

- PEL Long-term value: 980 mg/m³, 400 ppm
- REL Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
- TLV Short-term value: 400 ppm Long-term value: 200 ppm BEI, A4

7647-01-0 Hydrochloric acid

- PEL Ceiling limit value: 7 mg/m³, 5 ppm
- REL Ceiling limit value: 7 mg/m³, 5 ppm
- TLV Ceiling limit value: 2 ppm
 - A4

· Ingredients with biological limit values:

67-63-0 Isopropyl alcohol

BEI 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the skin.
- Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 6)

US

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Hydroxyproline Assay Reagent 2

(Contd. from page 5)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical prope	erties
 Information on basic physical and General Information Appearance: 	
Form: Color:	Liquid According to product specification
· Odor:	Characteristic
· Odor threshold:	Not determined.
· pH-value:	Not determined.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. 82 °C (179.6 °F)
· Flash point:	12 °C (53.6 °F)
· Flammability (solid, gaseous):	Highly flammable.
· Ignition temperature:	425 °C (797 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.
 Explosion limits: Lower: 	2 Vol %
	(Contd. on page 7

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Hydroxyproline Assay Reagent 2

		(Contd. from page
Upper:	12 Vol %	
· Vapor pressure at 20 °C (68 °F):	43 hPa (32.3 mm Hg)	
· Density at 20 °C (68 °F):	0.83379 g/cm³ (6.95798 lbs/gal)	
· Bulk density:	774 kg/m³	
Relative density	Not determined.	
· Vapor density	Not determined.	
Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wat	er): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	70.0 %	
Water:	3.7 %	
VOC content:	70.00 %	
	583.7 g/l / 4.87 lb/gal	
Solids content:	14.9 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute	Toxicity Estimate)		
Oral	LD50	618 mg/kg	
67-63-0 Isopropyl alcohol			
Oral	LD50	5,045 mg/kg (rat)	
Dermal	LD50	12,800 mg/kg (rabbit)	
Inhalative	LC50	16,000 mg/m³/8h (rat)	
	LC50/4 h	30 mg/l (rat)	
			(Contd. on page 8

US

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Hydroxyproline Assay Reagent 2

		(Contd. from page 7)
Irritation of skin	Irritation	500 mg (rabbit)
Irritation of eyes	Irritation	100 mg/24h (rabbit)
	Data	100 mg/24h (rabbit)
7647-01-0 Hydro	ochloric acid	
Oral	LD50	900 mg/kg (rabbit)
	LDLO	2,857 μg/kg (man)
	LDLO	420 μL/kg (wmn)
Inhalative	LC50	3,124 mg/m³/1h (rat)
	LCLO	1,300 mg/m³/30m (hmn)
Irritation of skin	Irritation	4 24h (hmn)
Irritation of eyes	Irritation	5 mg/30s (rabbit)
	Intraperitoneal LD50	40,142 µg/kg (mouse)
· Primary irritant		·
	ant to skin and mucou	
•	0	nger of severe eye injury.
	lo sensitizing effects k	
· Additional toxicological information:		
	ows the following dar	ngers according to internally approved calculation methods for
preparations:		
Harmful		

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)		
	Isopropyl alcohol	3
7647-01-0	Hydrochloric acid	3
· NTP (National Toxicology Program)		
None of the ingredients is listed.		
· OSHA-Ca (Occupational Safety & Health Administration)		
None of the ingredients is listed.		

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.

vPvB: Not applicable.

(Contd. on page 9)

Printing date 01/11/2023

Revision date 01/11/2023

(Contd. from page 8)

Trade name: Hydroxyproline Assay Reagent 2

· Other adverse effects No further relevant information available.


13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.



Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Hydroxyproline Assay Reagent 2

	(Contd. from page 9)
 Packing group DOT, IMDG, IATA 	II
· Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code EMS Number: Segregation groups Stowage Category Stowage Code	Warning: Flammable liquids): 338 F-E,S-C (SGG1a) Strong acids B SW2 Clear of living quarters.
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.
 Transport/Additional information: DOT Quantity limitations 	On passenger aircraft/rail: 1 L On cargo aircraft only: 5 L
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL), HYDROCHLORIC ACID), 3 (8), II

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):
- 7647-01-0 Hydrochloric acid
- · Section 313 (Specific toxic chemical listings):
- 67-63-0 Isopropyl alcohol
- 7647-01-0 Hydrochloric acid
- TSCA (Toxic Substances Control Act):
- All components have the value ACTIVE.
- · Hazardous Air Pollutants
- 7647-01-0 Hydrochloric acid

(Contd. on page 11)

US

Printing date 01/11/2023

· Proposition 65

Revision date 01/11/2023

Trade name: Hydroxyproline Assay Reagent 2

(Contd. from page 10)

A4

A4

 Chemicals known to cause cancer: 	

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

67-63-0 Isopropyl alcohol

7647-01-0 Hydrochloric acid

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

· Department issuing SDS: Environment protection department.

Contact: -

• Date of preparation / last revision 01/11/2023

• Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA: Occupational Safety & Health** TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids - Category 2

(Contd. on page 12)

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Hydroxyproline Assay Reagent 2

(Contd. from page 11)

us

Acute Toxicity - Oral 4: Acute toxicity – Category 4 Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Damage 1: Serious eye damage/eye irritation – Category 1 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3



Printing date 01/11/2023

Revision date 01/11/2023

Page 1/7

1 Identification

- Product identifier
- · Trade name: Hydroxyproline Standard
- · Article number: 400556
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification



The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements None
- · Hazard pictograms None
- · Signal word None
- · Hazard statements None
- Classification system:

• NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

HEALTHImage: OFIREImage: OREACTIVITYReactivity = 0

(Contd. on page 2)

US

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Hydroxyproline Standard

- · Other hazards
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components: None

· Other ingredients		
CAS: 7732-18-5 RTECS: ZC0110000	Water	99.7%
CAS: 51-35-4 RTECS: TW3586500	trans-4-hydroxy L-Proline	0.3%

4 First-aid measures

- Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment. A solid water stream may be inefficient.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Dilute with plenty of water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.

(Contd. on page 3)

(Contd. from page 1)

⁻ US

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Hydroxyproline Standard

(Contd. from page 2)

See Section 13 for disposal information. • Protective Action Criteria for Chemicals

· PAC-1:

None of the ingredients is listed.

· PAC-2:

None of the ingredients is listed.

· PAC-3:

None of the ingredients is listed.

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

Printing date 01/11/2023

Revision date 01/11/2023

(Contd. from page 3)

Trade name: Hydroxyproline Standard

• Eye protection: Goggles recommended during refilling.

Physical and chemical prop	erties
Information on basic physical and	t chemical properties
General Information	
· Appearance:	1:
Form: Color:	Liquid According to product specification
· Odor:	Odorless
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	0 °C (32 °F)
Boiling point/Boiling range:	100 °C (212 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
[·] Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
[·] Density at 20 °C (68 °F):	1 g/cm³ (8.345 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
Solubility in / Miscibility with	For the sector of the lat
Water:	Fully miscible.
Partition coefficient (n-octanol/wa	iter): Not determined.
· Viscosity:	0.070 B
Dynamic at 20 °C (68 °F):	0.952 mPas
Kinematic:	Not determined.
· Solvent content:	00.7.%
Water: VOC content:	99.7 % 0.00 %
voc content.	0.00 % 0.0 g/l / 0.00 lb/gal
Solids content:	0.3 %
· Other information	No further relevant information available.

(Contd. on page 5)

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Hydroxyproline Standard

(Contd. from page 4)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Not hazardous for water.
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 6)

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Hydroxyproline Standard

(Contd. from page 5)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport information	
· UN-Number · DOT, IMDG, IATA	not regulated
 UN proper shipping name DOT, IMDG, IATA 	not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	not regulated
 Packing group DOT, IMDG, IATA 	not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	Il of Not applicable.
· Transport/Additional information:	
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL, o 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	not regulated

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

(Contd. on page 7)

US

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Hydroxyproline Standard

(Contd. from page 6)

• TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	

· Hazardous Air Pollutants

None of the ingredients is listed.

Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

· Department issuing SDS: Environment protection department.

Contact: -

• Date of preparation / last revision 01/11/2023 • Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit**



Printing date 01/11/2023

Revision date 01/11/2023

Page 1/8

1 Identification

- Product identifier
- · Trade name: Collagen Standard
- · Article number: 400557
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification



The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements None
- · Hazard pictograms None
- · Signal word None
- · Hazard statements None
- · Classification system:

NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

HEALTHImage: OFIREImage: OREACTIVITYReactivity = 0

(Contd. on page 2)

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Collagen Standard

- · Other hazards
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64-19-7 RTECS: AF1225000	TBA Acetic Acid	1.163%
· Other ingredients		<u> </u>
CAS: 7732-18-5 RTECS: ZC0110000	Water	98.536%
	Rat Tail Collagen for 2D Cell Culture	0.301%

4 First-aid measures

- Description of first aid measures
- General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment. A solid water stream may be inefficient.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

- Environmental precautions: Dilute with plenty of water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

• **Reference to other sections** See Section 7 for information on safe handling.

(Contd. on page 3)

(Contd. from page 1)

⁻ US

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Collagen Standard

See Section 8 for information on personal protection equipment. See Section 13 for disposal information. • Protective Action Criteria for Chemicals	(Contd. from page 2)
· PAC-1:	
64-19-7 TBA Acetic Acid	5 ppm
PAC-2:	<u>.</u>
64-19-7 TBA Acetic Acid	35 ppm
· PAC-3:	
64-19-7 TBA Acetic Acid	250 ppm
	· · · · · · · · · · · · · · · · · · ·

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:

64-19-7 TBA Acetic Acid

- PEL Long-term value: 25 mg/m³, 10 ppm
- REL Short-term value: 37 mg/m³, 15 ppm
 - Long-term value: 25 mg/m³, 10 ppm
- TLV Short-term value: 15 ppm
 - Long-term value: 10 ppm

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to

Printing date 01/11/2023

Trade name: Collagen Standard

(Contd. from page 3)

- be checked prior to the application. Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties

	- h - m l l - m
 Information on basic physical and 	cnemical properties
· General Information	
Appearance:	12
Form:	Liquid
Color:	According to product specification
Odor:	Odorless
 Structural Formula 	H2O
· Molecular Weight	18 g/mol
· Odor threshold:	Not determined.
· pH-value:	Not determined.
 Change in condition 	
Melting point/Melting range:	0 °C (32 °F)
Boiling point/Boiling range:	100 °C (212 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density at 20 °C (68 °F):	1 g/cm³ (8.345 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wat	er): Not determined.
· Viscosity:	
Dynamic at 20 °C (68 °F):	0.952 mPas
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	1.2 %
Water:	98.5 %
	(Contd. on page

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Collagen Standard

		(Contd. from page 4)
VOC content:	1.16 % 11.6 g/l / 0.10 lb/gal	
Solids content:	0.3 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:

64-19-7 TBA Acetic Acid

Oral LD50 >3,310 mg/kg (rat)

TDLO 1,470 µg/kg (hmn) Inhalative LC50 5,620 mg/m³/1H (mouse)

Primary irritant effect:

- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

• Aquatic toxicity: No further relevant information available.

(Contd. on page 6)

US

Printing date 01/11/2023

Revision date 01/11/2023

(Contd. from page 5)

Trade name: Collagen Standard

- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport information	
· UN-Number · DOT, IMDG, IATA	not regulated
 UN proper shipping name DOT, IMDG, IATA 	not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	not regulated
 Packing group DOT, IMDG, IATA 	not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	Il of Not applicable.
· UN "Model Regulation":	not regulated

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 7)

⁻US

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Collagen Standard

	(Contd. from page
Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
TSCA (Toxic Substances Control Act):	
7732-18-5 Water	ACTIV
64-19-7 TBA Acetic Acid	ACTIV
Hazardous Air Pollutants	
None of the ingredients is listed.	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
Chemical safety assessment: A Chemical Safety Assessment has not been c	arried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of preparation / last revision 01/11/2023
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

Printing date 01/11/2023

Revision date 01/11/2023

Trade name: Collagen Standard

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit (Contd. from page 7)

US