

Printing date 10/19/2022

Revision date 10/19/2022

Page 1/7

1 Identification

- · Product identifier
- · Trade name: Foil Plate Covers
- · Article number: 400023
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification



The substance is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements None
- · Hazard pictograms None
- · Signal word None
- · Hazard statements None
- · Classification system:

• NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

HEALTHImage: OFIREImage: OREACTIVITYReactivity = 0

(Contd. on page 2)

US

Printing date 10/19/2022

Revision date 10/19/2022

(Contd. from page 1)

Trade name: Foil Plate Covers

- · Other hazards
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- Foil Plate Covers

4 First-aid measures

- Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- A solid water stream may be inefficient.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- \cdot Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- \cdot Methods and material for containment and cleaning up: Pick up mechanically.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.
- Protective Action Criteria for Chemicals
- **PAC-1:** Substance is not listed.
- · PAC-2: Substance is not listed.

(Contd. on page 3)

- US

Printing date 10/19/2022

Revision date 10/19/2022

(Contd. from page 2)

Trade name: Foil Plate Covers

• PAC-3: Substance is not listed.

7 Handling and storage

- · Handling:
- Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities Keep container tightly closed.

Store in accordance with information listed on the product insert.

- Storage: Store in accordance with information listed on the product insert.
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Not required.

	sical and chemical properties	
General Information		
· Appearance:		
Form:	Foil	
Color:	Not determined.	
· Odor:	Characteristic	

Printing date 10/19/2022

Revision date 10/19/2022

Trade name: Foil Plate Covers

Odor threshold:	(Contd. from page Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Product is not flammable.
Decomposition temperature:	Not determined.
Auto igniting:	Not determined.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not applicable.
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Not determined.
Partition coefficient (n-octanol/wa	ter): Not determined.
Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.

(Contd. on page 5)

US

Printing date 10/19/2022

Revision date 10/19/2022

(Contd. from page 4)

Trade name: Foil Plate Covers

- Sensitization: No sensitizing effects known.
- Additional toxicological information:
 When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.
 The substance is not subject to classification.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- Recommendation: Smaller quantities can be disposed of with household waste.
- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

· UN-Number		
· DOT, IMDG, IATA	not regulated	
· UN proper shipping name		
· DOT, IMDG, IATA	not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA		
·Class	not regulated	
· Packing group		
· DOT, IMDG, IATA	not regulated	

Printing date 10/19/2022

Revision date 10/19/2022

Trade name: Foil Plate Covers

		(Contd. from page 5)
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
 Transport in bulk according to Anne» MARPOL73/78 and the IBC Code 	k II of Not applicable.	
· UN "Model Regulation":	not regulated	

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances): Substance is not listed.
- Section 313 (Specific toxic chemical listings): Substance is not listed.
- TSCA (Toxic Substances Control Act): Substance is not listed.
- · Hazardous Air Pollutants Substance is not listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of preparation / last revision 10/19/2022
- Abbreviations and acronyms:
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 NIOSH: National Institute for Occupational Safety
 OSHA: Occupational Safety & Health
 TLV: Threshold Limit Value

(Contd. on page 7)

US

Printing date 10/19/2022

Revision date 10/19/2022

Trade name: Foil Plate Covers

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

- * Data compared to the previous version altered.

(Contd. from page 6)

US



Printing date 04/20/2023

Revision date 04/20/2023

Page 1/6

1 Identification

- · Product identifier
- · Trade name: 96-Well Glass-Coated Plastic Well Plate
- Article number: 400586
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification



The substance is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements None
- · Hazard pictograms None
- · Signal word None
- · Hazard statements None
- Classification system:

• NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

HEALTHImage: OFIREImage: OREACTIVITYReactivity = 0

(Contd. on page 2)

US

Printing date 04/20/2023

Revision date 04/20/2023

(Contd. from page 1)

Trade name: 96-Well Glass-Coated Plastic Well Plate

- · Other hazards
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Substances
- · CAS No. Description
- 96-Well Glass-Coated Plastic Well Plate

4 First-aid measures

- Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment. A solid water stream may be inefficient.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals
- **PAC-1:** Substance is not listed.
- PAC-2: Substance is not listed.
- PAC-3: Substance is not listed.

(Contd. on page 3)

Printing date 04/20/2023

Revision date 04/20/2023

Trade name: 96-Well Glass-Coated Plastic Well Plate

(Contd. from page 2)

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Not required.

9 Physical and chemical properties

- Information on basic physical and chemical properties
- General Information

· Appearance:	
Form:	PLATE
Color:	Not determined.
· Odor:	Characteristic
· Odor threshold:	Not determined.
· pH-value:	Not applicable.

(Contd. on page 4)

US

Printing date 04/20/2023

Revision date 04/20/2023

Trade name: 96-Well Glass-Coated Plastic Well Plate

	(Contd. from page 3
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Product is not flammable.
· Decomposition temperature:	Not determined.
· Ignition temperature:	Not determined.
· Danger of explosion:	Product does not present an explosion hazard.
 Explosion limits: Lower: Upper: 	Not determined. Not determined.
· Vapor pressure:	Not applicable.
 Density: Relative density Vapor density Evaporation rate 	Not determined. Not determined. Not applicable. Not applicable.
 Solubility in / Miscibility with Water: 	Not determined.
· Partition coefficient (n-octanol/wate	er): Not determined.
 Viscosity: Dynamic: Kinematic: 	Not applicable. Not applicable.
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 5)

US

Printing date 04/20/2023

Revision date 04/20/2023

(Contd. from page 4)

Trade name: 96-Well Glass-Coated Plastic Well Plate

· Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us. The substance is not subject to classification.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- · Behavior in environmental systems:
- · **Bioaccumulative potential** No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- **Recommendation:** Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

UN-Number		
DOT, IMDG, IATA	not regulated	
[•] UN proper shipping name • DOT, IMDG, IATA	not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
DOT, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	

Printing date 04/20/2023

Revision date 04/20/2023

Trade name: 96-Well Glass-Coated Plastic Well Plate

		(Contd. from page 5)
 Special precautions for user 	Not applicable.	
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	ll of Not applicable.	
· UN "Model Regulation":	not regulated	

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

- Section 355 (extremely hazardous substances): Substance is not listed.
- Section 313 (Specific toxic chemical listings): Substance is not listed.
- TSCA (Toxic Substances Control Act): Substance is not listed.
- · Hazardous Air Pollutants Substance is not listed.

· Proposition 65

- Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of preparation / last revision 04/20/2023
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit



Printing date 04/20/2023

Revision date 04/20/2023

Page 1/7

1 Identification

- Product identifier
- · Trade name: LPO Assay FTS Reagent 1
- · Article number: 705010
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification



The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements None
- · Hazard pictograms None
- · Signal word None
- · Hazard statements None
- Classification system:

• NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

HEALTHImage: OFIREImage: OREACTIVITYReactivity = 0

(Contd. on page 2)

US

Printing date 04/20/2023

Revision date 04/20/2023

(Contd. from page 1)

Trade name: LPO Assay FTS Reagent 1

- · Other hazards
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components: None

Other ingredients		
CAS: 7732-18-5 RTECS: ZC0110000	Water	99.241%
CAS: 7647-01-0 RTECS: MW4025000	Hydrochloric acid	0.633%
CAS: 7782-63-0 RTECS: NO8510000	Ferrous sulfate	0.126%

4 First-aid measures

- Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- A solid water stream may be inefficient.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

- Environmental precautions: Dilute with plenty of water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)

Printing date 04/20/2023

Revision date 04/20/2023

Trade name: LPO Assay FTS Reagent 1

See Sectio See Sectio See Sectio	to other sections n 7 for information on safe handling. n 8 for information on personal protection equipment. n 13 for disposal information. Action Criteria for Chemicals	(Contd. from page 2)
· PAC-1:		
7647-01-0	Hydrochloric acid	1.8 ppm
7782-63-0	Ferrous sulfate	15 mg/m³
· PAC-2:		
7647-01-0	Hydrochloric acid	22 ppm
7782-63-0	Ferrous sulfate	170 mg/m³
· PAC-3:		
7647-01-0	Hydrochloric acid	100 ppm
7782-63-0	Ferrous sulfate	990 mg/m³

7 Handling and storage

· Handling:

- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

- Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several

(Contd. on page 4)

Printing date 04/20/2023

Revision date 04/20/2023

Trade name: LPO Assay FTS Reagent 1

(Contd. from page 3) substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

Information on basic physical and General Information	chemical properties	
Appearance: Form: Color: Odor: Odor threshold: Formulation	Liquid According to product specification Odorless Not determined. 4.5 mM FeSO4 in 0.2 M HCl	
pH-value:	Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	0 °C (32 °F) 100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits: Lower: Upper:	Not determined. Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate	1 g/cm³ (8.345 lbs/gal) Not determined. Not determined. Not determined.	
Solubility in / Miscibility with Water:	Fully miscible.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity: Dynamic at 20 °C (68 °F): Kinematic:	0.952 mPas Not determined.	
Solvent content: Water: VOC content:	99.2 % 0.00 % 0.0 g/l / 0.00 lb/gal	

Printing date 04/20/2023

Revision date 04/20/2023

(Contd. from page 4)

Trade name: LPO Assay FTS Reagent 1

Solids content:

0.1 %

· Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

7647-01-0 Hydrochloric acid

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- **Mobility in soil** No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.

(Contd. on page 6)

3

US

Printing date 04/20/2023

Revision date 04/20/2023

(Contd. from page 5)

Trade name: LPO Assay FTS Reagent 1

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation: Smaller quantities can be disposed of with household waste.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

	not regulated
· DOT, IMDG, IATA	not regulated
 UN proper shipping name DOT, IMDG, IATA 	not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	not regulated
· Packing group · DOT, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	t II of Not applicable.
· UN "Model Regulation":	not regulated

15 Regulatory information · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. · Sara · Section 355 (extremely hazardous substances): 7647-01-0 Hydrochloric acid · Section 313 (Specific toxic chemical listings): 7647-01-0 Hydrochloric acid • TSCA (Toxic Substances Control Act): 7732-18-5 Water ACTIVE 7647-01-0 Hydrochloric acid ACTIVE · Hazardous Air Pollutants 7647-01-0 Hydrochloric acid (Contd. on page 7)

us

A4

Safety Data Sheet acc. to OSHA HCS

Printing date 04/20/2023

· Proposition 65

Revision date 04/20/2023

Trade name: LPO Assay FTS Reagent 1

(Contd. from page 6)

•	Chemicals	known	to	cause	cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

7647-01-0 Hydrochloric acid

• NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

· Department issuing SDS: Environment protection department.

· Contact: -

- · Date of preparation / last revision 04/20/2023
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA: Occupational Safety & Health** TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** * * Data compared to the previous version altered.



Printing date 04/20/2023

Revision date 04/20/2023

Page 1/11

1 Identification

- · Product identifier
- · Trade name: LPO Assay FTS Reagent 2
- Article number: 705012
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet
- **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

GHS02 Flame	
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
GHS06 Skull and crossbones	H301 Toxic if swallowed.
Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3	H301 Toxic in swallowed. H311 Toxic in contact with skin.
Acute Toxicity - Inhalation 3	H331 Toxic if inhaled.
GHS08 Health hazard	
Specific Target Organ Toxicity - Single Exposure 1	H370 Causes damage to the central nervou system and the visual organs.

Printing date 04/20/2023

_ _

Revision date 04/20/2023

Trade name: LPO Assay FTS Reagent 2

	, ,
•	(Contd. from page 1)
NV.	
GHS09	Environment
Aquatic Chronic 2	H411 Toxic to aquatic life with long lasting effects.
Aquatic Acute 2	H401 Toxic to aquatic life.
Label elements	
• GHS label eleme	
· Hazard pictogra	assified and labeled according to the Globally Harmonized System (GHS).
GHS02 GHS06	GHS08 GHS09
· Signal word Dan	der
-	-
 Hazard-determin Methanol 	ing components of labeling:
Ammonium thiocy	anate
· Hazard statemer	
H225	Highly flammable liquid and vapor.
	1 Toxic if swallowed, in contact with skin or if inhaled.
H370	Causes damage to the central nervous system and the visual organs.
H411 Brocentierrene et	Toxic to aquatic life with long lasting effects.
 Precautionary st P210 	Reep away from heat/sparks/open flames/hot surfaces No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264 P270	Wash thoroughly after handling. Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P321 P330	Specific treatment (see on this label). Rinse mouth.
	3 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
	water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P307+P311	IF exposed: Call a POISON CENTER or doctor/physician.
P312	Call a poison center/doctor if you feel unwell.
P361+P364 P370+P378	Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use CO2, powder or water spray to extinguish.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations. (Contd. on page 3)

(Contd. on page 3)

US

Printing date 04/20/2023

Revision date 04/20/2023

(Contd. from page 2)

Trade name: LPO Assay FTS Reagent 2

· Classification system:

• NFPA ratings (scale 0 - 4)

230

Health = 2 Fire = 3 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH*2FIRE3Fire = 3REACTIVITYReactivity = 0

· Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 67-56-1 RTECS: PC1400000	Methanol	97.0%
CAS: 1762-95-4 RTECS: XK7875000	Ammonium thiocyanate	3.0%

4 First-aid measures

· Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

(Contd. on page 4)

Printing date 04/20/2023

Revision date 04/20/2023

Trade name: LPO Assay FTS Reagent 2

(Contd. from page 3)

5 Fire-fighting measures

- · Extinguishing media
- **Suitable extinguishing agents:** CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system or any water course or sewage system or and water course or sewage system or allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binder Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals 		
PAC-1:		
67-56-1 Methanol	530 ppm	
1762-95-4 Ammonium thiocyanate 2.3 mg/m		
PAC-2:		
67-56-1 Methanol	2,100 ppm	
1762-95-4 Ammonium thiocyanate	25 mg/m³	
· PAC-3:		
67-56-1 Methanol	7200* ppm	
1762-95-4 Ammonium thiocyanate	150 mg/m ³	

7 Handling and storage

· Handling:

- Precautions for safe handling
 Ensure good ventilation/exhaustion at the workplace.
 Open and handle receptacle with care.
 Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.

(Contd. on page 5)

[–] ús

Printing date 04/20/2023

Revision date 04/20/2023

Trade name: LPO Assay FTS Reagent 2

(Contd. from page 4)

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- **Storage:** Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:
- The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
- At this time, the remaining constituent has no known exposure limits.

67-56-1 Methanol

- PEL Long-term value: 260 mg/m³, 200 ppm REL Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
- TLV Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI

· Ingredients with biological limit values:

67-56-1 Methanol

- BEI 15 mg/L Medium: urine Time: end of shift
 - Parameter: Methanol (background, nonspecific)
- · Additional information: The lists that were valid during the creation were used as basis.

• Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes and skin.
- · Breathing equipment:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- · Protection of hands:



Protective gloves

(Contd. on page 6)

Printing date 04/20/2023

Revision date 04/20/2023

Trade name: LPO Assay FTS Reagent 2

(Contd. from page 5) The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

 Information on basic physical and General Information 	chemical properties
· Appearance:	
Form:	Liquid
Color:	According to product specification
· Odor:	Alcohol-like
· Odor threshold:	Not determined.
· Formulation	3% solution of NH4SCN in methanol
· pH-value:	Not determined.
 Change in condition 	
Melting point/Melting range:	-98 °C (-144.4 °F)
Boiling point/Boiling range:	64.7 °C (148.5 °F)
· Flash point:	9.7 °C (49.5 °F)
· Flammability (solid, gaseous):	Highly flammable.
· Auto igniting:	455 °C (851 °F)
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air, vapor mixtures are possible.
· Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
· Density at 20 °C (68 °F):	0.7963 g/cm³ (6.64512 lbs/gal)
· Relative density	Not determined.
	(Contd. on page 7

119

Safety Data Sheet acc. to OSHA HCS

Printing date 04/20/2023

Revision date 04/20/2023

Trade name: LPO Assay FTS Reagent 2

	(Co	ontd. from page 6)
· Vapor density	Not determined.	
 Evaporation rate 	Not determined.	
 Solubility in / Miscibility with 		
Water at 20 °C (68 °F):	1000 g/l	
· Partition coefficient (n-octanol/w	vater): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	97.0 %	
VOC content:	97.00 %	
	772.4 g/l / 6.45 lb/gal	
Solids content:	3.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classificat	ion:
--	------

ATE (Acute Toxicity Estimate)				
Oral	LD50	103 mg/kg (rat)		
Dermal		300 mg/kg		
Inhalative	LC50/4 h	3 mg/l		

67-56-1 Methanol		
Oral	LD50	100.1 mg/kg (rat) (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Symptoms: Nausea, Vomiting
Dermal	LD50	300.1 mg/kg (rabbit) (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)
	·	(Contd. on page 8)

Printing date 04/20/2023

Revision date 04/20/2023

Trade name: LPO Assay FTS Reagent 2

		(Contd. from page 7)
Inhalative	LC50/4 h	3.1 mg/l (rat)
		(Expert judgment)
Oral	LD50	750 mg/kg (rat)
· Primary in	rritant effe	ct:
[.] on the sk	in: No irrita	ant effect.
· on the ey	e: No irrita	ting effect.
The produ	uct shows	the following dangers according to internally approved calculation methods for
	ns:	
Toxic		
· Carcinog	enic categ	lories
•		
· NTP (Nati	onal Toxi	cology Program)
•		
	<u> </u>	
	• •	-
None of th	ie ingredie	nts is listed.
12 Ecologi	cal infor	mation
	ovicity: No	o further relevant information available
Image: Construct State		
		ch
	-	מו וווטווומנוטוו.

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

(Contd. on page 9)

US

Printing date 04/20/2023

Revision date 04/20/2023

Trade name: LPO Assay FTS Reagent 2

(Contd. from page 8)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN1992
UN proper shipping name DOT IMDG IATA	Flammable liquids, toxic, n.o.s. (Methanol) FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL Flammable liquid, toxic, n.o.s. (METHANOL)
Transport hazard class(es)	
DOT	
RUMARE LOCO	
Class Label	3 Flammable liquids 3, 6.1
IMDG	
Class	3 Flammable liquids
Label	3/6.1
Class Label	3 Flammable liquids 3 (6.1)
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemle	Warning: Flammable liquids

Printing date 04/20/2023

Revision date 04/20/2023

Trade name: LPO Assay FTS Reagent 2

	(Contd. from page
EMS Number: Stowage Category Stowage Code	F-E,S-D B SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 60 L
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
IATA Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.
UN "Model Regulation":	UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S (METHANOL), 3 (6.1), II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

 Section 355 (extremely 	hazardous substances):
--	------------------------

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

67-56-1 Methanol

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

67-56-1 Methanol

Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 11)

US

Printing date 04/20/2023

Revision date 04/20/2023

Trade name: LPO Assay FTS Reagent 2

(Contd. from page 10)

· Carcinogenic categories

67-56-1 Methanol

EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -

Date of preparation / last revision 04/20/2023

· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit **BEI: Biological Exposure Limit** Flammable Liquids 2: Flammable liquids - Category 2 Acute Toxicity - Oral 3: Acute toxicity - Category 3 Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) - Category 1 Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard - Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2



Printing date 04/20/2023


Revision date 04/20/2023

Page 1/10

1 Identification

- Product identifier
- · Trade name: Lipid Hydroperoxide Standard
- Article number: 705014
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet
- **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification



Printing date 04/20/2023

Revision date 04/20/2023

Trade name: Lipid Hydroperoxide Standard

		td. from page 1
Signal word D	•	
Hazard statem		
	ammable liquid and vapor.	
	serious eye irritation.	
Precautionary		
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.	
P233	Keep container tightly closed.	
P240	Ground/bond container and receiving equipment.	
P241	Use explosion-proof electrical/ventilating/lighting/equipment.	
P242	Use only non-sparking tools.	
P243	Take precautionary measures against static discharge.	
P264	Wash thoroughly after handling.	
P280 P303+P361+P3	Wear protective gloves/protective clothing/eye protection/face protection 353 If on skin (or hair): Take off immediately all contaminated clothing. Rir	
	water/shower.	
P305+P351+P3	338 If in eyes: Rinse cautiously with water for several minutes. Remove cont present and easy to do. Continue rinsing.	act lenses,
P337+P313	If eye irritation persists: Get medical advice/attention.	
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.	
P403+P235	Store in a well-ventilated place. Keep cool.	
P501	Dispose of contents/container in accordance with local/regional/national/	/internationa
	regulations.	
Fi	lealth = 2 ire = 3	
HMIS-ratings (eactivity = 0	
_	Health = 2	
	Fire = 3	
	Reactivity = 0	
REACTIVITY		
Other hazards	3	
Results of PB	T and vPvB assessment	
PBT: Not appli	cable.	
vPvB: Not app	licable.	
Compositio	on/information on ingredients	
	racterization: Mixtures Aixture of the substances listed below with nonhazardous additions.	
Description: N		
-	omponents:	
Description: N Dangerous co CAS: 64-17-5	ethanol	99.998%
Dangerous co CAS: 64-17-5	ethanol	99.998%
Dangerous co CAS: 64-17-5 RTECS: KQ63	ethanol 00000	99.998%
Dangerous co	ethanol 00000 ents	99.998%

(Contd. on page 3)

Printing date 04/20/2023

Revision date 04/20/2023

Trade name: Lipid Hydroperoxide Standard

(Contd. from page 2)

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions:
 Dilute with plenty of water.
 Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up:
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Dispose contaminated material as waste according to section 13.
- Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. • Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

1,800 ppm
3300* ppm
15000* ppm

(Contd. on page 4)

Printing date 04/20/2023

Revision date 04/20/2023

Trade name: Lipid Hydroperoxide Standard

(Contd. from page 3)

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- No special precautions are necessary if used correctly. Avoid breathing dust/fume/gas/mist/vapours/spray.
- Avoid prolonged or repeated exposure.
- Keep away from sources of ignition.
- Take precautionary measures against static discharge.re.
- Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke.
- Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

Control parameters

· Components with limit values that require monitoring at the workplace:

64-17-5 ethanol

PEL Long-term value: 1900 mg/m³, 1000 ppm

- REL Long-term value: 1900 mg/m³, 1000 ppm
- TLV Short-term value: 1000 ppm A3

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 5)

US

Printing date 04/20/2023

Revision date 04/20/2023

Trade name: Lipid Hydroperoxide Standard

(Contd. from page 4) Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

 Information on basic physical and c General Information 	chemical properties
 Appearance: Form: Color: Odor: Structural Formula Molecular Weight Odor threshold: Formulation 	Liquid According to product specification Alcohol-like C18H32O4 312.4 g/mol Not determined. A solution in ethanol
· pH-value:	Not determined.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	-114 °C (-173.2 °F) 78 °C (172.4 °F)
· Flash point:	13 °C (55.4 °F)
· Flammability (solid, gaseous):	Highly flammable.
· Auto igniting:	425 °C (797 °F)
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.
[·] Explosion limits: Lower: Upper:	3.3 Vol % 19 Vol %
 Vapor pressure at 20 °C (68 °F): Vapor pressure at 50 °C (122 °F): 	59 hPa (44.3 mm Hg) 280 hPa (210 mm Hg)
 Density at 20 °C (68 °F): Relative density 	0.79 g/cm³ (6.59255 lbs/gal) Not determined.

US

Printing date 04/20/2023

Revision date 04/20/2023

Trade name: Lipid Hydroperoxide Standard

	(Con	td. from page 5)
 Vapor density Evaporation rate 	Not determined. Not determined.	
 Solubility in / Miscibility with Water at 20 °C (68 °F): 	1,000 g/l	
· Partition coefficient (n-octanol/wa	ater): Not determined.	
 Viscosity: Dynamic at 20 °C (68 °F): Kinematic: 	1.2 mPas Not determined.	
 Solvent content: Organic solvents: VOC content: 	100.0 % 100.00 % 1,000.0 g/l / 8.35 lb/gal	
Solids content:	0.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

LD/LC50 values that are relevant for classification: 64-17-5 ethanol		
		Oral
Inhalative	LC50/4 h	117–125 mg/l (rat) OECD 403 (rat)
 Primary in on the ski 		
on the eye	e: Irritating	effect.
• Additiona	I toxicologict shows	ensitizing effects known. gical information: the following dangers according to internally approved calculation methods for

Irritant

(Contd. on page 7)

US

Printing date 04/20/2023

Revision date 04/20/2023

Trade name: Lipid Hydroperoxide Standard

(Contd. from page 6)

1

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

64-17-5 ethanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN1170
UN proper shipping name	
DOT	Ethanol solutions
IMDG	ETHANOL SOLUTION (ETHYL ALCOH)
	SOLUTION)
ΙΑΤΑ	Ethanol solution

Printing date 04/20/2023

Revision date 04/20/2023

Trade name: Lipid Hydroperoxide Standard

	(Contd. from page
Transport hazard class(es)	
DOT	
PLAMARIE LOUD	
3	
Class	3 Flammable liquids
Label	3
IMDG, IATA	
Class Label	3 Flammable liquids
	3
Packing group DOT, IMDG, IATA	11
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	
EMS Number:	F-E,S-D
Stowage Category	A
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Natappliashla
	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
ΙΑΤΑ	
Remarks:	When sold in quantities of less than or equal to 1 m
	or 1 g, with an Excepted Quantity Code of
	E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10.
	Therefore packaging does not have to be labeled a
	Dangerous Goods/Excepted Quantity.
UN "Model Regulation":	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO
	SOLUTION), 3, II

(Contd. on page 9)

Revision date 04/20/2023

Trade name: Lipid Hydroperoxide Standard

Printing date 04/20/2023

(Contd. from page 8)

Safety, health and environm No further relevant information Sara	nental regulations/legislation specific for the substance or mixture navailable.
Section 355 (extremely haza	rdous substances):
None of the ingredients is liste	ed.
Section 313 (Specific toxic o	chemical listings):
None of the ingredients is liste	ed.
TSCA (Toxic Substances Co	ontrol Act):
64-17-5 ethanol	ACTIVE
Hazardous Air Pollutants	
None of the ingredients is liste	ed.
Proposition 65	
Chemicals known to cause	
None of the ingredients is liste	ed.
Chemicals known to cause	reproductive toxicity for females:
None of the ingredients is liste	ed.
Chemicals known to cause	reproductive toxicity for males:
None of the ingredients is liste	ed.
Chemicals known to cause	developmental toxicity:
64-17-5 ethanol	
Carcinogenic categories	
EPA (Environmental Protect	tion Agency)
None of the ingredients is liste	ed.
TLV (Threshold Limit Value)	
64-17-5 ethanol	A
NIOSH-Ca (National Institute	e for Occupational Safety and Health)

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of preparation / last revision 04/20/2023
- **Abbreviations and acronyms:** IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

Printing date 04/20/2023

Revision date 04/20/2023

Trade name: Lipid Hydroperoxide Standard

E E C N H V L L P V N O TI P N N O TI P R	ATA: International Air Transport Association INECS: European Inventory of Existing Commercial Chemical Substances LINCS: European List of Notified Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) IFPA: National Fire Protection Association (USA) MIS: Hazardous Materials Identification System (USA) OC: Volatile Organic Compounds (USA, EU) C50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent BT: Persistent, Bioaccumulative and Toxic PvB: very Persistent and very Bioaccumulative IIOSH: National Institute for Occupational Safety VSHA: Occupational Safety & Health LV: Threshold Limit Value EL: Permissible Exposure Limit IeL: Recommended Exposure Limit Iammable Liquids 2: Elammable liquids = Category 2	(Contd. from page 9)
R Fl		



Safety Data Sheet

acc. to OSHA HCS

Printing date 10/03/2023

Revision date 10/03/2023

Page 1/9

1 Identification

- · Product identifier
- Trade name: LPO Assay Extract R
- · Synonym Extract R
- · Article number: 705016
- CAS Number: 37267-86-0
- **EC number:** 253-433-4
- Index number: 015-011-00-6
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- · Information department: Product safety department
- Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



Skin Corrosion 1B H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.

· Label elements

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

Printing date 10/03/2023

Revision date 10/03/2023

Trade name: LPO Assay Extract R

· Hazard pictogra	(Contd. from page 1)
GHS05	
Signal word Da	nger
	ning components of labeling:
Metaphosphoric	
Hazard stateme	
	vere skin burns and eye damage.
• Precautionary s	
P260	Do not breathe dusts or mists.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
	31 If swallowed: Rinse mouth. Do NOT induce vomiting. 53 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
F 303+F 301+F 30	water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	88 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
Classification s	
• NFPA ratings (s	cale 0 - 4)
	alth = 3



· HMIS-ratings (scale 0 - 4)

HEALTH *3	Health = *3
	Fire = 0
REACTIVITY 0	Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- 37267-86-0 Metaphosphoric acid
- Identification number(s)
- EC number: 253-433-4

(Contd. on page 3)

Printing date 10/03/2023

Revision date 10/03/2023

Trade name: LPO Assay Extract R

· Index number: 015-011-00-6

(Contd. from page 2)

4 First-aid measures

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment. A solid water stream may be inefficient.
- **Special hazards arising from the substance or mixture** 67-56-1During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Environmental precautions: Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals 	
PAC-1:	
	30 mg/m³
PAC-2:	
	330 mg/m³
	(Contd. on page 4)

Printing date 10/03/2023

Revision date 10/03/2023

Trade name: LPO Assay Extract R

(Contd. from page 3)

2,000 mg/m³

7 Handling and storage

· Handling:

· PAC-3:

· Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

· Information about protection against explosions and fires:

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

(Contd. on page 5)

US

Printing date 10/03/2023

Revision date 10/03/2023

(Contd. from page 4)

Trade name: LPO Assay Extract R

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Information on basic physical and che General Information Appearance: Form: Color: Odor: Structural Formula Molecular Weight Odor threshold: pH-value:	Solid According to product specification Characteristic HPO3 80 g/mol Not determined.
Form: Color: Odor: Structural Formula Molecular Weight Odor threshold:	According to product specification Characteristic HPO3 80 g/mol
Color: Odor: Structural Formula Molecular Weight Odor threshold:	According to product specification Characteristic HPO3 80 g/mol
Odor: Structural Formula Molecular Weight Odor threshold:	Characteristic HPO3 80 g/mol
Structural Formula Molecular Weight Odor threshold:	HPO3 80 g/mol
Molecular Weight Odor threshold:	80 g/mol
Odor threshold:	
	Not determined
	Not applicable.
•	
Change in condition	Undetermined.
Melting point/Melting range: Boiling point/Boiling range:	Undetermined.
••• •••	
Flash point:	Not applicable.
Flammability (solid, gaseous):	Product is not flammable.
Decomposition temperature:	Not determined.
Ignition temperature:	Not determined.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not applicable.
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Soluble.
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
Dynamic:	Not applicable.
Kinematic: VOC content:	Not applicable. 0.00 %

US

Printing date 10/03/2023

Revision date 10/03/2023

(Contd. from page 5)

Trade name: LPO Assay Extract R

Solids content:

100.0 %

· Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- · on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

· Sensitization: No sensitizing effects known.

• Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

(Contd. on page 7)

– US

Printing date 10/03/2023

Revision date 10/03/2023

Trade name: LPO Assay Extract R

(Contd. from page 6) Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

• **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN3260
UN proper shipping name DOT, IATA IMDG	Corrosive solid, acidic, inorganic, n. (Metaphosphoric acid) CORROSIVE SOLID, ACIDIC, INORGANIC, N. (Metaphosphoric acid)
Transport hazard class(es)	
DOT	
Class	8 Corrosive substances
Label	8
IMDG, IATA	
Class	8 Corrosive substances
Label	8
Packing group DOT, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances

Printing date 10/03/2023

Revision date 10/03/2023

Trade name: LPO Assay Extract R

	(Contd. from page
Hazard identification number (Kemler	r code): 80
EMS Number:	F-A,S-B
Segregation groups	(SGG1) Acids
Stowage Category	A
Segregation Code	SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides
Transport in bulk according to Annex	ll of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 25 kg On cargo aircraft only: 100 kg
IMDG	
Limited quantities (LQ)	5 kg
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
ΙΑΤΑ	
Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.
UN "Model Regulation":	UN 3260 CORROSIVE SOLID, ACIDIC, INORGANIC N.O.S. (METAPHOSPHORIC ACID), 8, III

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

 Section 355 (extremely 	hazardous substances):
--	------------------------

Substance is not listed.

• Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

ACTIVE

• Hazardous Air Pollutants Substance is not listed.

· Proposition 65

Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

(Contd. on page 9)

US

Printing date 10/03/2023

Revision date 10/03/2023

Trade name: LPO Assay Extract R

(Contd. from page 8)

 Chemicals known to cause reproductive toxicity fo 	or males:
---	-----------

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

• EPA (Environmental Protection Agency)

Substance is not listed.

• TLV (Threshold Limit Value)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · **Department issuing SDS:** Environment protection department.
- Contact: -
- Date of preparation / last revision 10/03/2023

· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA: Occupational Safety & Health** TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Skin Corrosion 1B: Skin corrosion/irritation - Category 1B Eye Damage 1: Serious eye damage/eye irritation - Category 1 ** Data compared to the previous version altered.

US



Printing date 04/20/2023

Revision date 04/20/2023

Page 1/9

1 Identification

- Product identifier
- · Trade name: LPO Assay Triphenylphosphine
- · Article number: 705018
- · CAS Number: 603-35-0
- · EC number:
- 210-036-0
- · Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- · Information department: Product safety department

· Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CĂNADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture **GHS09** Environment Aquatic Acute 1 H400 Very toxic to aquatic life. Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects. GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Sensitization - Skin 1 H317 May cause an allergic skin reaction. · Label elements · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

US

Printing date 04/20/2023

Revision date 04/20/2023

Trade name: LPO Assay Triphenylphosphine

· Hazard n	pictograms	(Contd. from page 1)
ΠαΖαιά μ		
GHS07	GHS09	
[.] Signal w	ord Warning	
· Hazard-c	letermining components of labeling:	
	phosphine	
	tatements	
	rmful if swallowed.	
	y cause an allergic skin reaction.	
	ry toxic to aquatic life with long lasting effects.	
	onary statements	
P261	Avoid breathing dust/fume/gas/mist/vapors/spray	
P264	Wash thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product.	
P272	Contaminated work clothing must not be allowed out of the workplace.	
P273	Avoid release to the environment.	
P280	Wear protective gloves.	
P301+P3	12 If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth.	
	52 If on skin: Wash with plenty of water.	
	13 If skin irritation or rash occurs: Get medical advice/attention.	
P321	Specific treatment (see on this label).	
P363	Wash contaminated clothing before reuse.	
P391	Collect spillage.	
P501	Dispose of contents/container in accordance with local/regional/na	ational/international
1 001	regulations.	
· Classific	ation system:	
	tings (scale 0 - 4)	
	Health = 1	
	Fire = 0	
	Reactivity = 0	
· HMIS-rat	rings (scale 0 - 4)	
HEALTH	1 Health = 1	
FIRE	1 Health = 1 Fire = 0	
REACTIVIT	<mark>Y</mark>	
· Other ha	zards	
	of PBT and vPvB assessment	
	t annlicable	

- · PBT: Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- 603-35-0 Triphenylphosphine

(Contd. on page 3)

[–] ÚS ·

Printing date 04/20/2023

Revision date 04/20/2023

Trade name: LPO Assay Triphenylphosphine

(Contd. from page 2)

- Identification number(s)
- · EC number: 210-036-0

4 First-aid measures

- · Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

A solid water stream may be inefficient.

Special hazards arising from the substance or mixture No further relevant information available.

- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Not required. • Environmental precautions:

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.

- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:

2.9 mg/m³

· PAC-2:

32 mg/m³

(Contd. on page 4)

Printing date 04/20/2023

Revision date 04/20/2023

Trade name: LPO Assay Triphenylphosphine

(Contd. from page 3)

540 mg/m³

7 Handling and storage

· Handling:

· PAC-3:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires: No special measures required.
- $^{\rm \cdot}$ Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. • **Protection of hands:**

Protection of hands



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Printing date 04/20/2023

Revision date 04/20/2023

(Contd. from page 4)

Trade name: LPO Assay Triphenylphosphine

• Eye protection: Not required.

9 Physical and chemical properties			
	· Information on basic physical and chemical properties		
· General Information			
· Appearance: Form:	Solid		
Color:	According to product specification		
Odor:	Characteristic		
· Odor threshold:	Not determined.		
· pH-value:	Not applicable.		
Change in condition			
Melting point/Melting range:	79–81 °C (174.2–177.8 °F)		
Boiling point/Boiling range:	Undetermined.		
· Flash point:	Not applicable.		
 Flammability (solid, gaseous): 	Product is not flammable.		
 Decomposition temperature: 	Not determined.		
· Ignition temperature:	Not determined.		
Danger of explosion:	Product does not present an explosion hazard.		
· Explosion limits:			
Lower:	Not determined.		
Upper:	Not determined.		
· Vapor pressure:	Not applicable.		
[.] Density at 20 °C (68 °F):	0.6 g/cm³ (5.007 lbs/gal)		
Relative density	Not determined.		
Vapor density	Not applicable.		
· Evaporation rate	Not applicable.		
• Solubility in / Miscibility with	• • • •		
Water:	Soluble.		
· Partition coefficient (n-octanol/water): Not determined.			
· Viscosity:			
Dynamic:	Not applicable.		
Kinematic:	Not applicable.		
VOC content:	0.00 %		
Solids content:	100.0 %		
Other information	No further relevant information available.		

10 Stability and reactivity

· Reactivity No further relevant information available.

(Contd. on page 6)

US –

Printing date 04/20/2023

Revision date 04/20/2023

(Contd. from page 5)

Trade name: LPO Assay Triphenylphosphine

- · Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:
- ATE (Acute Toxicity Estimate)
- Oral LD50 700 mg/kg (rat)

603-35-0 Triphenylphosphine

- Oral LD50 700 mg/kg (rat)
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (Assessment by list): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.
- Also poisonous for fish and plankton in water bodies.
- Very toxic for aquatic organisms

(Contd. on page 7)

Printing date 04/20/2023

Revision date 04/20/2023

Trade name: LPO Assay Triphenylphosphine

(Contd. from page 6)

· Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information	
· UN-Number · DOT, IMDG, IATA	UN3077
 UN proper shipping name DOT, IATA 	Environmentally hazardous substance, solid, n.o. (Triphenylphosphine)
· IMDG	ÈNVIRÓNMENTALLY HAZARDOUS SUBSTANCI SOLID, N.O.S. (Triphenylphosphine)
· Transport hazard class(es)	
· DOT, IMDG	
· Class · Label	9 Miscellaneous dangerous substances and articles9
·IATA	
· Class · Label	9 Miscellaneous dangerous substances and articles 9
· Packing group · DOT, IMDG, IATA	111
 Environmental hazards: Special marking (IATA): 	Symbol (fish and tree)
· Special precautions for user	Warning: Miscellaneous dangerous substances ar articles
· Hazard identification number (Kemler code):	90
	(Contd. on page

Printing date 04/20/2023

Revision date 04/20/2023

Trade name: LPO Assay Triphenylphosphine

	(Contd. from page 2
· EMS Number: · Stowage Category · Stowage Code	F-A,S-F A SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 400 kg On cargo aircraft only: 400 kg
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S (TRIPHENYLPHOSPHINE), 9, III

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
 Sara

Said	
 Section 355 (extremely hazardous substances): 	
Substance is not listed.	
 Section 313 (Specific toxic chemical listings): 	
Substance is not listed.	
· TSCA (Toxic Substances Control Act):	
	ACTIVE
· Hazardous Air Pollutants	
Substance is not listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
Substance is not listed.	
 Chemicals known to cause reproductive toxicity for females: 	
Substance is not listed.	
	(Contd. on page

Printing date 04/20/2023

Revision date 04/20/2023

Trade name: LPO Assay Triphenylphosphine

(Contd. from page 8)

· Chemicals known to	o cause reproductive to	exicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

• EPA (Environmental Protection Agency)

Substance is not listed.

TLV (Threshold Limit Value)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of preparation / last revision 04/20/2023

· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Acute Toxicity - Oral 4: Acute toxicity - Category 4 Sensitization - Skin 1: Skin sensitisation - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1