

Page: 1

Hydrogen Peroxide Assay (urinary) Reagent 1

Cayman Chemical Company 1180 E. Ellsworth Rd. Ann Arbor, MI 48108

Revision: 03/18/2011

Supercedes Revision: 03/07/2011

1. Identification of the Substance/Mixture and of the Company/Undertaking

Product Code: 706012

Product Name: Hydrogen Peroxide Assay (urinary) Reagent 1

Manufacturer Information

Company Name: Cayman Chemical Company

Emergency Contact: CHEMTREC Within USA and Canada: +1 (800)424-9300

CHEMTREC Outside USA and Canada: **Alternate Emergency Contact:** +1 (703)527-3887

Information: Cayman Chemical Company +1 (734)971-3335

Web site address: www.caymanchem.com

2. Hazards Identification

Emergency Overview: Corrosive.

Avoid contact and inhalation.

Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes

Potential Health Effects (Acute and Chronic): Causes severe burns.

Material is extremely destructive to the tissue of the mucous membranes and upper respiratory

tract, eyes, and skin.

May be harmful by inhalation, ingestion, or skin absorption.

Signs and Symptoms Of Exposure: Eye contact may cause blurred vision, redness, pain and tissue burns.

Effects may be delayed.

Inhalation may result in spasm, inflammation, and edema of the larynx and bronchi, chemical

pneumonitis, and pulmonary edema.

Inhalation may cause coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and

vomiting.

To the best of our knowledge, the toxicological properties have not been thoroughly investigated.

Exposure:

Medical Conditions Generally Aggravated By Persons with pre-existing skin disorders or eye problems or impaired respiratory function may be more susceptible to the effects of the substance.

| Composition/Information on Ingredients | | | | | | | |
|----------------------------------------------------------|-----------|---------------|-----------|-------------------|-----------|--|--|
| Hazardous Components (Chemical Name) | CAS# | Concentration | EC# | Risk Phrases | RTECS# | | |
| Ferrous ammonium sulfate | 7783-85-9 | 0.0 -5.0 % | NA | R36/37/38 | BR6500000 | | |
| 2. Sulfuric acid | 7664-93-9 | 10.0 -50.0 % | 231-639-5 | R35 | WS5600000 | | |
| 3. Water | 7732-18-5 | 45.0 -90.0 % | 231-791-2 | No phrases apply. | ZC0110000 | | |

4. First Aid Measures

Emergency and First Aid Procedures:

If inhaled, remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.

If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.

In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water for at least 20 minutes. Have eyes examined and tested by medical personnel.

In case of skin contact, immediately wash skin with soap and plenty of water for at least 20 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

Multi-region format



Hydrogen Peroxide Assay (urinary) Reagent 1

Revision: 03/18/2011

Page: 2

Supercedes Revision: 03/07/2011

5. Fire Fighting Measures

Flash Pt: No data.

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data available.

Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or

equivalent), and full protective gear to prevent contact with skin and eyes.

Flammable Properties and Hazards: No data available. **Hazardous Combustion Products:** No data available.

Suitable Extinguishing Media: Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray.

Use water spray to cool fire-exposed containers.

Unsuitable Extinguishing Media: A solid water stream may be inefficient.

Accidental Release Measures

Steps To Be Taken In Case Material Is

Avoid release into the environment.

Released Or Spilled:

Avoid breathing vapors and provide adequate ventilation.

As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator, and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves). Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

7. Handling and Storage

Avoid contact with skin and eyes. Do not reuse this container. Use with adequate ventilation. **Hazard Label Information:**

Wash thoroughly after handling

Precautions To Be Taken in Handling: Avoid breathing (dust, vapor, mist, gas).

Avoid prolonged or repeated exposure.

Precautions To Be Taken in Storing: Keep tightly closed.

Keep out of direct sunlight.

Keep away from incompatible materials.

Store at correct temperature.

Other Precautions: Air sensitive.

Light sensitive.

| 8. Exposure C | Controls/F | Personal | Protection |
|---------------|------------|----------|------------|
|---------------|------------|----------|------------|

| Hazardous Components (Chemical Name) | CAS# | OSHA PEL | ACGIH TWA | Other Limits |
|--------------------------------------|-----------|--------------|-----------------|--------------|
| Ferrous ammonium sulfate | 7783-85-9 | No data. | No data. | No data. |
| 2. Sulfuric acid | 7664-93-9 | PEL: 1 mg/m3 | TLV: (1 mg/m3) | No data. |
| | | | STEL: (3 mg/m3) | |
| 3. Water | 7732-18-5 | No data. | No data. | No data. |

Protective Equipment Summary - Hazard

Label Information:

Compatible chemical-resistant gloves Eye wash station in work area

Lab coat Safety

glasses Safety shower in work area Vent Hood

Respiratory Equipment (Specify Type): NIOSH approved respirator, as conditions warrant.

Eve Protection: Safety glasses

Protective Gloves: Compatible chemical-resistant gloves

Other Protective Clothing: Lab coat

Engineering Controls (Ventilation etc.): Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne

levels below recommended exposure limits.

Work/Hygienic/Maintenance Practices: Do not take internally.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a

safety shower.

Wash thoroughly after handling.



Hydrogen Peroxide Assay (urinary) Reagent 1

Revision: 03/18/2011

Page: 3

Supercedes Revision: 03/07/2011

| 9. F | Physical and Chemical Properties |
|--------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Physical States: | [] Gas [X] Liquid [] Solid |
| Melting Point: | No data. |
| Boiling Point: | No data. |
| Autoignition Pt: | No data. |
| Flash Pt: | No data. |
| Specific Gravity (Water = 1): | No data. |
| Vapor Pressure (vs. Air or mm Hg): | No data. |
| Vapor Density (vs. Air = 1): | No data. |
| Evaporation Rate (vs Butyl Acetate=1): | No data. |
| Solubility in Water: | No data. |
| Percent Volatile: | No data. |
| Appearance and Odor: | No data available. |
| | 10. Stability and Reactivity |
| Stability: | Unstable [] Stable [X] |
| Conditions To Avoid - Instability: | No data available. |
| Incompatibility - Materials To Avoid: | azides |
| | bases |
| | carbides |
| | chlorates |
| | cyanides fulminates |
| | halides |
| | hydrogen peroxide |
| | metals |
| | nitrates |
| | nitromethane |
| | organic materials |
| | picrates |
| | perchlorates |
| | permanganates |
| | phosphorous strong reducing agents |
| | strong oxidizing agents |
| | zinc salts |
| | Reacts violently with: cyclopentadiene, cyclopentanone oxime, nitroaryl amines, |
| | hexalithium disilicide, phosphorous(III) oxide, powdered metals. |
| Hazardous Decomposition Or Byproducts: | sulfur oxides |
| Possibility of Hazardous Reactions: | Will occur [] Will not occur [X] |
| Conditions To Avoid - Hazardous Reactions: | No data available. |
| | 11. Toxicological Information |
| | The toxicological effects of this product have not been thoroughly studied. |
| | Sulfuric acid - Toxicity Data: Oral LD50 (rat): 2,140 mg/kg; Inhalation LC50 (rat): 510 mg/m3 (2h); Irritation Data: Eyes (rabbit): severe irritation; Skin (rabbit): extremely corrosive and destructive to tissue; |
| | |



Hydrogen Peroxide Assay (urinary) Reagent 1

Revision: 03/18/2011

Page: 4

Supercedes Revision: 03/07/2011

Chronic Toxicological Effects: Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here.

See actual entry in RTECS for complete information.

Sulfuric Acid RTECS Number: WS5600000

| Hazardous Components (Chemical Name) | CAS# | NTP | IARC | ACGIH | OSHA |
|--------------------------------------|-----------|------|------|-------|------|
| Ferrous ammonium sulfate | 7783-85-9 | n.a. | n.a. | n.a. | n.a. |
| 2. Sulfuric acid | 7664-93-9 | n.a. | No | A2 | n.a. |
| 3. Water | 7732-18-5 | n.a. | n.a. | n.a. | n.a. |

12. Ecological Information

Avoid release into the environment.

Runoff from fire control or dilution water may cause pollution.

13. Disposal Considerations

Waste Disposal Method: Dispose in accordance with local, state, and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT)

DOT Proper Shipping NameSulfuric acid with not more than 51% acid

DOT Hazard Class: 8

DOT Hazard Label: CORROSIVE

UN/NA Number: 2796
Packing Group: II

LAND TRANSPORT (European ADR/RID)

ADR/RID Shipping Name Sulphuric acid, with 51% or less acid

UN Number: 2796

Hazard Class: 8 - CORROSIVE

Packing Group:

AIR TRANSPORT (ICAO/IATA)

ICAO/IATA Shipping Name

Sulphuric acid, with 51% or less acid

UN Number: 2796

Hazard Class: 8 - CORROSIVE

Packing Group: II

IATA Classification: 8

Additional Transport Information: Transport in accordance with local, state, and federal regulations.

15. Regulatory Information

European Community Hazard Symbol codes C: Corrosive

European Community Risk and Safety Phrases

R35 - Causes severe burns.

S24/25 - Avoid contact with skin and eyes.

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection.

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label whenever possible.)

US EPA SARA Title III

| Hazardous Components (Chemical Name) | CAS# | Sec.302 (EHS) | Sec.304 RQ | Sec.313 (TRI) | Sec.110 |
|--------------------------------------|-----------|---------------|-------------|---------------|---------|
| Ferrous ammonium sulfate | 7783-85-9 | No | No | No | No |
| 2. Sulfuric acid | 7664-93-9 | Yes 1000 LB | Yes 1000 LB | Yes | No |



Hydrogen Peroxide Assay (urinary) Reagent 1

Revision: 03/18/2011

Page: 5

Supercedes Revision: 03/07/2011

| Hazardous Components (Chemical Name) | CAS# | Sec.302 (EHS) | Sec.304 RQ | Sec.313 (TRI) | Sec.110 |
|--------------------------------------|-----------|---------------|------------|---------------|---------|
| 3. Water | 7732-18-5 | No | No | No | No |
| Other US EPA or State Lists | | | | | |

| L | Hazardous Components (Chemical Name) | CAS# | CAA HAP,ODC | CWA NPDES | TSCA | CA PROP.65 |
|-------------------|--------------------------------------|-----------|-------------|-----------|-----------|------------|
| Γ | Ferrous ammonium sulfate | 7783-85-9 | No | No | No | No |
| $\left[2\right]$ | 2. Sulfuric acid | 7664-93-9 | No | No | Inventory | No |
| F | 3. Water | 7732-18-5 | No | No | Inventory | No |

Regulatory Information Statement: This SDS was prepared in accordance with Regulation (EC) No.1272/2008 and European

Directive 67/548/EEC as amended.

16. Other Information

Company Policy or Disclaimer

For research use only, not for human or veterinary use.

DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.



Hydrogen Peroxide Assay (urinary) Reagent 2

Cayman Chemical Company 1180 E. Ellsworth Rd. Ann Arbor, MI 48108

Revision: 03/07/2011

Page: 1

Supercedes Revision: 10/21/2004

1. Identification of the Substance/Mixture and of the Company/Undertaking

Product Code: 706014

Product Name: Hydrogen Peroxide Assay (urinary) Reagent 2

Manufacturer Information

Company Name: Cayman Chemical Company

Emergency Contact: CHEMTREC Within USA and Canada: +1 (800)424-9300 CHEMTREC Outside USA and Canada: **Alternate Emergency Contact:** +1 (703)527-3887

Cayman Chemical Company +1 (734)971-3335 Information:

Web site address: www.caymanchem.com

2. Hazards Identification

Emergency Overview: Avoid contact and inhalation.

Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection

Potential Health Effects (Acute and Chronic): Material may be irritating to the mucous membranes and upper respiratory tract.

May be harmful by inhalation, ingestion, or skin absorption.

May cause eye, skin, or respiratory system irritation.

Signs and Symptoms Of Exposure: To the best of our knowledge, the toxicological properties have not been thoroughly investigated.

Medical Conditions Generally Aggravated By No data available.

Exposure:

3. Composition/Information on Ingredients

| | <u>, </u> | | | | |
|--------------------------------------|------------------------------------------------|---------------|-----------|-------------------|-----------|
| Hazardous Components (Chemical Name) | CAS# | Concentration | EC# | Risk Phrases | RTECS# |
| 1. Sorbitol | 50-70-4 | 0.0 -5.0 % | 200-061-5 | No phrases apply. | LZ4290000 |
| 2. Xylenol orange | 3618-43-7 | 0.0 -1.0 % | 222-805-8 | No phrases apply. | NA |
| 3. Sodium azide | 26628-22-8 | 0.0 -0.1 % | 247-852-1 | R28-32-50/53 | VY8050000 |
| 4. Water | 7732-18-5 | 94.9 -100.0 % | 231-791-2 | No phrases apply. | ZC0110000 |

4. First Aid Measures

Emergency and First Aid Procedures:

If inhaled, remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.

If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.

In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water for at least 20 minutes. Have eyes examined and tested by medical personnel.

In case of skin contact, immediately wash skin with soap and plenty of water for at least 20 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

5. Fire Fighting Measures

Flash Pt: No data.

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data available.



Hydrogen Peroxide Assay (urinary) Reagent 2

Revision: 03/07/2011

Page: 2

Supercedes Revision: 10/21/2004

Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or

equivalent), and full protective gear to prevent contact with skin and eyes.

Flammable Properties and Hazards: No data available. **Hazardous Combustion Products:** No data available.

Suitable Extinguishing Media: Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray.

Use water spray to cool fire-exposed containers.

Unsuitable Extinguishing Media: A solid water stream may be inefficient.

Accidental Release Measures

Steps To Be Taken In Case Material Is

Released Or Spilled:

Avoid release into the environment.

Avoid breathing vapors and provide adequate ventilation.

As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator, and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves). Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

Handling and Storage

Hazard Label Information: Avoid contact with skin and eyes. Do not reuse this container. Use with adequate ventilation.

Wash thoroughly after handling

Precautions To Be Taken in Handling: Avoid breathing (dust, vapor, mist, gas).

Avoid prolonged or repeated exposure.

Precautions To Be Taken in Storing: Keep tightly closed.

Store at correct temperature.

8. Exposure Controls/Personal Protection

| Hazardous Components (Chemical Name) | CAS# | OSHA PEL | ACGIH TWA | |
|--------------------------------------|------------|----------|------------------|----------|
| 1. Sorbitol | 50-70-4 | No data. | No data. | No data. |
| 2. Xylenol orange | 3618-43-7 | No data. | No data. | No data. |
| 3. Sodium azide | 26628-22-8 | No data. | CEIL: 0.29 mg/m3 | No data. |
| 4. Water | 7732-18-5 | No data. | No data. | No data. |

Protective Equipment Summary - Hazard

Label Information:

Compatible chemical-resistant gloves Eye wash station in work area

glasses Safety shower in work area Vent Hood

Respiratory Equipment (Specify Type): NIOSH approved respirator, as conditions warrant.

Eye Protection: Safety glasses

Protective Gloves: Compatible chemical-resistant gloves

Other Protective Clothing: Lab coat

Engineering Controls (Ventilation etc.): Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne

levels below recommended exposure limits.

Work/Hygienic/Maintenance Practices: Do not take internally.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a

safety shower.

Wash thoroughly after handling.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid

Melting Point: No data. **Boiling Point:** No data. **Autoignition Pt:** No data. Flash Pt: No data.



Hydrogen Peroxide Assay (urinary) Reagent 2

Revision: 03/07/2011

Page: 3

| | | | | Supercedes Revision | n: 10/21/2004 |
|--------------------------------------------|-------------------|---------------------------------------------|------------------------|---------------------|---------------|
| Specific Gravity (Water = 1): | No data. | | | | |
| Vapor Pressure (vs. Air or mm Hg): | No data. | | | | |
| Vapor Density (vs. Air = 1): | No data. | | | | |
| Evaporation Rate (vs Butyl Acetate=1): | No data. | | | | |
| Solubility in Water: | No data. | | | | |
| Percent Volatile: | No data. | | | | |
| Appearance and Odor: | No data available | | | | |
| | 10. Stabili | ity and Read | ctivity | | |
| Stability: | | Stable [X] | | | |
| Conditions To Avoid - Instability: | No data available | | | | |
| Incompatibility - Materials To Avoid: | No data available | | | | |
| Hazardous Decomposition Or Byproducts: | No data available | | | | |
| Possibility of Hazardous Reactions: | Will occur [] | Will not occur [X | [] | | |
| Conditions To Avoid - Hazardous Reactions: | No data available | | | | |
| | 11. Toxicol | logical Inforr | mation | | |
| | The toxicological | effects of this produ | ct have not been thor | oughly studied. | |
| Chronic Toxicological Effects: | No data available | | | | |
| Hazardous Components (Chemical Name) | CAS# | NTP | IARC | ACGIH | OSHA |
| 1. Sorbitol | 50-70-4 | n.a. | n.a. | n.a. | n.a. |
| 2. Xylenol orange | 3618-43-7 | n.a. | n.a. | n.a. | n.a. |
| 3. Sodium azide | 26628-22-8 | n.a. | n.a. | A4 | n.a. |
| 4. Water | 7732-18-5 | n.a. | n.a. | n.a. | n.a. |
| | 12. Ecolo | gical Inform | ation | | |
| | | o the environment. control or dilution w | ater may cause pollut | tion. | |
| | 13. Dispos | al Consider | ations | | |
| Waste Disposal Method: | Dispose in accord | lance with local, stat | e, and federal regulat | ions. | |
| | 14. Trans | sport Informa | ation | | |
| LAND TRANSPORT (US DOT) | | | | | |
| DOT Proper Shipping Name | Not dangerous go | ods. | | | |
| LAND TRANSPORT (European ADR/RID) | | | | | |
| ADR/RID Shipping Name | Not dangerous go | ods. | | | |
| AIR TRANSPORT (ICAO/IATA) | | | | | |
| ICAO/IATA Shipping Name | Not dangerous go | ods. | | | |
| Additional Transport Information: | | | ate, and federal regul | ations. | |
| | 15. Regul | atory Inform | ation | | |

European Community Hazard Symbol codes

No data available.

European Community Risk and Safety Phrases

S24/25 - Avoid contact with skin and eyes.

S37/39 - Wear suitable gloves and eye/face protection.



Hydrogen Peroxide Assay (urinary) Reagent 2

Revision: 03/07/2011

Page: 4

Supercedes Revision: 10/21/2004

US EPA SARA Title III

| | T | | T = | | |
|--------------------------------------|------------|---------------|-------------|---------------|---------|
| Hazardous Components (Chemical Name) | CAS# | Sec.302 (EHS) | Sec.304 RQ | Sec.313 (TRI) | Sec.110 |
| 1. Sorbitol | 50-70-4 | No | No | No | No |
| 2. Xylenol orange | 3618-43-7 | No | No | No | No |
| 3. Sodium azide | 26628-22-8 | Yes 500 LB | Yes 1000 LB | Yes | No |
| 4. Water | 7732-18-5 | No | No | No | No |

Other US EPA or State Lists

| Hazardous Components (Chemical Name) | CAS# | CAA HAP,ODC | CWA NPDES | TSCA | CA PROP.65 |
|--------------------------------------|------------|-------------|-----------|-----------|------------|
| 1. Sorbitol | 50-70-4 | No | No | Inventory | No |
| 2. Xylenol orange | 3618-43-7 | No | No | Inventory | No |
| 3. Sodium azide | 26628-22-8 | No | No | Inventory | No |
| 4. Water | 7732-18-5 | No | No | Inventory | No |

Regulatory Information Statement:

This SDS was prepared in accordance with Regulation (EC) No.1272/2008 and European Directive 67/548/EEC as amended.

16. Other Information

Company Policy or Disclaimer

For research use only, not for human or veterinary use.

DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.



Hydrogen Peroxide (urinary) Standard

Cayman Chemical Company 1180 E. Ellsworth Rd. Ann Arbor, MI 48108

Revision: 03/07/2011

Page: 1

Supercedes Revision: 11/18/2004

1. Identification of the Substance/Mixture and of the Company/Undertaking

Product Code: 706016

Product Name: Hydrogen Peroxide (urinary) Standard

Manufacturer Information

Company Name: Cayman Chemical Company

CHEMTREC Within USA and Canada: **Emergency Contact:** +1 (800)424-9300

CHEMTREC Outside USA and Canada: **Alternate Emergency Contact:** +1 (703)527-3887

Information: Cayman Chemical Company +1 (734)971-3335

Web site address: www.caymanchem.com Synonyms: Hydrogen Peroxide;

Hazards Identification

Emergency Overview: Corrosive.

> Harmful. Oxidizing.

Avoid contact and inhalation.

Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection

Potential Health Effects (Acute and Chronic): Causes burns.

Causes serious eye damage.

Harmful if swallowed or by inhalation.

Material is extremely destructive to the tissue of the mucous membranes and upper respiratory

tract, eyes, and skin.

LD 50 / LC 50: Please refer to Section 11.

Signs and Symptoms Of Exposure: Exposure may cause: nausea, headache, vomiting, stomach pains, sore throat, cough, dizziness, or

shortness of breath.

Eye contact may result in pain, redness, blurred vision, or corneal ulcer.

Skin contact may result in redness, itching, pain, severe burn, or vesiculation skin.

To the best of our knowledge, the toxicological properties have not been thoroughly investigated.

Exposure:

Medical Conditions Generally Aggravated By Persons with pre-existing skin disorders or eye problems or impaired respiratory function may be

more susceptible to the effects of the substance.

3. Composition/Information on Ingredients

| | • | | | | |
|--------------------------------------|-----------|---------------|-----------|-------------------|-----------|
| Hazardous Components (Chemical Name) | CAS# | Concentration | EC# | Risk Phrases | RTECS # |
| Hydrogen peroxide | 7722-84-1 | 30.0 % | 231-765-0 | R5-8-20/22-35 | MX0899000 |
| 2. Water | 7732-18-5 | 70.0 % | 231-791-2 | No phrases apply. | ZC0110000 |

4. First Aid Measures

Emergency and First Aid Procedures:

If inhaled, remove to fresh air. If not breathing, give artificial respiration or give oxygen by

trained personnel. Get immediate medical attention.

If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed

to do so by medical personnel.

In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water for at least 20

minutes. Have eyes examined and tested by medical personnel.

In case of skin contact, immediately wash skin with soap and plenty of water for at least 20 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing



Hydrogen Peroxide (urinary) Standard

Revision: 03/07/2011

Page: 2

Supercedes Revision: 11/18/2004

before reuse.

5. Fire Fighting Measures

Flash Pt: No data.

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data available.

Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or

equivalent), and full protective gear to prevent contact with skin and eyes.

Flammable Properties and Hazards: No data available. **Hazardous Combustion Products:** No data available.

Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray. Suitable Extinguishing Media:

Use water spray to cool fire-exposed containers.

Unsuitable Extinguishing Media: A solid water stream may be inefficient.

Accidental Release Measures

Steps To Be Taken In Case Material Is

Avoid release into the environment.

Released Or Spilled:

Avoid breathing vapors and provide adequate ventilation.

As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator, and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves). Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

Handling and Storage

Avoid contact with skin and eyes. Do not reuse this container. Use with adequate ventilation. **Hazard Label Information:**

Wash thoroughly after handling

Precautions To Be Taken in Handling: Avoid breathing (dust, vapor, mist, gas).

Avoid prolonged or repeated exposure.

Precautions To Be Taken in Storing: Keep tightly closed.

Store at correct temperature.

Other Precautions: Keep away from combustible materials.

Light sensitive.

8. Exposure Controls/Personal Protection

| Hazardous Components (Chemical Name) | CAS# | OSHA PEL | ACGIH TLV | Other Limits |
|--------------------------------------|-----------|----------|-----------|--------------|
| Hydrogen peroxide | 7722-84-1 | 1 ppm | 1 ppm | No data. |
| 2. Water | 7732-18-5 | No data. | No data. | No data. |

Protective Equipment Summary - Hazard

Label Information:

Compatible chemical-resistant gloves Eye wash station in work area

Safety shower in work area Vent Hood

Respiratory Equipment (Specify Type): NIOSH approved respirator, as conditions warrant.

Eve Protection: Safety glasses

Protective Gloves: Compatible chemical-resistant gloves

Other Protective Clothing: Lab coat

Engineering Controls (Ventilation etc.): Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne

levels below recommended exposure limits.

Work/Hygienic/Maintenance Practices: Do not take internally.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a

safety shower.

Wash thoroughly after handling.



Page: 3

Hydrogen Peroxide (urinary) Standard Revision: 03/07/2011 Supercedes Revision: 11/18/2004 9. Physical and Chemical Properties [X] Liquid **Physical States:** [] Gas [] Solid **Melting Point:** No data. **Boiling Point:** No data. **Autoignition Pt:** No data. Flash Pt: No data. Specific Gravity (Water = 1): No data. Vapor Pressure (vs. Air or mm Hg): No data. Vapor Density (vs. Air = 1): No data. Evaporation Rate (vs Butyl Acetate=1): No data. Solubility in Water: No data. **Percent Volatile:** No data. Appearance and Odor: No data available. 10. Stability and Reactivity Stable [X] Stability: Unstable [] Conditions To Avoid - Instability: No data available. Incompatibility - Materials To Avoid: brass bronze chromium combustible materials copper iron and iron salts lead manganese nickel oxidizable materials powdered metals silver zinc **Hazardous Decomposition Or Byproducts:** No data available. Will occur [] Possibility of Hazardous Reactions: Will not occur [X] Conditions To Avoid - Hazardous Reactions: No data available. 11. Toxicological Information The toxicological effects of this product have not been thoroughly studied. **Chronic Toxicological Effects:** No data available. Carcinogenicity/Other Information: IARC: Group 3: Not classifiable as to its carcinogenicity to humans (Hydrogen peroxide)

| | • | | | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | | | |
|--------------------------------------|-----------|------|------|---------------------------------------|------|--|--|
| Hazardous Components (Chemical Name) | CAS# | NTP | IARC | ACGIH | OSHA | | |
| Hydrogen peroxide | 7722-84-1 | n.a. | n.a. | A3 | n.a. | | |
| 2. Water | 7732-18-5 | n.a. | n.a. | n.a. | n.a. | | |
| | | | | | | | |

12. Ecological Information

Avoid release into the environment.

Runoff from fire control or dilution water may cause pollution.



Hydrogen Peroxide (urinary) Standard

Revision: 03/07/2011

Page: 4

Supercedes Revision: 11/18/2004

13. Disposal Considerations

Waste Disposal Method: Dispose in accordance with local, state, and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT)

DOT Proper Shipping Name Hydrogen peroxide, aqueous solution (with 20% or more but 40% or less hydrogen peroxide

(stabilized as necessary))

DOT Hazard Class: 5.1

DOT Hazard Label: OXIDIZER, CORROSIVE

UN/NA Number: 2014
Packing Group: II

LAND TRANSPORT (European ADR/RID)

ADR/RID Shipping Name Hydrogen peroxide, aqueous solution (with 20% or more but 40% or less hydrogen peroxide

(stablized as necessary))

UN Number: 2014

Hazard Class: 5.1 - OXIDIZER, CORROSIVE

Packing Group:

AIR TRANSPORT (ICAO/IATA)

ICAO/IATA Shipping Name
Hydrogen peroxide, aqueous solution (with 20% or more but 40% or less hydrogen peroxide

(stablized as necessary))

UN Number: 2014

Hazard Class: 5.1 - OXIDIZER, CORROSIVE

Packing Group: II

IATA Classification: 5.1 (8)

Additional Transport Information: Transport in accordance with local, state, and federal regulations.

15. Regulatory Information

European Community Hazard Symbol codes C: Corrosive; O: Oxidizing; Xn: Harmful

European Community Risk and Safety Phrases

R5 - Heating may cause an explosion.

R8 - Contact with combustible material may cause fire.

R20/22 - Harmful by inhalation and if swallowed.

R35 - Causes severe burns.

R41 - Risk of serious damage to the eyes.
S17 - Keep away from combustible material.
S24/25 - Avoid contact with skin and eyes.

 $S26 \qquad \text{- In case of contact with eyes, rinse immediately with plenty of water and seek medical} \quad advice.$

S28 - After contact with skin, wash immediately with plenty of soap-suds. S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection.

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label whenever possible.)

US EPA SARA Title III

| Hazardous Components (Chemical Name) | CAS# | Sec.302 (EHS) | Sec.304 RQ | Sec.313 (TRI) | Sec.110 |
|--------------------------------------|-----------|---------------|------------|---------------|---------|
| Hydrogen peroxide | 7722-84-1 | Yes 1000 LB | Yes NA | No | No |
| 2. Water | 7732-18-5 | No | No | No | No |

Other US EPA or State Lists

| Hazardous Components (Chemical Name) | CAS# | CAA HAP,ODC | CWA NPDES | TSCA | CA PROP.65 |
|--------------------------------------|-----------|-------------|-----------|-----------|------------|
| Hydrogen peroxide | 7722-84-1 | No | No | Inventory | No |



Hydrogen Peroxide (urinary) Standard

Revision: 03/07/2011

Page: 5

Supercedes Revision: 11/18/2004

| Hazardous Components (Chemical Name) | CAS# | CAA HAP,ODC | CWA NPDES | TSCA | CA PROP.65 | |
|----------------------------------------------------------------------------------------------------------------------|-----------|-------------|-----------|-----------|------------|--|
| 2. Water | 7732-18-5 | No | No | Inventory | No | |
| Regulatory Information Statement: This SDS was prepared in accordance with Regulation (EC) No.1272/2008 and European | | | | | | |
| Directive 67/548/EEC as amended. | | | | | | |
| 16. Other Information | | | | | | |

Company Policy or Disclaimer

For research use only, not for human or veterinary use.

DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.



Hydrogen Peroxide Assay (urinary) Catalase

Cayman Chemical Company 1180 E. Ellsworth Rd. Ann Arbor, MI 48108

Revision: 03/07/2011

Page: 1

Supercedes Revision: 06/26/2006

1. Identification of the Substance/Mixture and of the Company/Undertaking

Product Code: 10005395

Product Name: Hydrogen Peroxide Assay (urinary) Catalase

Manufacturer Information

Company Name: Cayman Chemical Company

Emergency Contact: CHEMTREC Within USA and Canada: +1 (800)424-9300 CHEMTREC Outside USA and Canada: **Alternate Emergency Contact:** +1 (703)527-3887

Cayman Chemical Company Information: +1 (734)971-3335

Web site address: www.caymanchem.com

2. Hazards Identification

Emergency Overview: Avoid contact and inhalation.

Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection

Potential Health Effects (Acute and Chronic): Material may be irritating to the mucous membranes and upper respiratory tract.

May be harmful by inhalation, ingestion, or skin absorption.

May cause eye, skin, or respiratory system irritation.

Signs and Symptoms Of Exposure: Exposure may cause sensitization.

To the best of our knowledge, the toxicological properties have not been thoroughly investigated.

Medical Conditions Generally Aggravated By No data available.

Exposure:

| 3. Composition/Information on Ingredients | | | | | | | |
|-----------------------------------------------------------------------------------|-----------|---------------|-----------|-------------------|-----------|--|--|
| Hazardous Components (Chemical Name) CAS # Concentration EC# Risk Phrases RTECS # | | | | | | | |
| 1. Catalase | 9001-05-2 | 0.0 -1.0 % | 232-577-1 | No phrases apply. | FI4378000 | | |
| 2. Potassium phosphate, Monobasic | 7778-77-0 | 99.0 -100.0 % | 231-913-4 | No phrases apply. | TC6615500 | | |

4. First Aid Measures

Emergency and First Aid Procedures:

If inhaled, remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.

If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.

In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water for at least 20

minutes. Have eyes examined and tested by medical personnel.

In case of skin contact, immediately wash skin with soap and plenty of water for at least 20 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

Fire Fighting Measures

Flash Pt: No data.

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data available.

Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or

equivalent), and full protective gear to prevent contact with skin and eyes.



Hydrogen Peroxide Assay (urinary) Catalase

Revision: 03/07/2011

Page: 2

Supercedes Revision: 06/26/2006

Flammable Properties and Hazards: No data available.

Hazardous Combustion Products: No data available.

Suitable Extinguishing Media: Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray.

Use water spray to cool fire-exposed containers.

Unsuitable Extinguishing Media: A solid water stream may be inefficient.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is

Avoid release into the environment.

Released Or Spilled:

Avoid raising and breathing dust, and provide adequate ventilation.

As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator, and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves).

Transfer to a chemical waste container for disposal.

7. Handling and Storage

Hazard Label Information: Avoid contact with skin and eyes. Do not reuse this container. Use with adequate ventilation.

Wash thoroughly after handling

Precautions To Be Taken in Handling: Avoid breathing (dust, vapor, mist, gas).

Avoid prolonged or repeated exposure.

Precautions To Be Taken in Storing: Keep tightly closed.

Store at correct temperature.

Other Precautions: Hygroscopic.

8. Exposure Controls/Personal Protection

| Hazardous Components (Chemical Name) | CAS# | OSHA PEL | ACGIH TLV | Other Limits |
|--------------------------------------|-----------|----------|-----------|--------------|
| 1. Catalase | 9001-05-2 | No data. | No data. | No data. |
| 2. Potassium phosphate, Monobasic | 7778-77-0 | No data. | No data. | No data. |

Protective Equipment Summary - Hazard

Label Information:

glasses Safety shower in work area Vent Hood

Respiratory Equipment (Specify Type): NIOSH approved respirator, as conditions warrant.

Eye Protection: Safety glasses

Protective Gloves: Compatible chemical-resistant gloves

Other Protective Clothing: Lab coat

Engineering Controls (Ventilation etc.): Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne

levels below recommended exposure limits.

Work/Hygienic/Maintenance Practices: Do not take internally.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a

safety shower.

Wash thoroughly after handling.

9. Physical and Chemical Properties

Physical States: [] Gas [] Liquid [X] Solid

Melting Point:No data.Boiling Point:No data.Autoignition Pt:No data.Flash Pt:No data.Specific Gravity (Water = 1):No data.

Vapor Pressure (vs. Air or mm Hg): No data.



Percent Volatile:

SAFETY DATA SHEET

Hydrogen Peroxide Assay (urinary) Catalase

Revision: 03/07/2011

Page: 3

Supercedes Revision: 06/26/2006

Vapor Density (vs. Air = 1): No data.

Evaporation Rate (vs Butyl Acetate=1): No data. Solubility in Water: No data.

Appearance and Odor: A lyophilized powder

Try opinized power

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid - Instability: No data available.

Incompatibility - Materials To Avoid: strong oxidizing agents

Hazardous Decomposition Or Byproducts: phosphorus oxides

potassium oxides

No data.

Possibility of Hazardous Reactions: Will occur [X]

Conditions To Avoid - Hazardous Reactions: No data available.

11. Toxicological Information

The toxicological effects of this product have not been thoroughly studied.

Potassium phosphate, Monobasic - Toxicity Data: Dermal LD50 (rabbit): > 4,640 mg/kg;

Chronic Toxicological Effects: Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here.

See actual entry in RTECS for complete information.

Potassium phosphate, Monobasic RTECS Number: TC6615500

| Hazardous Components (Chemical Name) | CAS# | NTP | IARC | ACGIH | OSHA |
|--------------------------------------|-----------|------|------|-------|------|
| 1. Catalase | 9001-05-2 | n.a. | n.a. | n.a. | n.a. |
| 2. Potassium phosphate, Monobasic | 7778-77-0 | n.a. | n.a. | n.a. | n.a. |

12. Ecological Information

Avoid release into the environment.

Runoff from fire control or dilution water may cause pollution.

13. Disposal Considerations

Waste Disposal Method: Dispose in accordance with local, state, and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT)

DOT Proper Shipping NameNot dangerous goods.

LAND TRANSPORT (European ADR/RID)

ADR/RID Shipping Name Not dangerous goods.

AIR TRANSPORT (ICAO/IATA)

ICAO/IATA Shipping Name Not dangerous goods.

Additional Transport Information: Transport in accordance with local, state, and federal regulations.

15. Regulatory Information

European Community Hazard Symbol codes

No data available.

European Community Risk and Safety Phrases

S24/25 - Avoid contact with skin and eyes.



Hydrogen Peroxide Assay (urinary) Catalase

Page: 4

Revision: 03/07/2011 Supercedes Revision: 06/26/2006

S37/39 - Wear suitable gloves and eye/face protection.

US EPA SARA Title III

| Hazardous Components (Chemical Name) | CAS# | Sec.302 (EHS) | Sec.304 RQ | Sec.313 (TRI) | Sec.110 |
|--------------------------------------|-----------|---------------|------------|---------------|---------|
| 1. Catalase | 9001-05-2 | No | No | No | No |
| 2. Potassium phosphate, Monobasic | 7778-77-0 | No | No | No | No |

Other US EPA or State Lists

| Hazardous Components (Chemical Name) | CAS# | CAA HAP,ODC | CWA NPDES | TSCA | CA PROP.65 |
|--------------------------------------|-----------|-------------|-----------|-----------|------------|
| 1. Catalase | 9001-05-2 | No | No | Inventory | No |
| 2. Potassium phosphate, Monobasic | 7778-77-0 | No | No | Inventory | No |

Regulatory Information Statement:

This SDS was prepared in accordance with Regulation (EC) No.1272/2008 and European Directive 67/548/EEC as amended.

nective 07/346/EEC as amended.

16. Other Information

Company Policy or Disclaimer

For research use only, not for human or veterinary use.

DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.