

Page 1/9

# Safety Data Sheet acc. to OSHA HCS

Printing date 11/02/2021

Revision date 11/02/2021

#### 1 Identification

- · Product identifier
- · Trade name: Catalase Assay Buffer (10X)
- · Article number: 707010
- · Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use. It is the responsibility of the purchaser to determine suitability for other applications.

- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- · Information department: Product safety department
- Emergency telephone number:

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300

Outside US/CANADA: 703-741-5970

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

(Contd. from page 1)

# Safety Data Sheet acc. to OSHA HCS

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Assay Buffer (10X)

#### · Hazard pictograms



GHS05

#### · Signal word Danger

#### · Hazard-determining components of labeling:

Potassium phosphate, Monobasic

#### · Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

#### **Precautionary statements**

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor. P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention.

### · Classification system:

#### · NFPA ratings (scale 0 - 4)



Health = 3 Fire = 0 Reactivity = 0

### · HMIS-ratings (scale 0 - 4)



Health = \*3 Fire = 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

#### Dangerous components:

CAS: 7778-77-0 Potassium phosphate, Monobasic 13.61% RTECS: TC6615500

(Contd. on page 3)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Assay Buffer (10X)

(Contd. from page 2)

Other ingredients

CAS: 7732-18-5

Water

RTECS: ZC0110000

86.39%

### 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **5 Fire-fighting measures**

- · Extinguishing media
- Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

A solid water stream may be inefficient.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

D	۸	^	_1	
г.	м	u	- 1	

7778-77-0 Potassium phosphate, Monobasic

9.6 mg/m<sup>3</sup>

(Contd. on page 4)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Assay Buffer (10X)

	(Contd. from page 3)
PAC-2:	
7778-77-0 Potassium phosphate, Monobasic	110 mg/m³
· PAC-3:	
7778-77-0 Potassium phosphate, Monobasic	630 mg/m³

### 7 Handling and storage

- Handling:
- Precautions for safe handling

No special precautions are necessary if used correctly.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Avoid prolonged or repeated exposure.

Keep away from sources of ignition.

Take precautionary measures against static discharge.re.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Store in accordance with information listed on the product insert.

- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 5)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Assay Buffer (10X)

(Contd. from page 4)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

						4.0
u Dh	/CIC2	and	chemi		nron	APTIAC
2 6 11		anu	CHEIII	Gall		

<ul> <li>Information on basic pl</li> </ul>	ysical and chemical	properties
---	---------------------	------------

· General Information

· Appearance:

Form: Liquid

**Color:** According to product specification

Odor: CharacteristicOdor threshold: Not determined.

• Formulation 5 ml of 1 M potassium phosphate, pH 7.0

· pH-value at 20 °C (68 °F): 7

· Change in condition

Melting point/Melting range:Undetermined.Boiling point/Boiling range:100 °C (212 °F)

Flash point: Not applicable.

Flammability (solid, gaseous): Not applicable.Decomposition temperature: Not determined.

• Auto igniting: Product is not selfigniting.

• **Danger of explosion:** Product does not present an explosion hazard.

Explosion limits:

**Lower:** Not determined. **Upper:** Not determined.

· Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)

Density at 20 °C (68 °F): 1 g/cm³ (8.345 lbs/gal)

Bulk density: 1,000 kg/m³
Relative density Not determine

Relative densityVapor densityNot determined.Not determined.

(Contd. on page 6)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Assay Buffer (10X)

	(Contd. from p	age
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol	/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	86.4 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	13.6 %	
· Other information	No further relevant information available.	

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:

7778-77-0 Potassium phosphate, Monobasic

Oral LDLO 4,640 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

İrritant

- Carcinogenic categories
- IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 7)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Assay Buffer (10X)

(Contd. from page 6)

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

		-				4.5
и	4	rar	en	a rt	forma	ition
	_		C-1-4	_		

· UN-Number · DOT, IMDG, IATA	not regulated
<ul> <li>UN proper shipping name</li> <li>DOT, IMDG, IATA</li> </ul>	not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	not regulated
· Packing group · DOT, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.

(Contd. on page 8)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Assay Buffer (10X)

(Contd. from page 7)

· Special precautions for user Not applicable.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation": not regulated

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- . Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Assay Buffer (10X)

the information contained herein.

(Contd. from page 8)

· Department issuing SDS: Environment protection department.

· Contact: -

· Date of preparation / last revision 11/02/2021 / -

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, ÉU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

\* Data compared to the previous version altered.

119



Page 1/10

## **Safety Data Sheet** acc. to OSHA HCS

Printing date 11/02/2021

Revision date 11/02/2021

#### 1 Identification

· Product identifier

· Trade name: Catalase Hydrogen Peroxide

· Article number: 707011

· CAS Number: 7722-84-1 · EC number: 231-765-0 · Index number:

008-003-00-9

· Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use. It is the responsibility of the purchaser to determine suitability for other applications.

- Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

· Information department: Product safety department

· Emergency telephone number:

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300

Outside US/CANADA: 703-741-5970

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS03 Flame over circle

Ox. Liq. 1 H271 May cause fire or explosion; strong oxidizer.



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.



(Contd. on page 2)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Hydrogen Peroxide

(Contd. from page 1)

Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H332 Harmful if inhaled.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms







GHS03 GHS05 GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

Hydrogen peroxide

Hazard statements

H271 May cause fire or explosion; strong oxidizer.

H302+H332 Harmful if swallowed or if inhaled.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P220 Keep/Store away from clothing and other combustible materials

P221 Take any precaution to avoid mixing with combustibles.

P260 Do not breathe dusts or mists. P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P283 Wear fire/flame resistant/retardant clothing.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell. P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P306+P360 If on clothing: Rinse immediately contaminated clothing and skin with plenty of water

before removing clothes.

P321 Specific treatment (see on this label).
P363 Wash contaminated clothing before reuse.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.

P371+P380+P375 In case of major fire and large quantities: Evacuate area. Fight fire remotely due to

the risk of explosion.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 3 Reactivity = 0

(Contd. from page 2)

# Safety Data Sheet acc. to OSHA HCS

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Hydrogen Peroxide

The substance possesses oxidizing properties.

HMIS-ratings (scale 0 - 4)

HEALTH 3
FIRE 3
REACTIVITY 0

Health = 3 Fire = 3

Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

### 3 Composition/information on ingredients

· Chemical characterization: Substances

· CAS No. Description

7722-84-1 Hydrogen peroxide

- Identification number(s)
- · EC number: 231-765-0
- · Index number: 008-003-00-9

· Other ingredients

CAS: 7732-18-5 Water

RTECS: ZC0110000

70.0%

#### 4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

- 119

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Hydrogen Peroxide

(Contd. from page 3)

### **5 Fire-fighting measures**

- · Extinguishing media
- Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

A solid water stream may be inefficient.

- Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:	
	10 ppm
· PAC-2:	
	50 ppm
· PAC-3:	
	maa 001

#### 7 Handling and storage

- Handling:
- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 5)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Hydrogen Peroxide

· Specific end use(s) No further relevant information available.

(Contd. from page 4)

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

#### 7722-84-1 Hydrogen peroxide

PEL Long-term value: 1.4 mg/m³, 1 ppm REL Long-term value: 1.4 mg/m³, 1 ppm

TLV Long-term value: 1 ppm

A3

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

- US

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Hydrogen Peroxide

(Contd. from page 5)

## 9 Physical and chemical properties

· Information on basic physical and chemical properties

General Information

· Appearance:

Form: Liquid

Color: Not determined.

Odor: Characteristic

Odor threshold: Not determined.

Formulation A solution of hydrogen peroxide

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: -0.4 °C (31.3 °F) Boiling point/Boiling range: 150.2 °C (302.4 °F)

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not applicable.

Decomposition temperature: Not determined.Auto igniting: Not determined.

• Danger of explosion: Product does not present an explosion hazard.

Explosive when mixed with combustible material.

· Explosion limits:

**Lower:** Not determined. **Upper:** Not determined.

· Vapor pressure at 20 °C (68 °F): 1.9 hPa (1.4 mm Hg)

Density at 20 °C (68 °F): 1.45 g/cm³ (12.10025 lbs/gal)

Relative density
 Vapor density
 Evaporation rate
 Not determined.
 Not determined.

· Solubility in / Miscibility with

Water: Fully miscible.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic:Not determined.Kinematic:Not determined.VOC content:0.00 %

0.0 g/l / 0.00 lb/gal

Solids content: 0.0 %

· Other information No further relevant information available.

#### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

(Contd. on page 7)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Hydrogen Peroxide

(Contd. from page 6)

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: oxidizing agents
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

<ul> <li>LD/LC50 values that are relevant for classifi</li> </ul>	ication:
---	----------

## ATE (Acute Toxicity Estimate)

Oral	LD50	500 mg/kg
Inhalative	LC50/4 h	11 mg/l

### 7722-84-1 Hydrogen peroxide

7722 04 1 11yan	ogon poro	Aido
Oral	LDLO	1,429 mg/kg (man)
	TDLO	1,200 ml/kg (wmn)
	LD50	820 mg/kg (rabbit)
Dermal	LD50	3 g/kg (rat)
Irritation of eyes	Irritation	1 mg (rabbit)

- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

3

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

### **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 8)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Hydrogen Peroxide

(Contd. from page 7)

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

•				4			4.5
и	4		BIT	O 11	IIm	orm	ation
		CI.		016		OI IIII	ACIOII

· UN-Number · DOT, IMDG, IATA	UN1760
· UN proper shipping name · DOT · IMDG · IATA	Corrosive liquids, n.o.s. (Hydrogen peroxide) CORROSIVE LIQUID, N.O.S. (Hydrogen peroxide) Corrosive liquid, n.o.s. (Hydrogen peroxide)

- · Transport hazard class(es)
- · DOT



· Class 8 Corrosive substances 
· Label 8

Labei

· IMDG, IATA



· Class 8 Corrosive substances

· Label

· Packing group

· DOT, IMDG, IATA

· Environmental hazards: Not applicable.

· Special precautions for user Warning: Corrosive substances

Hazard identification number (Kemler code): 88

· EMS Number: F-A,S-B

· Stowage Category B

(Contd. on page 9)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Hydrogen Peroxide

	(Contd. from page 8
· Stowage Code	SW2 Clear of living quarters.
<ul> <li>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</li> </ul>	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 0.5 L On cargo aircraft only: 2.5 L
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	0 Code: E0 Not permitted as Excepted Quantity
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (HYDROGEN PEROXIDE), 8, I

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

· Section 355 (extre	emely hazardou	s substances):
----------------------	----------------	----------------

Substance is listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

TSCA (Toxic Substances Control Act):

ACTIVE

· Hazardous Air Pollutants

Substance is not listed.

· Proposition 65

Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

(Contd. on page 10)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Hydrogen Peroxide

(Contd. from page 9)

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

TLV (Threshold Limit Value)

А3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 11/02/2021 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Ox. Liq. 1: Oxidizing liquids - Category 1

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

\* Data compared to the previous version altered.

US



Page 1/9

# Safety Data Sheet acc. to OSHA HCS

Printing date 11/02/2021

Revision date 11/02/2021

#### 1 Identification

- · Product identifier
- · Trade name: Catalase Sample Buffer (10X)
- · Article number: 707012
- · Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use. It is the responsibility of the purchaser to determine suitability for other applications.

- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108

USA

- · Information department: Product safety department
- **Emergency telephone number:**

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300

Outside US/CANADA: 703-741-5970

### 2 Hazard(s) identification

· Classification of the substance or mixture



**GHS05 Corrosion** 

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labeling:

Potassium phosphate, Monobasic

(Contd. on page 2)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Sample Buffer (10X)

(Contd. from page 1)

· Hazard statements

H318 Causes serious eye damage.

· Precautionary statements

P280 Wear eye protection / face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 3 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = \*3 Fire = 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous compoi	· Dangerous components:		
CAS: 7778-77-0 RTECS: TC6615500	Potassium phosphate, Monobasic	3.4%	
CAS: 9048-46-8 RTECS: AY9296000	Albumin, bovine	1.0%	
· Other ingredients			
CAS: 7732-18-5 RTECS: ZC0110000	Water	95.31%	
CAS: 60-00-4 RTECS: AH4025000	Ethylenediamine Tetraacetic Acid	0.29%	

#### 4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

(Contd. on page 3)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Sample Buffer (10X)

(Contd. from page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **5 Fire-fighting measures**

- · Extinguishing media
- · Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

A solid water stream may be inefficient.

- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

#### **6 Accidental release measures**

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

**Environmental precautions:** 

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
7778-77-0	Potassium phosphate, Monobasic	9.6 mg/m³
60-00-4	Ethylenediamine Tetraacetic Acid	4.1 mg/m <sup>3</sup>
· PAC-2:		
	Potassium phosphate, Monobasic	110 mg/m³
60-00-4	Ethylenediamine Tetraacetic Acid	45 mg/m³
· PAC-3:		
	Potassium phosphate, Monobasic	630 mg/m³
60-00-4	Ethylenediamine Tetraacetic Acid	200 mg/m <sup>3</sup>

#### 7 Handling and storage

- · Handling:
- Precautions for safe handling

No special precautions are necessary if used correctly.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Avoid prolonged or repeated exposure.

Keep away from sources of ignition.

Take precautionary measures against static discharge.re.

Information about protection against explosions and fires: No special measures required.

. (Contd. on page 4)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Sample Buffer (10X)

(Contd. from page 3)

#### · Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Store in accordance with information listed on the product insert.

- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eves and skin.

- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material


The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Sample Buffer (10X)

· Eye protection:



(Contd. from page 4)

9 Physical and chemical properties		
· Information on basic physical and · General Information	chemical properties	
· Appearance: Form: Color: · Odor: · Odor threshold:	Liquid According to product specification Characteristic Not determined.	
· pH-value at 20 °C (68 °F):	7.5	
<ul> <li>Change in condition</li> <li>Melting point/Melting range:</li> <li>Boiling point/Boiling range:</li> </ul>	0 °C (32 °F) 100 °C (212 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits: Lower: Upper:	Not determined. Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
<ul> <li>Density at 20 °C (68 °F):</li> <li>Relative density</li> <li>Vapor density</li> <li>Evaporation rate</li> </ul>	0.99917 g/cm³ (8.33807 lbs/gal) Not determined. Not determined. Not determined.	
· Solubility in / Miscibility with Water:	Fully miscible.	
· Partition coefficient (n-octanol/wat	er): Not determined.	
· Viscosity: Dynamic at 20 °C (68 °F): Kinematic:	0.952 mPas Not determined.	
· Solvent content: Water: VOC content:	95.3 % 0.00 % 0.0 g/l / 0.00 lb/gal	
Solids content:	4.7 %	
Solids content:	4.7 % (Contd. on page	

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Sample Buffer (10X)

(Contd. from page 5)

· Other information

No further relevant information available.

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 value	es that are r	elevant for	classification:
-----------------	---------------	-------------	-----------------

**ATE (Acute Toxicity Estimate)** 

Oral LD50 50,000 mg/kg

#### 7778-77-0 Potassium phosphate, Monobasic

Oral LDLO 4,640 mg/kg (rat)

### 9048-46-8 Albumin, bovine

Intraperitoneal TDLO 0.2 pph (mouse)

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 7)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Sample Buffer (10X)

(Contd. from page 6)

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information	
· UN-Number · DOT, IMDG, IATA	not regulated
· UN proper shipping name · DOT, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	not regulated
· Packing group · DOT, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	x II of Not applicable.
· UN "Model Regulation":	not regulated

### 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 8)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Sample Buffer (10X)

(Contd. from page 7)

· Sara

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- Contact: -
- · Date of preparation / last revision 11/02/2021 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

(Contd. on page 9)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Sample Buffer (10X)

HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

\* Data compared to the previous version altered.

(Contd. from page 8)



Page 1/9

# Safety Data Sheet acc. to OSHA HCS

Printing date 11/02/2021

Revision date 11/02/2021

#### 1 Identification

· Product identifier

· Trade name: Catalase (Control)

· Article number: 707013

· Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use. It is the responsibility of the purchaser to determine suitability for other applications.

- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108

USA

- · Information department: Product safety department
- Emergency telephone number:

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300

Outside US/CANADA: 703-741-5970

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

(Contd. from page 1)

# Safety Data Sheet acc. to OSHA HCS

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase (Control)

Hazard pictograms





GHS05 GHS07

#### · Signal word Danger

#### Hazard-determining components of labeling:

Potassium phosphate, Monobasic

#### · Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

#### · Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 If on skin: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.
P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### · Classification system:

NFPA ratings (scale 0 - 4)



Health = 3 Fire = 0 Reactivity = 0

#### · HMIS-ratings (scale 0 - 4)



Health = \*3 Fire = 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description**: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase (Control)

		(Contd. from page 2)
Dangerous compon	ents:	
CAS: 7778-77-0 RTECS: TC6615500	Potassium phosphate, Monobasic	59.73%
CAS: 9048-46-8 RTECS: AY9296000	Albumin, bovine	17.57%
CAS: 60-00-4 RTECS: AH4025000	Ethylenediamine Tetraacetic Acid	5.13%
· Other ingredients		
CAS: 9001-05-2 RTECS: FI4378000	Catalase	17.57%

#### 4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **5 Fire-fighting measures**

- · Extinguishing media
- · Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

A solid water stream may be inefficient.

- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 4)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase (Control)

		(Contd. from page 3
· Protective	Action Criteria for Chemicals	, , ,
· PAC-1:		
7778-77-0	Potassium phosphate, Monobasic	9.6 mg/m³
60-00-4	Ethylenediamine Tetraacetic Acid	4.1 mg/m <sup>s</sup>
· PAC-2:		
7778-77-0	Potassium phosphate, Monobasic	110 mg/m <sup>3</sup>
60-00-4	Ethylenediamine Tetraacetic Acid	45 mg/m³
· PAC-3:		
7778-77-0	Potassium phosphate, Monobasic	630 mg/m <sup>3</sup>
60-00-4	Ethylenediamine Tetraacetic Acid	200 mg/m <sup>3</sup>

#### 7 Handling and storage

- Handling:
- · Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Store in accordance with information listed on the product insert.

- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

(Contd. from page 4)

# Safety Data Sheet acc. to OSHA HCS

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase (Control)

#### · Protection of hands:



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

#### 9 Physical and chemical properties

· Appearance:	
Form:	Lyophilized powder
Color:	Not determined.
· Odor:	Characteristic
· Odor threshold:	Not determined.
· pH-value:	Not applicable.

· Information on basic physical and chemical properties

Change	in	condition
B. 4 - 141		- 1 - 4 /B A - 141

· General Information

Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined.

· Flash point: Not applicable.

Flammability (solid, gaseous): Not determined.
 Decomposition temperature: Not determined.

· **Auto igniting:** Product is not selfigniting.

• **Danger of explosion:** Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined. Upper: Not determined.

· Vapor pressure: Not applicable.

(Contd. on page 6)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase (Control)

		(Contd. from page
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Soluble.	
Partition coefficient (n-octanol/	water): Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
VOC content:	0.00 %	
Solids content:	100.0 %	
Other information	No further relevant information available.	

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

Acut	e toxicity.				
· LD/L	· LD/LC50 values that are relevant for classification:				
ATE	ATE (Acute Toxicity Estimate)				
Oral	LD50	2,846 mg/kg			
7778-77-0 Potassium phosphate, Monobasic					
Oral	LDLO	4,640 mg/kg (rat)			
9048	9048-46-8 Albumin, bovine				
	Intraperitoneal TDLO	0.2 pph (mouse)			
60-0	60-00-4 Ethylenediamine Tetraacetic Acid				
Oral	LD50	30 mg/kg (mouse)			
		4,500 mg/kg (rat)			
	Intraperitoneal LD50	397 mg/kg (rat)			
· Drim	Primary irritant effect				

- Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Strong irritant with the danger of severe eye injury.

(Contd. on page 7)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase (Control)

(Contd. from page 6)

· Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

#### **14 Transport information**

- · UN-Number
- · DOT, IMDG, IATA not regulated

(Contd. on page 8)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase (Control)

		(Contd. from page
· UN proper shipping name · DOT, IMDG, IATA	not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA · Class	not regulated	
· Packing group · DOT, IMDG, IATA	not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
Transport in bulk according to Anne MARPOL73/78 and the IBC Code	x II of Not applicable.	
· UN "Model Regulation":	not regulated	

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

- · Hazardous Air Pollutants
- None of the ingredients is listed.
- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

(Contd. on page 9)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase (Control)

(Contd. from page 8)

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- Contact: -
- · Date of preparation / last revision 11/02/2021 / -
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, ÉU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

\* Data compared to the previous version altered.

US



Page 1/12

# Safety Data Sheet acc. to OSHA HCS

Printing date 11/02/2021 Revision date 11/02/2021

### 1 Identification

- · Product identifier
- · Trade name: Catalase Formaldehyde Standard
- · Article number: 707014
- · Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use. It is the responsibility of the purchaser to determine suitability for other applications.

- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- · Information department: Product safety department
- · Emergency telephone number:

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300

Outside US/CANADA: 703-741-5970

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

Muta. 2 H341 Suspected of causing genetic defects.

Carc. 1B H350 May cause cancer.

STOT SE 2 H371 May cause damage to the central nervous system and the visual organs.

(Contd. on page 2)

Printing date 11/02/2021 Revision date 11/02/2021

#### Trade name: Catalase Formaldehyde Standard

(Contd. from page 1)



Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

#### · Label elements

#### · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

#### Hazard pictograms









GHS02 GHS06 GHS07 GHS08

## · Signal word Danger

### · Hazard-determining components of labeling:

Formaldehyde

Methanol

#### · Hazard statements

H225 Highly flammable liquid and vapor.

H302 Harmful if swallowed.

H331 Toxic if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H371 May cause damage to the central nervous system and the visual organs.

#### Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P330 Rinse mouth.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

(Contd. on page 3)

(Contd. from page 2)

# Safety Data Sheet acc. to OSHA HCS

Printing date 11/02/2021 Revision date 11/02/2021

#### Trade name: Catalase Formaldehyde Standard

P308+P313 IF exposed or concerned: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P337+P313 If eye irritation persists: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish. P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 2 Fire = 3 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = \*2 Fire = 3

Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

-		
· Dangerous compon	ents:	
CAS: 50-00-0 RTECS: LP8925000	Formaldehyde	12.4–12.7%
CAS: 67-56-1 RTECS: PC1400000	Methanol	3.5–5.2%
· Other ingredients		
CAS: 7732-18-5 RTECS: ZC0110000	Water	82.1–83.8%

### 4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

(Contd. on page 4)

(Contd. from page 3)

# Safety Data Sheet acc. to OSHA HCS

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Formaldehyde Standard

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects.

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **5 Fire-fighting measures**

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · **Protective equipment:** Mouth respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

1 100000	To Action Official for Officialicals	
· PAC-1:		
50-00-0	Formaldehyde	0.90 ppm
67-56-1	Methanol	530 ppm
· PAC-2:		
50-00-0	Formaldehyde	14 ppm
67-56-1	Methanol	2,100 ppm
· PAC-3:		
50-00-0	Formaldehyde	56 ppm
		(Contd. on page 5)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Formaldehyde Standard

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Store in accordance with information listed on the product insert.

- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

<ul> <li>Components with limit values</li> </ul>	that require	monitoring	at the	workplace:
--	--------------	------------	--------	------------

### 50-00-0 Formaldehyde

PEL Short-term value: 2 ppm

Long-term value: 0.75 ppm see 29 CFR 1910.1048(c)

REL Long-term value: 0.016 ppm

Ceiling limit value: 0.1\* ppm

\*15-min; See Pocket Guide App. A

TLV Short-term value: 0.3 ppm

Long-term value: 0.1 ppm

DSEN: RSEN. A1

#### 67-56-1 Methanol

PEL Long-term value: 260 mg/m³, 200 ppm

REL Short-term value: 325 mg/m³, 250 ppm

Long-term value: 260 mg/m³, 200 ppm

Skin

TLV Short-term value: 250 ppm

Long-term value: 200 ppm

Skin; BEI

(Contd. on page 6)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Formaldehyde Standard

(Contd. from page 5)

#### · Ingredients with biological limit values:

#### 67-56-1 Methanol

BEI 15 mg/L

Medium: urine Time: end of shift

Parameter: Methanol (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

#### Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eve protection:



Tightly sealed goggles

# 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- General Information
- · Appearance:

Form: Liquid

**Color:** According to product specification

· Odor: Characteristic

(Contd. on page 7)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Formaldehyde Standard

	(Contd. from page
· Odor threshold:	Not determined.
· Formulation	4.25 M formaldehyde
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	64.7 °C (148.5 °F)
· Flash point:	11 °C (51.8 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	~300 °C (~572 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.
· Explosion limits:	
Lower:	7 Vol %
Upper:	73 Vol %
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density at 20 °C (68 °F):	0.93323–1.00199 g/cm³ (7.7878–8.36161 lbs/gal)
· Bulk density:	933–1,002 kg/m³
Relative density	Not determined.
Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Fully miscible.
Partition coefficient (n-octanol/water	· · · · · · · · · · · · · · · · · · ·
· Viscosity:	. Not determined.
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	Tiot determined.
Organic solvents:	15.9–17.9 %
Water:	82.1–83.8 %
VOC content:	15.9–17.9 %
	167–179.4 g/l / 1.39–1.5 lb/gal
Solids content:	12.4–12.7 %
· Other information	No further relevant information available.

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 8)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Formaldehyde Standard

(Contd. from page 7)

- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- · Information on toxicological effects

· Acute toxicity:			
· LD/LC50 values	· LD/LC50 values that are relevant for classification:		
ATE (Acute Toxicity Estimate)			
Oral	LD50	>1,575–1,613 mg/kg (rat)	
Dermal	LD50	2,362–2,419 mg/kg	
Inhalative	LC50/4 h	3.94–4.03 mg/l	
50-00-0 Formalo	dehyde		
Oral	LDLO	70 mg/kg (hmn)	
	TDLO	3.6 ml/kg (wmn)	
	LD50	42 mg/kg (mouse)	
		>200 mg/kg (rat)	
Dermal	LD50	270 mg/kg (rabbit)	
Inhalative	LC50/4 h	64,000 mg/m³ (rat)	
	LC50	250 mg/m³/2h (rat)	
	TCLo	300 μg/m³ (man)	
Irritation of skin	Irritation	2 mg/24h (rabbit)	
Irritation of eyes	Irritation	750 μg/24h (rabbit)	
67-56-1 Methan	ol		
Oral	LDLO	143 mg/kg (hmn)	
	TDLO	5 ml/kg (rat)	
	LD50	5,600 mg/kg (rat)	
Dermal	LD50	15,800 mg/kg (rabbit)	
Inhalative	LC50/4 h	64,000 mg/m³ (rat)	
	LC50	61,100 mg/m³/134 m (mouse)	
Irritation of skin	Irritation	20 mg/24h (rabbit)	
	Irritation	(rabbit)	
	Irritation	5.63 mg/kg/exempt preparation (rabbit)	
Irritation of eyes	Irritation	40 mg (rabbit)	
	Intraperitoneal TDLO	5 mg/kg (rat)	
	Intraperitoneal LD50	10,765 mg/kg (mouse)	
	Subcutaneous LD50	143 mg/kg/human (mouse)	
	Data	20 mg/24h (rabbit)	

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.

(Contd. on page 9)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Formaldehyde Standard

· Additional toxicological information:

(Contd. from page 8)

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

Harmful

Irritant

· Carcinogenic categories

IARC (International Agency for Research on Cancer)

50-00-0 Formaldehyde

1

· NTP (National Toxicology Program)

50-00-0 Formaldehyde

Κ

· OSHA-Ca (Occupational Safety & Health Administration)

50-00-0 Formaldehyde

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

## 14 Transport information

- · UN-Number
- · DOT, IMDG, IATA UN3286

(Contd. on page 10)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Formaldehyde Standard

(Contd. from page 9)

· UN proper shipping name

• **DOT** Flammable liquid, toxic, corrosive, n.o.s. (Methanol,

Formaldehyde solutions, flammable)

• IMDG FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.

(METHANOL, FORMALDEHYDE SOLUTION,

FLAMMABLE)

• IATA Flammable liquid, toxic, corrosive, n.o.s. (METHANOL,

FORMALDEHYDE SOLUTION, FLAMMABLE)

· Transport hazard class(es)

· DOT







· Class 3 Flammable liquids

· **Label** 3, 6.1, 8

· IMDG







· Class 3 Flammable liquids

· **Label** 3/6.1/8

· IATA







· Class 3 Flammable liquids

· **Label** 3 (6.1, 8)

· Packing group

· DOT, IMDG, IATA

• Environmental hazards: Not applicable.

· Special precautions for user Warning: Flammable liquids

Hazard identification number (Kemler code): 368

· EMS Number: F-E.S-C

· Stowage Category

Stowage Code
 Segregation Code
 SG5 Segregation as for class 3
 SG8 Stow "away from" class 4.1

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

(Contd. on page 11)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Formaldehyde Standard

	(Contd. from page 10
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 5 L
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 3286 FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (METHANOL, FORMALDEHYDE SOLUTION, FLAMMABLE), 3 (6.1+8), II

# **15 Regulatory information**

- $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara

· Section 355 (e	extremely haza	ardous substances):
------------------	----------------	---------------------

50-00-0 Formaldehyde

Section 313 (Specific toxic chemical listings):

50-00-0 Formaldehyde

67-56-1 Methanol

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

50-00-0 Formaldehyde

67-56-1 Methanol

Proposition 65

· Chemicals known to cause cancer:

50-00-0 Formaldehyde

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

67-56-1 Methanol

(Contd. on page 12)

Revision date 11/02/2021 Printing date 11/02/2021

Trade name: Catalase Formaldehyde Standard

(Contd. from page 11)

### · Carcinogenic categories

EPA (Environmental Protection Agency)	
50-00-0 Formaldehyde	B1
· TLV (Threshold Limit Value)	
50-00-0 Formaldehyde	A2
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
50-00-0 Formaldehyde	

- National regulations:
- · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS, Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · **Department issuing SDS:** Environment protection department.
- · Contact: -
- Date of preparation / last revision 11/02/2021 / -
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids - Category 2

Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Skin Sens. 1: Skin sensitisation - Category 1

Muta. 2: Germ cell mutagenicity - Category 2

Carc. 1B: Carcinogenicity - Category 1B

STOT SE 2: Specific target organ toxicity (single exposure) – Category 2

\* Data compared to the previous version altered.



Page 1/10

# Safety Data Sheet acc. to OSHA HCS

Printing date 11/02/2021

Revision date 11/02/2021

## 1 Identification

- · Product identifier
- · Trade name: Catalase Potassium Hydroxide
- · Article number: 707015
- · Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use. It is the responsibility of the purchaser to determine suitability for other applications.

- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:
   Cayman Chemical Co.
   1180 E. Ellsworth Rd.
   Ann Arbor, MI 48108

USA

- · Information department: Product safety department
- **Emergency telephone number:**

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300

Outside US/CANADA: 703-741-5970

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Acute Tox. 4 H302 Harmful if swallowed.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

(Contd. from page 1)

# Safety Data Sheet acc. to OSHA HCS

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Potassium Hydroxide

Hazard pictograms



### Signal word Danger

· Hazard-determining components of labeling:

Potassium hydroxide

· Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dusts or mists. P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell. P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.
P321 Specific treatment (see on this label).
P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 3 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 3 Fire = 0 Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

# 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description**: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Potassium Hydroxide

		(Contd. from page 2)
· Dangerous compon	ents:	
CAS: 1310-58-3 RTECS: TT2100000	Potassium hydroxide	56.11%
· Other ingredients		
CAS: 7732-18-5 RTECS: ZC0110000	Water	43.89%

### 4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

A solid water stream may be inefficient.

Special hazards arising from the substance or mixture

67-56-1During heating or in case of fire poisonous gases are produced.

- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### **6 Accidental release measures**

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

**Environmental precautions:** 

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

(Contd. on page 4)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Potassium Hydroxide

(Contd. from page 3)

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**Protective Action Criteria for Chemicals** 

· PAC-1:	
1310-58-3 Potassium hydroxide	0.18 mg/m³
· PAC-2:	
1310-58-3 Potassium hydroxide	2 mg/m³
· PAC-3:	
1310-58-3 Potassium hydroxide	54 mg/m³

## 7 Handling and storage

- · Handling:
- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Store in accordance with information listed on the product insert.

- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

#### · Components with limit values that require monitoring at the workplace:

### 1310-58-3 Potassium hydroxide

REL Ceiling limit value: 2 mg/m³
TLV Ceiling limit value: 2 mg/m³

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

(Contd. on page 5)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Potassium Hydroxide

#### · Breathing equipment:

(Contd. from page 4)

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eve protection:



Tightly sealed goggles

#### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid

**Color:** According to product specification

Odor: CharacteristicOdor threshold: Not determined.

• Formulation This vial contains 4 ml of 10 M potassium hydroxide (KOH)

1 Officiation	The via contains Third To W potacolan hydroxide (NoT)
· pH-value:	Not determined.
<ul> <li>Change in condition</li> <li>Melting point/Melting range:</li> <li>Boiling point/Boiling range:</li> </ul>	Undetermined. 100 °C (212 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.

(Contd. on page 6)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Potassium Hydroxide

	(Contd. from page
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	1.58354 g/cm³ (13.21464 lbs/gal)
Bulk density:	1,584 kg/m³
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wat	ter): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Water:	43.9 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Solids content:	56.1 %
Other information	No further relevant information available.

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

	Addit toxiony.			
	· LD/LC50 values	· LD/LC50 values that are relevant for classification:		
ATE (Acute Toxicity Estimate)		mate)		
	Oral	LD50	487 mg/kg (rat)	
	1310-58-3 Potas	ssium hy	droxide	
	Oral	LD50	273 mg/kg (rat)	
Irritation of skin   Irritation   50 mg/24h (hmn)		50 mg/24h (hmn)		
	Irritation of eyes	Irritation	1 mg/24h (rabbit)	

(Contd. on page 7)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Potassium Hydroxide

(Contd. from page 6)

- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

#### · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

### · NTP (National Toxicology Program)

None of the ingredients is listed.

### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Potassium Hydroxide

(Contd. from page 7)

- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport informatio
-------------------------

· UN-Number

· DOT, IMDG, IATA UN1814

· UN proper shipping name

· **DOT** Potassium hydroxide, solution

· IMDG POTASSIUM HYDROXIDE SOLUTION

· IATA Potassium hydroxide solution

· Transport hazard class(es)

· DOT



· Class 8 Corrosive substances

· Label 8

· IMDG, IATA



· Class 8 Corrosive substances

· Label

· Packing group

· DOT, IMDG, IATA

· Environmental hazards: Not applicable.

· Special precautions for user Warning: Corrosive substances

Hazard identification number (Kemler code): 80

• EMS Number: F-A,S-B
• Segregation groups Alkalis
• Stowage Category A

• Segregation Code SG35 Stow "separated from" SGG1-acids

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· DOT

• Quantity limitations On passenger aircraft/rail: 1 L

On cargo aircraft only: 30 L

(Contd. on page 9)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Potassium Hydroxide

(Contd. from page 8)

	(Contd. from page 6)
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10.  Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1814 POTASSIUM HYDROXIDE SOLUTION, 8, II

# **15 Regulatory information**

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

- Proposition 65
- Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

(Contd. on page 10)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Potassium Hydroxide

(Contd. from page 9)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · **Department issuing SDS:** Environment protection department.
- · Contact: -
- · Date of preparation / last revision 11/02/2021 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

\* Data compared to the previous version altered.

US



Page 1/10

# Safety Data Sheet acc. to OSHA HCS

Printing date 11/02/2021

Revision date 11/02/2021

### 1 Identification

- · Product identifier
- · Trade name: Catalase Purpald (Chromagen)
- · Article number: 707017
- · Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use. It is the responsibility of the purchaser to determine suitability for other applications.

- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108

USA

- · Information department: Product safety department
- **Emergency telephone number:**

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300

Outside US/CANADA: 703-741-5970

### 2 Hazard(s) identification

· Classification of the substance or mixture



**GHS05 Corrosion** 

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labeling:

Hydrochloric acid

(Contd. on page 2)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Purpald (Chromagen)

(Contd. from page 1)

· Hazard statements

H318 Causes serious eye damage.

· Precautionary statements

P280 Wear eye protection / face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 3 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = \*3 Fire = 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 7647-01-0 RTECS: MW4025000	Hydrochloric acid	5.0%	
· Other ingredients			
CAS: 7732-18-5 RTECS: ZC0110000	Water	94.04%	
CAS: 1750-12-5	Purpald (4-amino-3-hydrazino-5-mercapto-1,2,4-triazole)	0.96%	

### 4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

(Contd. on page 3)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Purpald (Chromagen)

(Contd. from page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **5 Fire-fighting measures**

- · Extinguishing media
- · Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

A solid water stream may be inefficient.

- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

### **6 Accidental release measures**

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

**Environmental precautions:** 

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:	
7647-01-0 Hydrochloric acid	1.8 ppm
· PAC-2:	
7647-01-0 Hydrochloric acid	22 ppm
· PAC-3:	
7647-01-0 Hydrochloric acid	100 ppm

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

No special precautions are necessary if used correctly.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Avoid prolonged or repeated exposure.

Keep away from sources of ignition.

Take precautionary measures against static discharge.re.

- Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Store in accordance with information listed on the product insert.

(Contd. on page 4)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Purpald (Chromagen)

(Contd. from page 3)

- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

### 7647-01-0 Hydrochloric acid

PEL Ceiling limit value: 7 mg/m³, 5 ppm REL Ceiling limit value: 7 mg/m³, 5 ppm

TLV Ceiling limit value: 2 ppm

A4

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eves and skin.

- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Purpald (Chromagen)


· Eye protection:

Viscosity: Dynamic:

Water:

Kinematic:

· Solvent content:



(Contd. from page 4)

#### 9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Color: Not determined. · Odor: Characteristic · Odor threshold: Not determined. · Formulation A solution of 4-amino-3-hydrazino-5-mercapto-1,2,4-triazole (Purpald) in 0.5 M hydrochloric acid Not determined. · pH-value: · Change in condition Melting point/Melting range: Undetermined. **Boiling point/Boiling range:** 100 °C (212 °F) · Flash point: Not applicable. · Flammability (solid, gaseous): Not applicable. · Decomposition temperature: Not determined. Product is not selfigniting. · Auto igniting: · Danger of explosion: Product does not present an explosion hazard. · Explosion limits: Lower: Not determined. Upper: Not determined. · Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.0003 g/cm<sup>3</sup> (8.3475 lbs/gal) · Bulk density: 1,000 kg/m3 · Relative density Not determined. · Vapor density Not determined. **Evaporation rate** Not determined. · Solubility in / Miscibility with Water: Fully miscible. · Partition coefficient (n-octanol/water): Not determined.

Not determined.

Not determined.

94.0 %

(Contd. on page 6)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Purpald (Chromagen)

	(Contd. from page	∍ 5)
VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal	
Solids content:	1.0 %	
· Other information	No further relevant information available.	

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

LD/LC50 values that are relevant for classification:

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

ATE (Acute Toxicity Estimate)		
Oral	LD50	18,000 mg/kg (rabbit)
7647-01-0 Hydro	ochloric acid	
Oral	LD50	900 mg/kg (rabbit)
	LDLO	2,857 μg/kg (man)
	LDLO	420 μL/kg (wmn)
Inhalative	LC50	3,124 mg/m³/1h (rat)
	LCLO	1,300 mg/m³/30m (hmn)
Irritation of skin	Irritation	4 24h (hmn)
Irritation of eyes	Irritation	5 mg/30s (rabbit)
	Intraperitoneal LD50	40,142 μg/kg (mouse)

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

7647-01-0 Hydrochloric acid

3

NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 7)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Purpald (Chromagen)

(Contd. from page 6)

### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

## 14 Transport information

· UN-Number	
· DOT IMDG IATA	

UN1789 JOT, IMDG, IATA

· UN proper shipping name

· DOT, IATA Hydrochloric acid solution · IMDG HYDROCHLORIC ACID solution

- · Transport hazard class(es)
- · DOT



· Class 8 Corrosive substances

(Contd. on page 8)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Purpald (Chromagen)

	(Contd. from page
· Label	8
· IMDG, IATA	
FS	
8	
Class	8 Corrosive substances
· Label	8
Packing group	ш
DOT, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
<ul> <li>Hazard identification number (Kemler code):</li> <li>EMS Number:</li> </ul>	: 80 F-A,S-B
Segregation groups	Strong acids
· Stowage Category	E
Segregation Code	SG36 Stow "separated from" SGG18-alkalis.
	SG49 Stow "separated from" SGG6-cyanides
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L
•	On cargo aircraft only: 60 L
· IMDG	
· Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
·IATA	M/h an acid in accondition of last there are small to 4 are
· Remarks:	When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of
	E1, E2, E4, or E5, this item meets the De Minim
	Quantities exemption, per IATA 2.6.10.
	Therefore packaging does not have to be labeled
	Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1789 HYDROCHLORIC ACID SOLUTION, 8, III

# **15 Regulatory information**

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

<ul> <li>Section 355 (extremely hazardous substance</li> </ul>	is substances	azardous	(extremely	355	<ul> <li>Section</li> </ul>
--	---------------	----------	------------	-----	-----------------------------

7647-01-0 Hydrochloric acid

(Contd. on page 9)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Purpald (Chromagen)

(Contd. from page 8)

#### Section 313 (Specific toxic chemical listings):

7647-01-0 Hydrochloric acid

### TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

#### · Hazardous Air Pollutants

7647-01-0 Hydrochloric acid

· Proposition 65

#### · Chemicals known to cause cancer:

None of the ingredients is listed.

#### · Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

#### · Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

#### · Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

### · EPA (Environmental Protection Agency)

None of the ingredients is listed.

#### TLV (Threshold Limit Value)

7647-01-0 Hydrochloric acid

A4

### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 11/02/2021 / -

#### · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, ÉU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 10)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Purpald (Chromagen)

vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

\* Data compared to the previous version altered.

(Contd. from page 9)



Page 1/10

## **Safety Data Sheet** acc. to OSHA HCS

Printing date 11/02/2021

Revision date 11/02/2021

#### 1 Identification

- · Product identifier
- Trade name: Catalase Potassium Periodate
- · Article number: 707018
- · Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use. It is the responsibility of the purchaser to determine suitability for other applications.

- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108

USA

- · Information department: Product safety department
- **Emergency telephone number:**

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300

Outside US/CANADA: 703-741-5970

### 2 Hazard(s) identification

· Classification of the substance or mixture



**GHS05** Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labeling:

Potassium hydroxide

(Contd. on page 2)

(Contd. from page 1)

# Safety Data Sheet acc. to OSHA HCS

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Potassium Periodate

· Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dusts or mists.
P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.
P321 Specific treatment (see on this label).
P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 3 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 3 Fire = 0 Reactivity = 0

- Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 7790-21-8	Potassium periodate	4.41%
CAS: 1310-58-3 RTECS: TT2100000	Potassium hydroxide	2.8%
· Other ingredients		
CAS: 7732-18-5 RTECS: ZC0110000	Water	92.79%

### 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.

(Contd. on page 3)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Potassium Periodate

(Contd. from page 2)

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **5 Fire-fighting measures**

- · Extinguishing media
- Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

A solid water stream may be inefficient.

Special hazards arising from the substance or mixture

67-56-1During heating or in case of fire poisonous gases are produced.

- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**Protective Action Criteria for Chemicals** 

Protective Action Criteria for Chemicals			
· PAC-1:			
7790-21-8 Potassium periodate	1.2 mg/m³		
1310-58-3 Potassium hydroxide	0.18 mg/m³		
· PAC-2:			
7790-21-8 Potassium periodate	13 mg/m³		
1310-58-3 Potassium hydroxide	2 mg/m³		
· PAC-3:			
7790-21-8 Potassium periodate	79 mg/m³		
•	(Contd. on page 4)		

Printing date 11/02/2021 Revision date 11/02/2021

**Trade name: Catalase Potassium Periodate** 

1310-58-3 Potassium hydroxide

(Contd. from page 3)

54 mg/m<sup>3</sup>

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about protection against explosions and fires:

Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Store in accordance with information listed on the product insert.

- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

### 1310-58-3 Potassium hydroxide

REL Ceiling limit value: 2 mg/m³
TLV Ceiling limit value: 2 mg/m³

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 5)

Printing date 11/02/2021 Revision date 11/02/2021

#### Trade name: Catalase Potassium Periodate

(Contd. from page 4)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

<ul> <li>Information on basic p</li> </ul>	hysical and chemical <b>p</b>	properties
--	-------------------------------	------------

· General Information

· Appearance:

Form: Liquid

Color: Not determined.

Odor: Characteristic

Odor threshold: Not determined.

• Formulation A solution of potassium periodate in 0.5 M potassium

hydroxide

· **pH-value:** Not determined.

· Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 100 °C (212 °F)

Flash point: Not applicable.

Flammability (solid, gaseous): Not applicable.

Decomposition temperature: Not determined.Auto igniting: Product is not selfigniting.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

**Lower:** Not determined. **Upper:** Not determined.

· Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)

• **Density at 20 °C (68 °F):** 1.14457 g/cm³ (9.55144 lbs/gal)

Bulk density: 1,145 kg/m³
Relative density Not determined.
Vapor density Not determined.

(Contd. on page 6)

Printing date 11/02/2021 Revision date 11/02/2021

**Trade name: Catalase Potassium Periodate** 

	(Contd. from	n page
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octan	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	92.8 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	7.2 %	
· Other information	No further relevant information available.	

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:		
ATE (Acute Toxicity Estimate)		
Oral	LD50	9,750 mg/kg (rat)

1310-58-3 Potas	1310-58-3 Potassium hydroxide		
Oral	LD50	273 mg/kg (rat)	
Irritation of skin	Irritation	50 mg/24h (hmn)	
Irritation of eyes	Irritation	1 mg/24h (rabbit)	

- Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

(Contd. on page 7)

Printing date 11/02/2021 Revision date 11/02/2021

Trade name: Catalase Potassium Periodate

Irritant

(Contd. from page 6)

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · **Mobility in soil** No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

### **14 Transport information**

· UN-Number

· DOT, IMDG, IATA UN1814

· UN proper shipping name

· **DOT** Potassium hydroxide, solution

· IMDG POTASSIUM HYDROXIDE SOLUTION

(Contd. on page 8)

Printing date 11/02/2021 Revision date 11/02/2021

**Trade name: Catalase Potassium Periodate** 

Transport hazard class(es)  DOT  Class Label 8  IMDG, IATA  Class 8 Corrosive substances 8  Record 8  Class 8 Corrosive substances 8  Packing group DOT, IMDG, IATA II  Environmental hazards: Not applicable.  Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 80  EMS Number: F-A,S-B Segregation groups Alkalis Stowage Category A Segregation Code SG35 Stow "separated from" SGG1-acids  Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.  Transport/Additional information:  DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L  IMDG Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	IATA	(Contd. from page
Class Label 8  IMDG, IATA  Class 8 Corrosive substances 8  Environmental hazards: Not applicable.  Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 80  EMS Number: F-A,S-B Segregation groups Alkalis Stowage Category A Segregation Code SG35 Stow "separated from" SGG1-acids  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L  IMDG Limited quantities (EQ)  Limited quantities (EQ)  Limited Remarks: When sold in quantities of less than or equal to 1 mi or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this litem meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a	IATA	Potassium hydroxide solution
Class Label 8  IMDG, IATA  Class 8 Corrosive substances 8  Recording group DOT, IMDG, IATA II  Environmental hazards: Not applicable.  Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 80  EMS Number: F-A,S-B Segregation groups Stowage Category A Segregation Code Segregation	Transport hazard class(es)	
Class 8 IMDG, IATA  Class 8 Corrosive substances Label 8  Packing group DOT, IMDG, IATA  II  Environmental hazards: Not applicable.  Special precautions for user Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups Alkalis Stowage Category A Segregation Code SG35 Stow "separated from" SGG1-acids  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport in bulk according to Annex II of Mary II of II of Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  IATA Remarks: When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a	DOT	
Class 8 IMDG, IATA  Class 8 Corrosive substances Label 8  Packing group DOT, IMDG, IATA  II  Environmental hazards: Not applicable.  Special precautions for user Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups Alkalis Stowage Category A Segregation Code SG35 Stow "separated from" SGG1-acids  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport in bulk according to Annex II of Mary II of II of Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  IATA Remarks: When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a		
Label 8  IMDG, IATA  Class 8 Corrosive substances Label 8  Packing group DOT, IMDG, IATA II  Environmental hazards: Not applicable.  Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups Alkalis Stowage Category A Segregation Code SG35 Stow "separated from" SGG1-acids  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L  IMDG Limited quantities (LQ) 1L Excepted quantities (EQ) 1L Excepted quantities (EQ) 1L Excepted quantities (EQ) 50 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  IATA Remarks: When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a	CORROSIVE	
Label 8  IMDG, IATA  Class 8 Corrosive substances Label 8  Packing group DOT, IMDG, IATA II  Environmental hazards: Not applicable.  Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups Alkalis Stowage Category A Segregation Code SG35 Stow "separated from" SGG1-acids  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L  IMDG Limited quantities (LQ) 1L Excepted quantities (EQ) 1L Excepted quantities (EQ) 1L Excepted quantities (EQ) 50 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  IATA Remarks: When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a	8	
Label 8  IMDG, IATA  Class 8 Corrosive substances Label 8  Packing group DOT, IMDG, IATA II  Environmental hazards: Not applicable.  Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups Alkalis Stowage Category A Segregation Code SG35 Stow "separated from" SGG1-acids  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L  IMDG Limited quantities (LQ) 1L Excepted quantities (EQ) 1L Excepted quantities (EQ) 1L Excepted quantities (EQ) 50 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  IATA Remarks: When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a	Class	8 Corrosive substances
Class Label 8  Packing group DOT, IMDG, IATA II  Environmental hazards: Not applicable.  Special precautions for user Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups Alkalis Stowage Category A Segregation Code SG35 Stow "separated from" SGG1-acids  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L  IMDG Limited quantities (LQ) 1L Excepted quantities (EQ) 1A Excepted quantities (EQ) 1A  IATA Remarks: When sold in quantities of less than or equal to 1 mi or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a	Label	
Class Label 8  Packing group DOT, IMDG, IATA II  Environmental hazards: Not applicable.  Special precautions for user Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups Alkalis Stowage Category A Segregation Code SG35 Stow "separated from" SGG1-acids  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L  IMDG Limited quantities (LQ) 1L Excepted quantities (EQ) 1A Excepted quantities (EQ) 1A  IATA Remarks: When sold in quantities of less than or equal to 1 mi or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a	IMDG. IATA	
Packing group DOT, IMDG, IATA  II  Environmental hazards:  Special precautions for user Hazard identification number (Kemler code): 80 EMS Number:  Segregation groups Alkalis Stowage Category Segregation Code  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code  Transport/Additional information:  DOT Quantity limitations  IMDG Limited quantities (LQ) Excepted quantities (EQ)  Limited quantities (EQ)  Limited quantities (EQ)  IL  Excepted quantities (EQ)  When sold in quantities of less than or equal to 1 mi or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled at the packaging of the pac		
Packing group DOT, IMDG, IATA  II  Environmental hazards:  Special precautions for user Hazard identification number (Kemler code): 80 EMS Number:  Segregation groups Alkalis Stowage Category Segregation Code  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code  Transport/Additional information:  DOT Quantity limitations  IMDG Limited quantities (LQ) Excepted quantities (EQ)  Limited quantities (EQ)  Limited quantities (EQ)  IL  Excepted quantities (EQ)  When sold in quantities of less than or equal to 1 mi or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled at the packaging of the pac	<u> </u>	
Packing group DOT, IMDG, IATA  II  Environmental hazards:  Special precautions for user Hazard identification number (Kemler code): 80 EMS Number:  Segregation groups Alkalis Stowage Category Segregation Code  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code  Transport/Additional information:  DOT Quantity limitations  IMDG Limited quantities (LQ) Excepted quantities (EQ)  Limited quantities (EQ)  Limited quantities (EQ)  IL  Excepted quantities (EQ)  When sold in quantities of less than or equal to 1 mi or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled at the packaging of the pac		
Packing group DOT, IMDG, IATA  II  Environmental hazards:  Special precautions for user Hazard identification number (Kemler code): 80 EMS Number:  Segregation groups Alkalis Stowage Category Segregation Code  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code  Transport/Additional information:  DOT Quantity limitations  IMDG Limited quantities (LQ) Excepted quantities (EQ)  Limited quantities (EQ)  Limited quantities (EQ)  IL  Excepted quantities (EQ)  When sold in quantities of less than or equal to 1 mi or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled at the packaging of the pac	•	
Packing group DOT, IMDG, IATA  Environmental hazards:  Not applicable.  Special precautions for user Hazard identification number (Kemler code): 80  EMS Number: Segregation groups Alkalis Stowage Category A Segregation Code SG35 Stow "separated from" SGG1-acids  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L  IMDG Limited quantities (LQ) Excepted quantities (EQ)  IL Excepted quantities (EQ)  IATA Remarks: When sold in quantities of less than or equal to 1 mi or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as		
DOT, IMDG, IATA  Environmental hazards:  Not applicable.  Special precautions for user Hazard identification number (Kemler code): 80  EMS Number: Segregation groups Stowage Category ASegregation Code  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code  Not applicable.  Transport/Additional information:  DOT Quantity limitations  On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L  IMDG Limited quantities (LQ) Excepted quantities (EQ)  ILC Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  IATA Remarks:  When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as		ŏ
Environmental hazards:  Special precautions for user Hazard identification number (Kemler code): 80  EMS Number: Segregation groups Stowage Category Segregation Code  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code  Transport/Additional information:  DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L  IMDG Limited quantities (LQ) Excepted quantities (EQ)  IATA Remarks: When sold in quantities of less than or equal to 1 mi or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled at the code.  Warning: Corrosive substances Warning: Corrosive substances Warning: Corrosive substances Warning: Corrosive substances  Washuls:  Warning: Corrosive substances  Washuls:  Warning: Corrosive substances  Washuls:  Warning: Corrosive substances  Hazard identification  P-A,S-B  Alkalis  A Segregation does not have to be labeled at the code of the code	Packing group	
Special precautions for user Hazard identification number (Kemler code): 80  EMS Number: Segregation groups Alkalis Stowage Category Agergation Code SG35 Stow "separated from" SGG1-acids  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L  IMDG Limited quantities (LQ) Excepted quantities (EQ)  IL Excepted quantities (EQ)  When sold in quantities of less than or equal to 1 mi or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as	<u> </u>	II .
Hazard identification number (Kemler code): 80  EMS Number: F-A,S-B Segregation groups Alkalis Stowage Category A Segregation Code SG35 Stow "separated from" SGG1-acids  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L  IMDG Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  IATA Remarks: When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as	Environmental hazards:	Not applicable.
EMS Number:  Segregation groups Stowage Category Segregation Code SG35 Stow "separated from" SGG1-acids  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L  IMDG Limited quantities (LQ) Excepted quantities (EQ)  Limited quantities (EQ)  Excepted quantities (EQ)  When sold in quantities of less than or equal to 1 mi or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as	Special precautions for user	Warning: Corrosive substances
Segregation groups Stowage Category Segregation Code SG35 Stow "separated from" SGG1-acids  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L  IMDG Limited quantities (LQ) Excepted quantities (EQ)  TL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  IATA Remarks: When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as		
Stowage Category Segregation Code SG35 Stow "separated from" SGG1-acids  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L  IMDG Limited quantities (LQ) Excepted quantities (EQ)  Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  IATA Remarks: When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as		,
Segregation Code  SG35 Stow "separated from" SGG1-acids  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code  Not applicable.  Transport/Additional information:  DOT Quantity limitations  On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L  IMDG Limited quantities (LQ)  Excepted quantities (EQ)  Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  IATA  Remarks:  When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as		
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L  IMDG Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  IATA Remarks: When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as		
MARPOL73/78 and the IBC Code  Not applicable.  Transport/Additional information:  DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L  IMDG Limited quantities (LQ) Excepted quantities (EQ)  Aximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  IATA Remarks: When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as		Coo dian coparate non Coo acias
Transport/Additional information:  DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L  IMDG Limited quantities (LQ) Excepted quantities (EQ)  Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  IATA Remarks: When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as		Not applicable
Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L  IMDG Limited quantities (LQ) Excepted quantities (EQ)  IL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  IATA Remarks: When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as		The applicable.
Quantity limitations  On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L  IMDG Limited quantities (LQ)  Excepted quantities (EQ)  IL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  IATA Remarks:  When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as		
On cargo aircraft only: 30 L  IMDG Limited quantities (LQ) Excepted quantities (EQ)  IL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  IATA Remarks:  When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as		On naccongar aircraft/rail: 1 l
IMDG Limited quantities (LQ) Excepted quantities (EQ)  IL  Code: E2  Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  IATA Remarks:  When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as	Quantity limitations	
Limited quantities (LQ)  Excepted quantities (EQ)  Code: E2  Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  IATA  Remarks:  When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as	IMDG	
Excepted quantities (EQ)  Code: E2  Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  IATA  Remarks:  When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as		11
Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  IATA  Remarks:  When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as	Excepted quantities (EQ)	
IATA  Remarks:  When sold in quantities of less than or equal to 1 miles or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10.  Therefore packaging does not have to be labeled as		Maximum net quantity per inner packaging: 30 ml
Remarks:  When sold in quantities of less than or equal to 1 miles or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10.  Therefore packaging does not have to be labeled as		Maximum net quantity per outer packaging: 500 ml
or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a	IATA	
E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10.  Therefore packaging does not have to be labeled a	Remarks:	When sold in quantities of less than or equal to 1 ml
Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a		
Therefore packaging does not have to be labeled a		

Printing date 11/02/2021 Revision date 11/02/2021

**Trade name: Catalase Potassium Periodate** 

(Contd. from page 8)

· UN "Model Regulation":

UN 1814 POTASSIUM HYDROXIDE SOLUTION, 8, II

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture. No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

- Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

· Department issuing SDS: Environment protection department.

(Contd. on page 10)

Printing date 11/02/2021 Revision date 11/02/2021

**Trade name: Catalase Potassium Periodate** 

(Contd. from page 9)

· Contact: -

· Date of preparation / last revision 11/02/2021 / -

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Skin Corr. 1B: Skin corrosion/irritation - Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1

\* Data compared to the previous version altered.