

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/11/2024

Revision date 01/11/2024

Page 1/9

1 Identification

Product identifier

- Trade name: DAF-2
- Synonym 2-(3,6-dihydroxy-4,5-diamino-9H-xanthen-9-yl)-benzoic acid; 4,5-Diaminofluorescein
- · Article number: 85160
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Cayman Chemical Co.
 1180 E. Ellsworth Rd. Ann Arbor, MI 48108

USA Information

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture

GHS07

Acute Toxicity - Oral 4 H302 Harmful if swallowed.

Flammable Liquids 4 H227 Combustible liquid.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



Signal word Warning
 Hazard statements
 H227 Combustible liquid.
 H302 Harmful if swallowed.

(Contd. on page 2)

Printing date 01/11/2024

Revision date 01/11/2024

Trade name: DAF-2

	(Contd. from page 1)
· Precautionary statements	
P210 Keep away from flames and hot surfaces. – No smoking.	
P264 Wash thoroughly after handling.	
P270 Do not eat, drink or smoke when using this product.	
P280 Wear protective gloves/protective clothing/eye protection/face protection.	
P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.	
P330 Rinse mouth.	
P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.	
P403+P235 Store in a well-ventilated place. Keep cool.	
P501 Dispose of contents/container in accordance with local/regional/nati	onal/international
regulations.	
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 0	
Fire = 2	
\mathbf{U} Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH O Health = 0	
FIRE 2 Fire = 2	
Reactivity 0 Reactivity = 0	
Others have and	
• Other hazards	
Results of PBT and vPvB assessment	
· PBT: Not applicable.	
· vPvB: Not applicable.	
2 Composition/information on ingradiante	
3 Composition/information on ingredients	

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-68-5 Dimethyl sulfoxide RTECS: PV6210000

99.95%

0.05%

· Other ingredients

205391-01-1 DAF-2

4 First-aid measures

· Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

US

Printing date 01/11/2024

Revision date 01/11/2024

Trade name: DAF-2

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. from page 2)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

• **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

- Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:	
67-68-5 Dimethyl sulfoxide	150 ppm
· PAC-2:	
67-68-5 Dimethyl sulfoxide	290 ppm
· PAC-3:	
67-68-5 Dimethyl sulfoxide	1,800 ppm

7 Handling and storage

· Handling:

- Precautions for safe handling
 No special precautions are necessary if used correctly.
 Avoid breathing dust/fume/gas/mist/vapours/spray.
 Avoid prolonged or repeated exposure.
 Keep away from sources of ignition.
 Take precautionary measures against static discharge.re.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
- Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- · Requirements to be met by storerooms and receptacles: No special requirements.

(Contd. on page 4)

US

Printing date 01/11/2024

Revision date 01/11/2024

(Contd. from page 3)

Trade name: DAF-2

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- 67-68-5 Dimethyl sulfoxide
- WEEL Long-term value: 250 ppm
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Color: According to product specification · Odor: Odorless · Structural Formula C20H14N2O5 · Molecular Weight 362.3 g/mol · Odor threshold: Not determined. (Contd. on page 5)

Printing date 01/11/2024

Revision date 01/11/2024

Trade name: DAF-2

Formulation	(Contd. from pa
Formulation	A solution in DMSO
pH-value:	Not determined.
Change in condition	
Melting point/Melting range: Boiling point/Boiling range:	18.5 °C (65.3 °F) 189 °C (372.2 °F)
•••	
Flash point:	87 °C (188.6 °F)
Flammability (solid, gaseous):	Not applicable.
Auto igniting:	270 °C (518 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Not determined.
Explosion limits:	
Lower:	2.6 Vol %
Upper:	42 Vol %
Vapor pressure at 20 °C (68 °F):	0.56 hPa (0.4 mm Hg)
Density at 20 °C (68 °F):	1.1 g/cm³ (9.1795 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water at 25 °C (77 °F):	1000 g/l
Partition coefficient (n-octanol/wa	ter): Not determined.
Viscosity:	
Dynamic at 20 °C (68 °F):	198 mPas
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	100.0 %
VOC content:	99.95 %
	999.5 g/l / 8.34 lb/gal
Solids content:	0.1 %
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: strong oxidizing agents

(Contd. on page 6)

US -

Printing date 01/11/2024

Revision date 01/11/2024

Trade name: DAF-2

(Contd. from page 5)

· Hazardous decomposition products: carbon monoxide, carbon dioxide, sulfur oxides

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

Oral

· LD/LC50 values that are relevant for classification:

67-68-5 Dimethyl sulfoxide

LD50 28,300 mg/kg (rat) OECD Test Guideline 401

Dermal LD50 40,000 mg/kg (rat)

- Definial ED50 40,000 hig/kg
- Primary irritant effect:
- on the skin: No irritant effect. • on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information: Harmful

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

(Contd. on page 7)

Printing date 01/11/2024

Revision date 01/11/2024

Trade name: DAF-2

(Contd. from page 6)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
DOT	NA1993
IMDG, IATA	not regulated
UN proper shipping name	
DOT	COMBUSTIBLE LIQUID, N.O.S
IMDG, IATA	not regulated
Transport hazard class(es)	
DOT	
3	
· Class	3 Combustible liquids
Label	3
ADN/R Class:	not regulated
Packing group	
DOT	III
IMDG, IATA	not regulated
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex	ll of
MARPOL73/78 and the IBC Code	Not applicable.
 Transport/Additional information: 	
· DOT	
Quantity limitations	On passenger aircraft/rail: 60 L
-	On cargo aircraft only: 220 L
· Remarks:	When sold in quantities of less than or equal to 1 m
	1 g, with an Excepted Quantity Code of
	E1, E2, E4, or E5, this item meets the De Min
	Quantities exemption, per IATA 2.6.10.
	Therefore packaging does not have to be labeled Dangerous Goods/Excepted Quantity.

Printing date 01/11/2024

Revision date 01/11/2024

(Contd. from page 7)

ACTIVE

Trade name: DAF-2

· UN "Model Regulation":

not regulated

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

67-68-5 Dimethyl sulfoxide

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

· Department issuing SDS: Environment protection department.

(Contd. on page 9)

US

Printing date 01/11/2024

Revision date 01/11/2024

Trade name: DAF-2

	(Contd. from page 8)
· Contact: -	
 Date of preparation / last revision 01/11/2024 	
• Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Flammable Liquids 4: Flammable liquids – Category 4	
Acute Toxicity - Oral 4: Acute toxicity – Category 4	
** Data compared to the previous version altered.	
	US