

Page 1/10

Safety Data Sheet acc. to OSHA HCS

Printing date 04/10/2023 Revision date 04/10/2023

1 Identification

- · Product identifier
- · Trade name: Arachidonic Acid
- · Article number: 90010
- · Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use.

- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108

USA

- · Information department: Product safety department
- · Emergency telephone number:

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300

Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 2 H225 Highly flammable liquid and vapor.



GHS07

Acute Toxicity - Oral 4 H302 Harmful if swallowed. Skin Irritation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

(Contd. from page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/10/2023 Revision date 04/10/2023

Trade name: Arachidonic Acid

· Hazard pictograms





GHS02 GHS07

· Signal word Danger

· Hazard-determining components of labeling:

Arachidonic Acid

· Hazard statements

H225 Highly flammable liquid and vapor.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P330 Rinse mouth.

P321 Specific treatment (see on this label).

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P337+P313 If eye irritation persists: Get medical advice/attention.
P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish. P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Classification system:

· NFPA ratings (scale 0 - 4)



Health = 2 Fire = 3 Reactivity = 0

(Contd. on page 3)

Printing date 04/10/2023 Revision date 04/10/2023

Trade name: Arachidonic Acid

· HMIS-ratings (scale 0 - 4)

(Contd. from page 2)



Health = 2 Fire = 3

Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 64-17-5 RTECS: KQ6300000	ethanol	75.0%	
CAS: 506-32-1 RTECS: CE6675000	Arachidonic Acid	25.0%	

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

US

Printing date 04/10/2023 Revision date 04/10/2023

Trade name: Arachidonic Acid

(Contd. from page 3)

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· PAC-1:	
64-17-5 ethanol	1,800 ppm
· PAC-2:	
64-17-5 ethanol	3300* ppm
· PAC-3:	
64-17-5 ethanol	15000* ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · **Storage:** Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data: see section 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

(Contd. on page 5)

Printing date 04/10/2023 Revision date 04/10/2023

Trade name: Arachidonic Acid

(Contd. from page 4)

64-17-5 ethanol

PEL Long-term value: 1900 mg/m³, 1000 ppm REL Long-term value: 1900 mg/m³, 1000 ppm

TLV Short-term value: 1000 ppm

А3

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid

Color: According to product specification

Odor: Alcohol-like
 Structural Formula C20H32O2
 Molecular Weight 304.5 g/mol

(Contd. on page 6)

Printing date 04/10/2023 Revision date 04/10/2023

Trade name: Arachidonic Acid

Formulation A solution in ethanol pH-value: Not determined. Change in condition Melting point/Melting range: 78 °C (172.4 °F) Flash point: 13 °C (55.4 °F) Flammability (solid, gaseous): Highly flammable. Auto igniting: 425 °C (797 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not explosive. However, formation of explosive a vapor mixtures are possible. Explosion limits: Lower: 3.3 Vol % Upper: 19 Vol % Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) Vapor pressure at 50 °C (122 °F): 280 hPa (210 mm Hg) Density: Not determined. Not determined. Not determined. Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 1.2 mPas Kinematic: Not determined. Not determined. Not determined. Viscosity: Dynamic at 20 °C (68 °F): 4 not determined. Not determined. Not determined. Viscosity: Dynamic at 20 °C (68 °F): 1.2 mPas Kinematic: Not determined. Meltine density Not determined. Not determined. Not determined. Not determined. Viscosity: Dynamic at 20 °C (68 °F): 1.2 mPas Kinematic: Not determined. SOLUBILITY 0.1 M Na2CO3: 1.7 mg/ml; DMF: 100 mg/ml; DMSO: 10 mg/ml; Ethanol: Miscible		(Contd. from page
pH-value: Not determined. Change in condition Melting point/Melting range: Bolling point/Melting range: 78 °C (172.4 °F) Flash point: 13 °C (52.4 °F) Flammability (solid, gaseous): Highly flammable. Auto igniting: 425 °C (797 °F) Decomposition temperature: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive a vapor mixtures are possible. Explosion limits: Lower: 3.3 Vol % Upper: 19 Vol % Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) Vapor pressure at 50 °C (122 °F): 280 hPa (210 mm Hg) Density: Not determined. Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 1.2 mPas Kinematic: Not determined. SOLUBILITY 0.1 m Na2CO3: 1.7 mg/ml; DMF: 100 mg/ml; DMSO: 10 mg/ml; Ethanol: Miscible Solvent content: 75.00 % 75.00 % 75.00 % 75.00 g/l / 6.26 lb/gal Solids content: 25.0 %	Odor threshold:	
Change in condition Melting point/Melting range: Boiling point/Boiling range: Ta °C (172.4 °F) Flash point: 13 °C (55.4 °F) Flammability (solid, gaseous): Highly flammable. Auto igniting: 425 °C (797 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not explosive. However, formation of explosive a vapor mixtures are possible. Explosion limits: Lower: Upper: 19 Vol % Vapor pressure at 20 °C (68 °F): 280 hPa (240 mm Hg) Density: Relative density Vapor density Vapor density Vapor at 20 °C (68 °F): Not determined. Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C	Formulation	A solution in ethanol
Melting point/Melting range: Boiling point/Bolling range: 78 °C (172.4 °F) Flash point: 13 °C (55.4 °F) Flammability (solid, gaseous): Highly flammable. Auto igniting: 425 °C (797 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive a vapor mixtures are possible. Explosion limits: Lower: Upper: 19 Vol % Vapor pressure at 20 °C (68 °F): 280 hPa (240 mm Hg) Density: Relative density Vapor density Vapor density Vapor density Vapor density Vapor at 20 °C (68 °F): Vate termined. Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): Viscosity: Dynamic at 20 °C (68 °F): Xinematic: SOLUBILITY 0.1 M Na2CO3: 1.7 mg/ml; DMF: 100 mg/ml; DMSO: 10 mg/ml; Ethanol: Miscible Solvet content: Organic solvents: 75.0 % VOC content: 75.00 % 75.00 g/l / 6.26 lb/gal Solids content: 25.0 %	pH-value:	Not determined.
Boiling point/Boiling range: 78 °C (172.4 °F) Flash point: 13 °C (55.4 °F) Flammability (solid, gaseous): Highly flammable. Auto igniting: 425 °C (797 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive a vapor mixtures are possible. Explosion limits: Lower: 3.3 Vol % Upper: 19 Vol % Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) Vapor pressure at 50 °C (122 °F): 280 hPa (210 mm Hg) Density: Not determined. Not determined. Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 1.2 mPas Kinematic: Not determined. SOLUBILITY 0.1 M Na2CO3: 1.7 mg/ml; DMF: 100 mg/ml; DMSO: 10 mg/ml; Ethanol: Miscible Solvent content: Organic solvents: 75.0 % VOC content: 75.0 % VOC content: 75.0 % VOC content: 75.0 % VOC content: 25.0 %	Change in condition	
Flash point: 13 °C (55.4 °F) Flammability (solid, gaseous): Highly flammable. Auto igniting: 425 °C (797 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive a vapor mixtures are possible. Explosion limits: Lower: 3.3 Vol % Upper: 19 Vol % Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) Vapor pressure at 50 °C (122 °F): 280 hPa (210 mm Hg) Density: Not determined. Not determined. Not determined. Vapor density Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 1.2 mPas Kinematic: Not determined. Solubility: Not determined. Solubility: Not determined. Solubility: Not determined. Viscosity: Not determined. Viscosity: Not determined. Solubility: Not determined. Solubility: Not determined. Solubility: Not determined. Viscosity: Not determined. Viscosity: Not determined. Solubility: Not determined		
Flammability (solid, gaseous): Highly flammable. Auto igniting: 425 °C (797 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not explosive. However, formation of explosive a vapor mixtures are possible. Explosion limits: Lower: 3.3 Vol % Upper: 19 Vol % Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) Vapor pressure at 50 °C (122 °F): 280 hPa (210 mm Hg) Density: Not determined. Relative density Not determined. Relative density Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Viscosity: Not determined. Viscosity: Not determined. Viscosity: Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 1 g/l Solubility in / Miscibility with Water at 20 °C (68 °F): 1.2 mPas Kinematic: Not determined. Solubility: Not determined.	<u> </u>	· · · · · · · · · · · · · · · · · · ·
Auto igniting: 425 °C (797 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive a vapor mixtures are possible. Explosion limits: Lower: 3.3 Vol % Upper: 19 Vol % Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) Vapor pressure at 50 °C (122 °F): 280 hPa (210 mm Hg) Density: Not determined. Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Viscosity: Not determined. Viscosity: Not determined. Viscosity: Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Solubility in / Miscibility with MazCO3: 1.7 mg/ml; DMF: 100 mg/ml; DMSO: 10 mg/ml; Ethanol: Miscible Solvent content: Organic solvents: 75.0 % VOC content: 75.0 % VOC content: 75.00 % 75.0 g/l / 6.26 lb/gal Solids content: 25.0 %	· Flash point:	13 °C (55.4 °F)
Decomposition temperature: Ignition temperature: Product is not selfigniting. Product is not explosive. However, formation of explosive a vapor mixtures are possible. Explosion limits: Lower: Upper: 19 Vol % Vapor pressure at 20 °C (68 °F): Vapor pressure at 50 °C (122 °F): Not determined. Not determined. Not determined. Not determined. Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): Dynamic at 20 °C (68 °F): Not determined. Not determined. Not determined. Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): Dynamic at 20 °C (68 °F): Not determined. Not determined. Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 75.0 mg/ml; Ethanol: Miscible Solvent content: Organic solvents: Organic solvents: 75.0 % 75.0 % 75.0 0 % 750.0 g/l / 6.26 lb/gal Solids content: 25.0 %	· Flammability (solid, gaseous):	Highly flammable.
Ignition temperature: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive a vapor mixtures are possible. Explosion limits: Lower: 3.3 Vol % Upper: 19 Vol % Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) Vapor pressure at 50 °C (122 °F): 280 hPa (210 mm Hg) Density: Not determined. Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 1.2 mPas Kinematic: Not determined. SOLUBILITY 0.1 M Na2CO3: 1.7 mg/ml; DMF: 100 mg/ml; DMSO: 10 mg/ml; Ethanol: Miscible Solvent content: Organic solvents: 75.0 % VOC content: 75.00 % 750.0 g/l / 6.26 lb/gal Solids content: 25.0 %	· Auto igniting:	425 °C (797 °F)
Danger of explosion: Product is not explosive. However, formation of explosive a vapor mixtures are possible. Explosion limits: Lower: Upper: 19 Vol % Vapor pressure at 20 °C (68 °F): Vapor pressure at 50 °C (122 °F): 280 hPa (240 mm Hg) Density: Not determined. Relative density Not determined. Vapor density Not determined. Vapor at 20 °C (68 °F): Vapor at 20 °C (68 °F): Vapor density Not determined. Vapor density Not determined. Vapor density Not determined. Viscority: Dynamic at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. SoluBILITY Not determined.	Decomposition temperature:	Not determined.
Explosion limits: Lower: Upper: 19 Vol % Vapor pressure at 20 °C (68 °F): Vapor pressure at 50 °C (122 °F): 280 hPa (210 mm Hg) Density: Not determined. Relative density Not determined. Vapor density Evaporation rate Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. SoluBILITY 0.1 M Na2CO3: 1.7 mg/ml; DMF: 100 mg/ml; DMSO: 10 mg/ml; Ethanol: Miscible Solvent content: Organic solvents: VGC content: 75.0 % VGC content: 25.0 % Solids content: 25.0 %	· Ignition temperature:	Product is not selfigniting.
Lower: Upper:	Danger of explosion:	Product is not explosive. However, formation of explosive ai vapor mixtures are possible.
Upper: 19 Vol % Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) Vapor pressure at 50 °C (122 °F): 280 hPa (210 mm Hg) Density: Not determined. Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 1.2 mPas Kinematic: Not determined. SOLUBILITY 0.1 M Na2CO3: 1.7 mg/ml; DMF: 100 mg/ml; DMSO: 10 mg/ml; Ethanol: Miscible Solvent content: Organic solvents: 75.0 % VOC content: 75.00 % 750.0 g/l / 6.26 lb/gal Solids content: 25.0 %	· Explosion limits:	
Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) Vapor pressure at 50 °C (122 °F): 280 hPa (210 mm Hg) Density: Not determined. Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 1.2 mPas Kinematic: Not determined. SOLUBILITY 0.1 M Na2CO3: 1.7 mg/ml; DMF: 100 mg/ml; DMSO: 10 mg/ml;Ethanol: Miscible Solvent content: 75.0 % VOC content: 75.0 % VOC content: 75.0 % Solids content: 25.0 %		
Vapor pressure at 50 °C (122 °F): 280 hPa (210 mm Hg) Density: Not determined. Not determined. Vapor density Evaporation rate Solubility in / Miscibility with Water at 20 °C (68 °F): Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Not determined. SoluBiLITY 0.1 M Na2CO3: 1.7 mg/ml; DMF: 100 mg/ml; DMSO: 10 mg/ml; Ethanol: Miscible Solvent content: Organic solvents: VOC content: 75.0 % VOC content: 75.0 % 750.0 g/l / 6.26 lb/gal Solids content: 25.0 %	Upper:	19 Vol %
Density: Relative density Vapor density Vapor density Evaporation rate Solubility in / Miscibility with Water at 20 °C (68 °F): Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Solubility Viscosity: Dynamic at 20 °C (68 °F): Not determined. Not determined. Solubility Not determined.	· Vapor pressure at 20 °C (68 °F):	
Relative density Vapor density Evaporation rate Not determined. Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Vincosity: Not determined. Not determined. SoluBility Not determined. Not determined. Not determined. SoluBility Not determined. Not determined. Not determined. Solubility Not determined. Not determined. Not determined. Not determined. Solubility Not determined.	· Vapor pressure at 50 °C (122 °F):	280 hPa (210 mm Hg)
Vapor density Evaporation rate Not determined. Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Kinematic: Not determined. SOLUBILITY Not determined. Not determined. Not determined. SOLUBILITY 0.1 M Na2CO3: 1.7 mg/ml; DMF: 100 mg/ml; DMSO: 10 mg/ml; Ethanol: Miscible Solvent content: Organic solvents: 75.0 % VOC content: 75.00 % 750.0 g/l / 6.26 lb/gal Solids content: 25.0 %	· Density:	
Evaporation rate Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 1.2 mPas Kinematic: Not determined. SOLUBILITY 0.1 M Na2CO3: 1.7 mg/ml; DMF: 100 mg/ml; DMSO: 10 mg/ml; Ethanol: Miscible Solvent content: Organic solvents: 75.0 % VOC content: 75.00 % 750.0 g/l / 6.26 lb/gal Solids content: 25.0 %		
Solubility in / Miscibility with Water at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 1.2 mPas Kinematic: Not determined. SOLUBILITY 0.1 M Na2CO3: 1.7 mg/ml; DMF: 100 mg/ml; DMSO: 10 mg/ml; Ethanol: Miscible Solvent content: Organic solvents: 75.0 % VOC content: 75.00 % 750.0 g/l / 6.26 lb/gal Solids content: 25.0 %		
Water at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 1.2 mPas Kinematic: Not determined. SOLUBILITY 0.1 M Na2CO3: 1.7 mg/ml; DMF: 100 mg/ml; DMSO: 10 mg/ml; Ethanol: Miscible Solvent content: Organic solvents: 75.0 % VOC content: 75.00 % 750.0 g/l / 6.26 lb/gal Solids content: 25.0 %	<u> </u>	Not determined.
Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Kinematic: SOLUBILITY 0.1 M Na2CO3: 1.7 mg/ml; DMF: 100 mg/ml; DMSO: 10 mg/ml; Ethanol: Miscible Solvent content: Organic solvents: VOC content: 75.0 % 750.0 g/l / 6.26 lb/gal Solids content: 25.0 %		
Viscosity: Dynamic at 20 °C (68 °F): Kinematic: SOLUBILITY Solvent content: Organic solvents: VOC content: Solids content: Viscosity: 1.2 mPas Not determined. 0.1 M Na2CO3: 1.7 mg/ml; DMF: 100 mg/ml; DMSO: 10 mg/ml; Ethanol: Miscible 75.0 % 75.0 % 75.00 % 750.0 g/l / 6.26 lb/gal	Water at 20 °C (68 °F):	1 g/l
Dynamic at 20 °C (68 °F): 1.2 mPas Kinematic: Not determined. SOLUBILITY 0.1 M Na2CO3: 1.7 mg/ml; DMF: 100 mg/ml; DMSO: 10 mg/ml; Ethanol: Miscible Solvent content: 75.0 % VOC content: 75.00 % Solids content: 25.0 %	Partition coefficient (n-octanol/wate	er): Not determined.
Kinematic: Not determined. SOLUBILITY 0.1 M Na2CO3: 1.7 mg/ml; DMF: 100 mg/ml; DMSO: 10 mg/ml; Ethanol: Miscible Solvent content: 75.0 % VOC content: 75.00 % Solids content: 25.0 %	· Viscosity:	
SOLUBILITY 0.1 M Na2CO3: 1.7 mg/ml; DMF: 100 mg/ml; DMSO: 10 mg/ml; Ethanol: Miscible Solvent content: 75.0 % VOC content: 75.00 % Solids content: 25.0 %		
mg/ml;Ethanol: Miscible Solvent content: 75.0 % Organic solvents: 75.00 % VOC content: 750.0 g/l / 6.26 lb/gal Solids content: 25.0 %		
Organic solvents: 75.0 % VOC content: 75.00 % 750.0 g/l / 6.26 lb/gal Solids content: 25.0 %	SOLUBILITY	
Organic solvents: 75.0 % VOC content: 75.00 % 750.0 g/l / 6.26 lb/gal Solids content: 25.0 %	Solvent content:	
750.0 g/l / 6.26 lb/gal Solids content: 25.0 %		75.0 %
Solids content: 25.0 %	VOC content:	
		750.0 g/l / 6.26 lb/gal
Other information No further relevant information available.	Solids content:	25.0 %
	Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

(Contd. on page 7)

Printing date 04/10/2023 Revision date 04/10/2023

Trade name: Arachidonic Acid

(Contd. from page 6)

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

L D // O F O

· LD/LC50	· LD/LC50 values that are relevant for classification:			
ATE (Acu	te Toxicity Estimate)			
Oral	LD50	2,000 mg/kg		
Dermal	LD50	4,400 mg/kg		
Inhalative	LC50/4 h	44 mg/l		

64-17-5 e	thanol			
Oral	LD50	10,470 mg/kg (rat) OECD Test Guideline 401		
Inhalative	LC50/4 h	117–125 mg/l (rat) OECD 403 (rat)		
506-32-1	506-32-1 Arachidonic Acid			
	Subcutaneous TDLO	3.3 mg/kg (rat)		
	Intraperitoneal TDLO	50 mg/kg (mouse)		

- Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.

Subcutaneous LD50 61.5 mg/kg (mouse)

- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

64-17-5 ethanol

1

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.

(Contd. on page 8)

Printing date 04/10/2023 Revision date 04/10/2023

Trade name: Arachidonic Acid

· Behavior in environmental systems:

(Contd. from page 7)

- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number · DOT, IMDG, IATA	UN1170
· UN proper shipping name	
· DOT	Ethanol solutions
· IMDG	ETHANOL SOLUTION (ETHYL ALCOHOL
	SOLUTION)
· IATA	Ethanol solution

- · Transport hazard class(es)
- · DOT



· Class 3 Flammable liquids

· Label

· IMDG, IATA



· Class 3 Flammable liquids

· Label 3

(Contd. on page 9)

Printing date 04/10/2023 Revision date 04/10/2023

Trade name: Arachidonic Acid

	(Contd. from page 8
· Packing group · DOT, IMDG, IATA	II
· Environmental hazards:	Not applicable.
 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 	Warning: Flammable liquids 33 F-E,S-D A
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO SOLUTION), 3, II

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355	(extremely	/ hazardous	substances)	
---------------	------------	-------------	-------------	--

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

64-17-5 ethanol ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

(Contd. on page 10)

Printing date 04/10/2023 Revision date 04/10/2023

Trade name: Arachidonic Acid

(Contd. from page 9)

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

64-17-5 ethanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value)

64-17-5 ethanol

A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of preparation / last revision 04/10/2023
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable Liquids 2: Flammable liquids - Category 2

Acute Toxicity - Oral 4: Acute toxicity - Category 4

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3

* Data compared to the previous version altered.