


Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/19/2025

Revision date 03/19/2025

Page 1/10



Date of issue: 03/19/2025

Revision date 03/19/2025

Trade name: (R)-(+)-LinoleyI-1'-Hydroxy-2'-Propylamide

	(Contd. from page 1)
· Signal word Date	
· Hazard statem	
H225 Highly fla	mmable liquid and vapor.
	erious eye irritation.
 Precautionary 	statements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
	No smoking.
P233	Keep container tightly closed.
P240	Ground / bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharge.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P3	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
D205 1 D254 1 D2	water [or shower].
	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
	ertaining to particular dangers for man and environment:
Classification	
· NFPA ratings (scale 0 - 4)
	ealth = 2
	re = 3
	eactivity = 0
· HMIS-ratings (scale 0 - 4)
	lealth = 2
FIRE 3 F	ire = 3
REACTIVITY 0 R	Reactivity = 0
• Other hazards	
	and vPvB assessment
PBT: Not applic	
• vPvB: Not appl	
	according to (d)(1)(ii) of § 1910.1200
	er does not object to the classifications provided by importers or manufacturers of
precursor produ	
	therwise classified
	dverse physical or health effects known that are not covered by the hazard classes of the inications Standard.
3 Compositio	n/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

US

Date of issue: 03/19/2025

Revision date 03/19/2025

(Contd. from page 2)

95.0%

5.0%

Trade name: (R)-(+)-LinoleyI-1'-Hydroxy-2'-Propylamide

·	Dangerous	components:

CAS: 64-17-5 ethanol RTECS: KQ6300000

· Other ingredients

220556-74-1 (R)-(+)-Linoleyl-1'-Hydroxy-2'-Propylamide

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdu Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Protective Action Criteria for Chemicals 	ıst).
· PAC-1:	
64-17-5 ethanol	1,800 ppm
PAC-2:	
64-17-5 ethanol	3300* ppm
· PAC-3:	
64-17-5 ethanol	15000* ppm
) (Č	Contd. on page 4)

Date of issue: 03/19/2025

Revision date 03/19/2025

Trade name: (R)-(+)-LinoleyI-1'-Hydroxy-2'-Propylamide

· Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

No special precautions are necessary if used correctly. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid prolonged or repeated exposure. Keep away from sources of ignition. Take precautionary measures against static discharge.re.

- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

64-17-5 ethanol

- PEL Long-term value: 1900 mg/m³, 1000 ppm
- REL Long-term value: 1900 mg/m³, 1000 ppm
- TLV Short-term value: 1880 mg/m³, 1000 ppm
- A3

• Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

• Appropriate engineering controls No further data; see section 7.

· Personal protective equipment:

- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

- Avoid contact with the eyes and skin.
- Breathing equipment: Not required.

(Contd. on page 5)

(Contd. from page 3)

Date of issue: 03/19/2025

Revision date 03/19/2025

Trade name: (R)-(+)-LinoleyI-1'-Hydroxy-2'-Propylamide

(Contd. from page 4)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Information on basic physical and ch	emical properties
General Information	
Physical state	Liquid
Color:	According to product specification
Odor:	Characteristic
Structural Formula	C21H39NO2
· Molecular Weight	337.5 g/mol
· Storage Buffer	
[·] Odor threshold:	Not determined.
• Formulation	A solution in ethanol
· Melting point/Melting range:	-114 °C (-173.2 °F)
· Boiling point/Boiling range:	78 °C (172.4 °F)
· Flammability:	Highly flammable.
Explosion limits:	<i></i>
Lower:	3.3 Vol %
Upper:	19 Vol %
Flash point:	13 °C (55.4 °F)
Auto igniting:	425 °C (797 °F)
Decomposition temperature:	Not determined.
· pH-value:	Not determined.
Viscosity:	
· Kinematic:	Not determined.
SOLUBILITY	DMF: 11 mg/ml; DMSO: 5 mg/ml; Ethanol: 20 mg/i Ethanol:PBS (pH 7.2)(1:2): 11 mg/ml
Dynamic:	Not determined.

Date of issue: 03/19/2025

Revision date 03/19/2025

Trade name: (R)-(+)-LinoleyI-1'-Hydroxy-2'-Propylamide

	(Contd. from page
Solubility in / Miscibility with	
· Water at 20 °C (68 °F):	1,000 g/l
Partition coefficient (n-octanol/water):	Not determined.
· Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
Vapor pressure at 50 °C (122 °F):	280 hPa (210 mm Hg)
Density at 20 °C (68 °F):	0.79 g/cm³ (6.59255 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Particle characteristics	Not applicable.
· Other information	
Appearance:	
· Form:	Liquid
· Important information on protection of he	
and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation c
5 · · · · · · · · · · · · · · · · · · ·	explosive air/vapor mixtures are possible.
· Solvent content:	
· Organic solvents:	95.0 %
· VOC content:	95.00 %
	950.0 g/l / 7.93 lb/gal
· Solids content:	0.0 %
· Change in condition	
· Evaporation rate	Not determined.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: strong oxidizing agents
- · Hazardous decomposition products: carbon monoxide, carbon dioxide

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

64-17-5	ethanol	
Orel		

Oral	LD50	10,470 mg/kg (rat)
		10,470 mg/kg (rat) OECD Test Guideline 401
Inhalative	LC50/4 h	117–125 mg/l (rat)
		OECD 403 (rat)

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: Irritating effect.

(Contd. on page 7)

US

Date of issue: 03/19/2025

Revision date 03/19/2025

(Contd. from page 6)

1

Trade name: (R)-(+)-LinoleyI-1'-Hydroxy-2'-Propylamide

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

- · Interactive effects No interactive effects between components are known.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- 64-17-5 ethanol

NTP (National Toxicology Program)

None of the ingredients is listed.

- · OSHA-Ca (Occupational Safety & Health Administration)
- None of the ingredients is listed.
- Alternative sources for toxicological information
 No non-standard sources for toxicological information where used.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
· DOT, IMDG, IATA UN1170	(Contd. on page

Date of issue: 03/19/2025

Revision date 03/19/2025

Trade name: (R)-(+)-LinoleyI-1'-Hydroxy-2'-Propylamide

	(Contd. from page
UN proper shipping name DOT IMDG	Ethanol solutions ETHANOL SOLUTION (ETHYL ALCOHO)
IATA	SOLUTION) Ethanol solution
Transport hazard class(es)	
DOT	
RAMINEE COUT	
Class Label	3 Flammable liquids 3
IMDG, IATA	
Class Label	3 Flammable liquids 3
Packing group DOT, IMDG, IATA	
Environmental hazards:	Not applicable.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
IMDG Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
ΙΑΤΑ	
Remarks:	When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.
Createl areas tis as for year	Warning: Flammable liquids
Special precautions for user Hazard identification number (Kemler code): EMS Number:	33 F-E,S-D

Date of issue: 03/19/2025

Revision date 03/19/2025

Trade name: (R)-(+)-LinoleyI-1'-Hydroxy-2'-Propylamide

	(Contd. from page 8)
· Stowage Category	A
· UN "Model Regulation":	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
 Sara

None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
64-17-5 ethanol	ACTI
Hazardous Air Pollutants	
None of the ingredients is listed.	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
64-17-5 ethanol	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value)	
64-17-5 ethanol	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

· Department issuing SDS: Environment protection department.

US -

Date of issue: 03/19/2025

Revision date 03/19/2025

Trade name: (R)-(+)-LinoleyI-1'-Hydroxy-2'-Propylamide

	(Contd. from page 9)
· Contact: -	
 Date of previous version 10/10/2022 	
Date of preparation 03/19/2025	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Flammable liquids 2: Flammable liquids – Category 2	
Eye irritation 2A: Serious eye damage/eye irritation – Category 2A	
* Data compared to the previous version altered.	
····· • • • • • • • • • • • • • • • • •	US