

Printing date 10/18/2022

Revision date 10/18/2022

Page 1/11

1 Identification

- · Product identifier
- Trade name: (-)-CP 55,940
- · Article number: 90084
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet
- **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

Flammable Liquids 2	H225 Highly flammable liquid and vapor.
GHS06 Skull and crossbones	
Acute Toxicity - Oral 3	H301 Toxic if swallowed.
Acute Toxicity - Dermal 3	H311 Toxic in contact with skin.
Acute Toxicity - Inhalation 3	H331 Toxic if inhaled.
GHS08 Health hazard	

Printing date 10/18/2022

Revision date 10/18/2022

Trade name: (−)-CP 55,940

	(Contd. from page 1)
· Label elements	S
GHS label elen	
I he product is of • Hazard pictogi	classified and labeled according to the Globally Harmonized System (GHS). rams
\wedge	
GHS02 GHS	06 GHS08
· Signal word Da	anger
• Hazard-determ Methanol	nining components of labeling:
· Hazard statem	ents
H225	Highly flammable liquid and vapor.
	331 Toxic if swallowed, in contact with skin or if inhaled.
H370	Causes damage to the central nervous system and the visual organs.
 Precautionary 	statements
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P330	Rinse mouth.
P303+P361+P3	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
0204-0240	water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P307+P311	IF exposed: Call a POISON CENTER or doctor/physician.
P312 P361+P364	Call a poison center/doctor if you feel unwell.
	Take off immediately all contaminated clothing and wash it before reuse.
P370+P378 P403+P233	In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
1 001	regulations.
· Classification	
• NFPA ratings (•
	ealth = 0
	re = 3
Re Re	eactivity = 0
· HMIS-ratings (scale 0 - 4)
HEALTH * 0 H	lealth = *0
	ire = 3
	Reactivity = 0
	-
	(Contd. on page 3)
	US

Printing date 10/18/2022

Revision date 10/18/2022

(Contd. from page 2)

Trade name: (-)-CP 55,940

- · Other hazards
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

Dange	erous compone		
.	67-56-1 S: PC1400000		99.0%
	83002-04-4 S: SL1955000	(-)-CP 55,940	1.0%

4 First-aid measures

Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

(Contd. on page 4)

Printing date 10/18/2022

Revision date 10/18/2022

Trade name: (-)-CP 55,940

(Contd. from page 3)

6 Appidental release massures	
6 Accidental release measures	
Personal precautions, protective equipment and emergency procedures	
Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.	
· Environmental precautions:	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders Dispose contaminated material as waste according to item 13.	s, sawdust).
Ensure adequate ventilation.	
Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
• PAC-1:	
67-56-1 Methanol	530 ppm
PAC-2:	
67-56-1 Methanol	2,100 ppm
· PAC-3:	
67-56-1 Methanol	7200* ppm
7 Handling and storage	
· Handling:	
 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. 	
Open and handle receptacle with care.	
Prevent formation of aerosols.	
Information about protection against explosions and fires:	
Keep ignition sources away - Do not smoke. Protect against electrostatic charges.	
Keep respiratory protective device available.	
• Conditions for safe storage, including any incompatibilities	
• Storage: Store in accordance with information listed on the product insert.	
Requirements to be met by storerooms and receptacles: Store in a cool location	on.
 Information about storage in one common storage facility: Not required. 	
Further information about storage conditions:	
Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.	
• Specific end use(s) No further relevant information available.	
· · · · · · · · · · · · · · · · · · ·	
9 Eveneouve controlo/nevector	
8 Exposure controls/personal protection	
• Additional information about design of technical systems: No further data: se	a itam 7

• Additional information about design of technical systems: No further data; see item 7. (Contd. on page 5)

US

Printing date 10/18/2022

Revision date 10/18/2022

Trade name: (-)-CP 55,940

	(Contd. from page 4)
· Con	trol parameters
The reco	ponents with limit values that require monitoring at the workplace: following constituent is the only constituent of the product which has a PEL, TLV or other mmended exposure limit. is time, the remaining constituent has no known exposure limits.
67-5	6-1 Methanol
REL	Long-term value: 260 mg/m ³ , 200 ppm Short-term value: 325 mg/m ³ , 250 ppm Long-term value: 260 mg/m ³ , 200 ppm Skin Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI
· Ingr	edients with biological limit values:
	6-1 Methanol
BEI	15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)
· Add	itional information: The lists that were valid during the creation were used as basis.
• Exp • Pers • Gen Keep Imm Was Store Avoi • Brea In ca expo	osure controls conal protective equipment: eral protective and hygienic measures: p away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. wh hands before breaks and at the end of work. e protective clothing separately. d contact with the eyes and skin. athing equipment: ase of brief exposure or low pollution use respiratory filter device. In case of intensive or longer osure use respiratory protective device that is independent of circulating air. tection of hands:
	Protective gloves
Due prep Sele degr • Mate The qual	glove material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the aration/ the chemical mixture. ection of the glove material on consideration of the penetration times, rates of diffusion and the adation erial of gloves selection of the suitable gloves does not only depend on the material, but also on further marks of ity and varies from manufacturer to manufacturer. As the product is a preparation of several stances, the resistance of the glove material can not be calculated in advance and has therefore to

Substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

US

Printing date 10/18/2022

Revision date 10/18/2022

(Contd. from page 5)

115

Trade name: (-)-CP 55,940

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties · Information on basic physical and chemical properties General Information · Appearance: Form: Liquid Color: Colorless · Odor: Alcohol-like · Structural Formula C24H40O3 · Molecular Weight 376.6 g/mol · Odor threshold: Not determined. · Formulation A solution in methanol · pH-value: Not determined. · Change in condition Melting point/Melting range: -98 °C (-144.4 °F) **Boiling point/Boiling range:** 64.7 °C (148.5 °F) · Flash point: 11 °C (51.8 °F) · Flammability (solid, gaseous): Highly flammable. 455 °C (851 °F) · Ignition temperature: Decomposition temperature: Not determined. · Auto igniting: Product is not selfigniting. • Danger of explosion: Product is not explosive. However, formation of explosive air/ vapor mixtures are possible. · Explosion limits: 5.5 Vol % Lower: 44 Vol % Upper: · Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) Density at 20 °C (68 °F): 0.79 g/cm3 (6.59255 lbs/gal) Relative density Not determined. · Vapor density Not determined. · Evaporation rate Not determined. · Solubility in / Miscibility with Water: Fully miscible. · Partition coefficient (n-octanol/water): Not determined. · Viscositv: Dynamic: Not determined. **Kinematic:** Not determined. (Contd. on page 7)

Printing date 10/18/2022

Revision date 10/18/2022

Trade name: (-)-CP 55,940

	(Contd. from page 6)
SOLUBILITY	DMF: 30 mg/ml; DMSO: 30 mg/ml; Ethanol: 30 mg/ml; Ethanol:PBS (pH 7.2) (1:3): 0.25 mg/ml
 Solvent content: Organic solvents: VOC content: 	99.0 % 99.00 % 990.0 g/l / 8.26 lb/gal
Solids content:	0.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · **Incompatible materials:** reducing agents; oxidizing agents
- Hazardous decomposition products: carbon monoxide; carbon dioxide

11 Toxicological information

· RTECS Number SL1955000

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:			
67-56-1 Methanol			
Oral	LDLO	143 mg/kg (hmn)	
	TDLO	5 ml/kg (rat)	
	LD50	5,600 mg/kg (rat)	
Dermal	LD50	15,800 mg/kg (rabbit)	
Inhalative	LC50/4 h	64,000 mg/m³ (rat)	
	LC50	61,100 mg/m³/134 m (mouse)	
Irritation of skin	Irritation	20 mg/24h (rabbit)	
	Irritation	(rabbit)	
	Irritation	5.63 mg/kg/exempt preparation (rabbit)	
Irritation of eyes	Irritation	40 mg (rabbit)	
	Intraperitoneal TDLO	5 mg/kg (rat)	
	Intraperitoneal LD50	10,765 mg/kg (mouse)	
	Subcutaneous LD50	143 mg/kg/human (mouse)	
	Data	20 mg/24h (rabbit)	
83002-04-4 (-)-0	CP 55,940		
Oral	TDLO	3 mg/kg (rat)	
	Subcutaneous TDLO	0.51 mg/kg (mouse)	
	Intraperitoneal TDLO	0.1 mg/kg (rat)	
			(Contd. on page

Printing date 10/18/2022

Revision date 10/18/2022

Trade name: (-)-CP 55,940

(Contd. from page 7)
Primary irritant effect:
• on the skin: No irritant effect.
on the eye: No irritating effect.
• Sensitization: No sensitizing effects known.
• Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for
preparations:
Toxic
· Carcinogenic categories
· IARC (International Agency for Research on Cancer)
None of the ingredients is listed.
· NTP (National Toxicology Program)
None of the ingredients is listed.
· OSHA-Ca (Occupational Safety & Health Administration)
None of the ingredients is listed.
12 Ecological information
· Toxicity
• Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
· Behavior in environmental systems:
Bioaccumulative potential No further relevant information available.
• Mobility in soil No further relevant information available

- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 9)

US

Printing date 10/18/2022

Revision date 10/18/2022

Trade name: (-)-CP 55,940

(Contd. from page 8)

UN-Number	
· DOT, IMDG, IATA	UN1230
· UN proper shipping name	••• ··· · · · · ·
· DOT, IATA · IMDG	Methanol solution METHANOL solution
Transport hazard class(es)	
· DOT	
RAMMARE LOOP 3 6	
· Class · Label	3 Flammable liquids 3, 6.1
IMDG	
	2 Elemenable liquide
· Class · Label	3 Flammable liquids 3/6.1
Class	3 Flammable liquids
· Label	3 (6.1)
 Packing group DOT, IMDG, IATA 	11
· Environmental hazards:	Not applicable.
 Special precautions for user Hazard identification number (Kemler cod EMS Number: Stowage Category Stowage Code 	Warning: Flammable liquids
 Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code 	f Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 60 L

Printing date 10/18/2022

Revision date 10/18/2022

Trade name: (-)-CP 55,940

(Contd. from page 9)

 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1230 METHANOL SOLUTION, 3 (6.1), II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
67-56-1 Methanol	
TSCA (Toxic Substances Control Act):	
67-56-1 Methanol	ACTIV
Hazardous Air Pollutants	
67-56-1 Methanol	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
67-56-1 Methanol	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

----US

Printing date 10/18/2022

Revision date 10/18/2022

Trade name: (-)-CP 55,940

(Contd. from page 10)

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of preparation / last revision 10/18/2022

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flammable Liquids 2: Flammable liquids - Category 2

Acute Toxicity - Oral 3: Acute toxicity - Category 3

Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) - Category 1

** Data compared to the previous version altered.