

Page 1/11

Safety Data Sheet acc. to OSHA HCS

Printing date 10/21/2022 Revision date 10/21/2022

1 Identification

- · Product identifier
- · Trade name: Linoleic Acid (peroxide free)
- · Article number: 90150.1
- · Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use.

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108

USA

- · Information department: Product safety department
- · Emergency telephone number:

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300

Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 2 H225 Highly flammable liquid and vapor.



GHS07

Skin Irritation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation.

H413 May cause long lasting harmful effects to Aquatic Chronic 4

aquatic life.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

(Contd. from page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/21/2022 Revision date 10/21/2022

Trade name: Linoleic Acid (peroxide free)

· Hazard pictograms





GHS02 GHS07

· Signal word Danger

· Hazard-determining components of labeling:

Linoleic Acid

· Hazard statements

H225 Highly flammable liquid and vapor.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H413 May cause long lasting harmful effects to aquatic life.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 Call a poison center/doctor if you feel unwell.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish. P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 2 Fire = 3 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2 Fire = 3 Reactivity = 0

(Contd. from page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/21/2022 Revision date 10/21/2022

Trade name: Linoleic Acid (peroxide free)

· Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous compone	· Dangerous components:	
CAS: 60-33-3 RTECS: RF9990000	Linoleic Acid	50.0%
CAS: 64-17-5 RTECS: KQ6300000	ethanol	49.9%
CAS: 128-37-0 RTECS: GO7875000	BHT	0.1%

4 First-aid measures

- · Description of first aid measures
- · **General information:** Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**

Do not allow product to reach sewage system or any water course.

(Contd. on page 4)

Printing date 10/21/2022 Revision date 10/21/2022

Trade name: Linoleic Acid (peroxide free)

(Contd. from page 3)

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· PAC-1:	
64-17-5 ethanol	1,800 ppm
· PAC-2:	
64-17-5 ethanol	3300* ppm
· PAC-3:	
64-17-5 ethanol	15000* ppm

7 Handling and storage

- · Handling:
- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · **Storage:** Store in accordance with information listed on the product insert.
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

64-17	64-17-5 ethanol	
PEL	Long-term value: 1900 mg/m³, 1000 ppm	
REL	Long-term value: 1900 mg/m³, 1000 ppm	

(Contd. on page 5)

Printing date 10/21/2022 Revision date 10/21/2022

Trade name: Linoleic Acid (peroxide free)

(Contd. from page 4)

TLV Short-term value: 1000 ppm

А3

128-37-0 BHT

REL Long-term value: 10 mg/m³ TLV Long-term value: 2* mg/m³

*as inhalable fraction and vapor, A4

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid

Color: According to product specification

· Odor: Characteristic · Structural Formula C18H32O2

(Contd. on page 6)

Printing date 10/21/2022 Revision date 10/21/2022

Trade name: Linoleic Acid (peroxide free)

vapor mixtures are possible. Explosion limits: Lower: 3.5 Vol % Upper: 15 Vol % Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) Density at 20 °C (68 °F): 0.84626 g/cm³ (7.06204 lbs/gal) Bulk density: 846 kg/m³ Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined.		(Contd. from page 5)
Change in condition Melting point/Melting range: Boiling point/Melting range: Plash point: 13 °C (55.4 °F) Flammability (solid, gaseous): Highly flammable. Ignition temperature: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Explosion limits: Lower: Upper: 15 Vol % Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) Density at 20 °C (68 °F): 9 u84626 g/cm³ (7.06204 lbs/gal) Bulk density: Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Not determined. Not determined. Not determined. Viscosity: Dynamic: Kinematic: Not determined. Not determined. Not determined. Not determined. SOLUBILITY Not determined. Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Not determined. Not determined. Not determined. SOLUBILITY Not determined. Not determined. Not determined. Solubility in / Miscibility with Water: Upper: Not determined. Solubility in / Miscibility with Water: Upper: Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Solubility in / Miscibility with Win / Winder / W	· Odor threshold:	Not determined.
Melting point/Melting range: Boiling point/Boiling range: Plash point: 13 °C (172.4 °F) Flammability (solid, gaseous): Highly flammable. Ignition temperature: Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Explosion limits: Lower: Upper: 15 Vol % Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Bulk density: Relative density Not determined. Not determined. Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: SOLUBILITY Solvent content: Organic solvents: VGC content: VGC content: VGS (172.4 °F) Highly flammable. Houselflame. Hou	· pH-value:	Not determined.
Flammability (solid, gaseous): Highly flammable. Ignition temperature: 425 °C (797 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Explosion limits: Lower: 3.5 Vol % Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) Density at 20 °C (68 °F): 0.84626 g/cm³ (7.06204 lbs/gal) Bulk density: 846 kg/m³ Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Not determined. Not determined. Viscosity: O.15 M Tris-HCl pH 8.5: >1 mg/ml (from Oleic Acid); DMF: >100 mg/ml (from Oleic Acid); DMF: >100 mg/ml (from Oleic Acid); PBS pH 7.2: <100 μg/ml (from Oleic Acid): PBS pH 7.3: <100 μg/ml (from Oleic Acid): PBS pH 7.3: <100 μg/ml (from Oleic Acid): PBS pH 7.3	Melting point/Melting range:	
· Ignition temperature: 425 °C (797 °F) · Decomposition temperature: Not determined. · Auto igniting: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. · Explosion limits: Lower: 3.5 Vol % Lower: 3.5 Vol % · Upper: 15 Vol % · Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) · Density at 20 °C (68 °F): 0.84626 g/cm³ (7.06204 lbs/gal) · Bulk density: 846 kg/m³ · Relative density Not determined. · Vapor densit	· Flash point:	13 °C (55.4 °F)
Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Explosion limits: Lower: 3.5 Vol % Upper: 15 Vol % Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) Density at 20 °C (68 °F): 0.84626 g/cm³ (7.06204 lbs/gal) Bulk density: 846 kg/m³ Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. SOLUBILITY Not determined. Viscosity: Normal (from Oleic Acid); DMSO: >100 mg/ml	· Flammability (solid, gaseous):	Highly flammable.
Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Explosion limits: Lower: 3.5 Vol % Upper: 15 Vol % Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) Density at 20 °C (68 °F): 0.84626 g/cm³ (7.06204 lbs/gal) Bulk density: 846 kg/m³ Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Viscosity: Not determined. SOLUBILITY 0.15 M Tris-HCI pH 8.5: >1 mg/ml (from Oleic Acid); DMF: >100 mg/ml (from Oleic Acid); DMSO: >100 mg/ml (from Oleic Acid); Ethanol: >100 mg/ml (from Oleic Acid); PBS pH 7.2: <100 µg/ml (from Oleic Acid) Solvent content: Organic solvents: 49.9 % VOC content: 49.90 % 422.3 gl / 3.52 lb/gal Solids content: 50.1 %	· Ignition temperature:	425 °C (797 °F)
Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible.	Decomposition temperature:	Not determined.
vapor mixtures are possible. Explosion limits: Lower: Upper: 3.5 Vol % 15 Vol % Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) Density at 20 °C (68 °F): 0.84626 g/cm³ (7.06204 lbs/gal) Bulk density: 846 kg/m³ Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Not determined. SOLUBILITY Not determined. Not determined. SOLUBILITY 0.15 M Tris-HCl pH 8.5: >1 mg/ml (from Oleic Acid); DMF: >100 mg/ml (from Oleic Acid); DMSO: >100 mg/ml (from Oleic Acid); PBS pH 7.2: <100 µg/ml (from Oleic Acid); PBS pH 7.2: <100 µg/ml (from Oleic Acid) Solvent content: Organic solvents: 49.9 % 49.9 % 422.3 g/l / 3.52 lb/gal Solids content:	· Auto igniting:	Product is not selfigniting.
Lower: Upper: 3.5 Vol % 15 Vol %	Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Density at 20 °C (68 °F): Density at 20 °C (68 °C (68 °C) Density at 20 °C (68 °	Lower:	
Bulk density: 846 kg/m³ Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Kinematic: Not determined. SOLUBILITY Onto Marcial (from Oleic Acid); DMF: >100 mg/ml (from Oleic Acid); DMSO: >100 mg/ml (from Oleic Acid); PBS pH 7.2: <100 µg/ml (from Oleic Acid) Solvent content: Organic solvents: 49.9 % VOC content: 49.90 % 422.3 g/l / 3.52 lb/gal Solids content: 50.1 %	· Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
Relative density Vapor density Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. SOLUBILITY Not determined. SOLUBILITY Not determined. SOLUBILITY Not determined. Not determined. SOLUBILITY Not determined. Solubility in / Miscibility with Water: Not determined. Not determined. Solubility in / Miscibility with Not determined. Not determined. Solubility in / Miscibility with Not determined. Not determined. Solubility in / Miscibility with Not determined.	Density at 20 °C (68 °F):	0.84626 g/cm³ (7.06204 lbs/gal)
Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. SOLUBILITY 0.15 M Tris-HCl pH 8.5: >1 mg/ml (from Oleic Acid); DMF: >100 mg/ml (from Oleic Acid); DMSO: >100 mg/ml (from Oleic Acid); PBS pH 7.2: <100 μg/ml (from Oleic Acid) Solvent content: Organic solvents: 49.9 % VOC content: 49.90 % 422.3 g/l / 3.52 lb/gal Solids content: 50.1 %	Relative density Vapor density	Not determined. Not determined.
Viscosity: Dynamic: Kinematic: SOLUBILITY 0.15 M Tris-HCl pH 8.5: >1 mg/ml (from Oleic Acid); DMF: >100 mg/ml (from Oleic Acid); DMSO: >100 mg/ml (from Oleic Acid); PBS pH 7.2: <100 μg/ml (from Oleic Acid) Solvent content: Organic solvents: VOC content: 49.9 % 49.90 % 422.3 g/l / 3.52 lb/gal Solids content: 50.1 %		Fully miscible.
Dynamic: Kinematic:Not determined.SOLUBILITY0.15 M Tris-HCl pH 8.5: >1 mg/ml (from Oleic Acid); DMF: >100 mg/ml (from Oleic Acid); DMSO: >100 mg/ml (from Oleic Acid); Ethanol: >100 mg/ml (from Oleic Acid); PBS pH 7.2: <100 μg/ml (from Oleic Acid)	· Partition coefficient (n-octanol/water):	: Not determined.
Organic solvents: 49.9 % VOC content: 49.90 % 422.3 g/l / 3.52 lb/gal Solids content: 50.1 %	Dynamic: Kinematic:	Not determined. 0.15 M Tris-HCl pH 8.5: >1 mg/ml (from Oleic Acid); DMF: >100 mg/ml (from Oleic Acid); DMSO: >100 mg/ml (from Oleic Acid); PBS pH
	Organic solvents:	49.90 %
· Other information No further relevant information available.	Solids content:	50.1 %
	· Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

(Contd. on page 7)

Printing date 10/21/2022 Revision date 10/21/2022

Trade name: Linoleic Acid (peroxide free)

(Contd. from page 6)

- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: strong oxidizing agents
- · Hazardous decomposition products: carbon monoxide; carbon dioxide

11 Toxicological information

- · RTECS Number RF9990000
- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values	LD/LC50 values that are relevant for classification:		
60-33-3 Linolei	60-33-3 Linoleic Acid		
Oral	LD50	>50 g/kg (mouse)	
	Intraperitoneal LD50	280 mg/kg (mouse)	
	Intraperitoneal LD50	>50 g/kg (rat)	
64-17-5 ethano			
Oral	TDLO	1.14 ml/kg (man)	
	LD50	7,060 mg/kg (rat)	
	TDLO	650 (man)	
Dermal	LD50	40,000 mg/kg (rat)	
Inhalative	TCLO	1,800 (hmn)	
	LC50	10 h - 20,000 mg/m³ (rat)	
	LD50 Inhalation TCLO	1,800 mg/m³/30m (hmn)	
Irritation of skin	TDLO	1,800 mg/kg (wmn)	
	Intraperitoneal LD50	280 mg/kg (rat)	
128-37-0 BHT			
Oral	LD50	650 mg/kg (mouse)	
		890 mg/kg (rat)	
	TDLO	80 mg/kg (wmn)	
	Intraperitoneal LD50	138 mg/kg (mouse)	

- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (Int	IARC (International Agency for Research on Cancer)	
64-17-5	ethanol	1
128-37-0	ВНТ	3

(Contd. on page 8)

Printing date 10/21/2022 Revision date 10/21/2022

Trade name: Linoleic Acid (peroxide free)

(Contd. from page 7)

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information	
· UN-Number · DOT, IMDG, IATA	UN1993
UN proper shipping name	
· DOT	Flammable liquids, n.o.s. (Ethanol)
· IMDG	FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL))
·IATA	Flammable liquid, n.o.s. (ETHANOL)
	(Contd. on page)

page 9

Printing date 10/21/2022 Revision date 10/21/2022

Trade name: Linoleic Acid (peroxide free)

(Contd. from page 8) · Transport hazard class(es) · DOT · Class 3 Flammable liquids · Label · IMDG, IATA · Class 3 Flammable liquids · Label 3 · Packing group DOT, IMDG, IATA Ш Not applicable. · Environmental hazards: · Special precautions for user Warning: Flammable liquids · Hazard identification number (Kemler code): 33 · EMS Number: F-E,S-E Stowage Category В · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L · IMDG · Limited quantities (LQ) 1L Code: E2 Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · IATA · Remarks: When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity. · UN "Model Regulation": UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL)), 3, II

Printing date 10/21/2022 Revision date 10/21/2022

Trade name: Linoleic Acid (peroxide free)

(Contd. from page 9)

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

- Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

64-17-5 ethanol

Carcinogenic categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value)

64-17-5 ethanol A3 128-37-0 BHT A4

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 10/21/2022

(Contd. on page 11)

(Contd. from page 10)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/21/2022 Revision date 10/21/2022

Trade name: Linoleic Acid (peroxide free)

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Flammable Liquids 2: Flammable liquids - Category 2

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4