

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/15/2024

Revision date 07/15/2024

Page 1/11

1 Identification

- Product identifier
- [·] Trade name: <u>Morphine (CRM)</u>
- · Synonym 7,8-didehydro-4,5.alpha.-epoxy-17-methyl-morphinan-3,6.alpha.-diol
- · Article number: ISO60147
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Cayman Chemical Co.
 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

| Classification of the substance or mixture | |
|--|---|
| GHS02 Flame | |
| Flammable Liquids 2 | H225 Highly flammable liquid and vapor. |
| GHS06 Skull and crossbones | |
| Acute Toxicity - Oral 3 | H301 Toxic if swallowed. |
| Acute Toxicity - Dermal 3 | H311 Toxic in contact with skin. |
| Acute Toxicity - Inhalation 3 | H331 Toxic if inhaled. |
| GHS08 Health hazard | |
| Sensitization - Respiratory 1 | H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| Specific Target Organ Toxicity - Single Exposure 1 | H370 Causes damage to the central nervous system and the visual organs. |

(Contd. on page 2)

– US

- US

Safety Data Sheet acc. to OSHA HCS

Printing date 07/15/2024

Revision date 07/15/2024


Trade name: Morphine (CRM)

| | (Contd. from page 1) |
|--|--|
| | |
| GHS07 | |
| | |
| Sensitization - Skir | H317 May cause an allergic skin reaction. |
| | |
| Label elements | |
| GHS label elemen | |
| | sified and labeled according to the Globally Harmonized System (GHS). |
| Hazard pictogram | IS |
| $\land \land \land$ | |
| | |
| | |
| GHS02 GHS06 | GHS08 |
| | |
| · Signal word Dang | ler |
| · Hazard-determini | ng components of labeling: |
| Methanol | ng components of labeling. |
| Morphine | |
| · Hazard statement | 'S |
| H225 | Highly flammable liquid and vapor. |
| | Toxic if swallowed, in contact with skin or if inhaled. |
| H334 | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| H317 | May cause an allergic skin reaction. |
| H370 | Causes damage to the central nervous system and the visual organs. |
| Precautionary sta P210 | |
| P210 P240 | Keep away from heat/sparks/open flames/hot surfaces No smoking. Ground/bond container and receiving equipment. |
| P241 | Use explosion-proof electrical/ventilating/lighting/equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P260 | Do not breathe dust/fume/gas/mist/vapors/spray. |
| P264 | Wash thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P272 P280 | Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. |
| P284 | [In case of inadequate ventilation] wear respiratory protection. |
| P301+P310 | If swallowed: Immediately call a poison center/doctor. |
| P321 | Specific treatment (see on this label). |
| P330 | Rinse mouth. |
| | If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with |
| | water/shower. |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| P307+P311 P312 | IF exposed: Call a POISON CENTER or doctor/physician. |
| P361+P364 | Call a poison center/doctor if you feel unwell. Take off immediately all contaminated clothing and wash it before reuse. |
| P333+P313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P342+P311 | If experiencing respiratory symptoms: Call a poison center/doctor. |
| P370+P378 | In case of fire: Use CO2, powder or water spray to extinguish. |
| P403+P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P403+P235 | Store in a well-ventilated place. Keep cool. |
| P405 | Store locked up. |
| | (Contd. on page 3) |

Printing date 07/15/2024

Revision date 07/15/2024

Trade name: Morphine (CRM)



· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

| · Dangerous components: | | |
|----------------------------------|----------|-------|
| CAS: 67-56-1 RTECS: PC1400000 | Methanol | 99.9% |
| CAS: 57-27-2 RTECS: QC7875000 | Morphine | 0.1% |

4 First-aid measures

- Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

(Contd. on page 4)

Printing date 07/15/2024

Revision date 07/15/2024

Trade name: Morphine (CRM)

(Contd. from page 3)

5 Fire-fighting measures

- · Extinguishing media
- **Suitable extinguishing agents:** CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. · Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals · PAC-1: 67-56-1 Methanol · PAC-2: 67-56-1 Methanol · PAC-3:
- 67-56-1 Methanol

7 Handling and storage

- · Handling:
- Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- Prevent formation of aerosols.
- Information about protection against explosions and fires:
 Keep ignition sources away Do not smoke.
 Protect against electrostatic charges.
 Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 5)

530 ppm

2,100 ppm

7200* ppm

US

Printing date 07/15/2024

Revision date 07/15/2024

Trade name: Morphine (CRM)

(Contd. from page 4) · Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection • Additional information about design of technical systems: No further data; see section 7. · Control parameters · Components with limit values that require monitoring at the workplace: The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. At this time, the remaining constituent has no known exposure limits. 67-56-1 Methanol PEL Long-term value: 260 mg/m³, 200 ppm REL Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin TLV Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEIc · Ingredients with biological limit values: 67-56-1 Methanol BEI 15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific) • Additional information: The lists that were valid during the creation were used as basis. Exposure controls · Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 6)

LIS

.

Printing date 07/15/2024

Revision date 07/15/2024

Trade name: Morphine (CRM)

· Material of gloves

(Contd. from page 5)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

| Appearance: Form: Liquid Form: Colortess Odor: Alcohol-like Structural Formula C17H19NO3 Molecular Weight 285.3 g/mol Odor threshold: Not determined. Formulation A 1 mg/ml solution in methanol pH-value: Not determined. Change in condition -98 °C (-144.4 °F) Boiling point/Melting range: -98 °C (-148.5 °F) Flash point: 11 °C (51.8 °F) Flammability (solid, gaseous): Highly flammable. Auto igniting: 455 °C (851 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product is not selfigniting. Explosion limits: Lower: 5.5 Vol % Upper: 44 Vol % Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Vapor density Not determined. <th> Information on basic physical and General Information </th> <th>chemical properties</th> | Information on basic physical and General Information | chemical properties |
|--|--|--|
| Form: Liquid Color: Colorless Odor: Alcohol-like Structural Formula C17H19NO3 Molecular Weight 285.3 g/mol Odor threshold: Not determined. Formulation A 1 mg/ml solution in methanol PH-value: Not determined. Change in condition Melting point/Melting range: -98 °C (-144.4 °F) Boiling point/Melting range: Boiling point/Boiling range: -98 °C (-148.5 °F) Flash point: 11 °C (51.8 °F) Flammability (solid, gaseous): Highly flammable. Auto igniting: 455 °C (851 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/ vapor mixtures are possible. Explosion limits: Lower: Lower: 5.5 Vol % Upper: 44 Vol % Vapor pressure at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not det | | |
| Color:ColorlessOdor:Alcohol-likeStructural FormulaC17H19N03Molecular Weight285.3 g/molOdor threshold:Not determined.Odor threshold:Not determined.FormulationA 1 mg/ml solution in methanol'pH-value:Not determined.'Change in condition-98 °C (-144.4 °F)Melting point/Melting range:-98 °C (-144.5 °F)'Flash point:11 °C (51.8 °F)'Flash point:11 °C (51.8 °F)'Flash point:11 °C (51.8 °F)'Geomposition temperature:Not determined.'Quiting:455 °C (851 °F)'Decomposition temperature:Not determined.'Ignition temperature:Product is not selfigniting.'Danger of explosion:Product is not selfigniting.'Explosion limits:5.5 Vol %'Lower:5.5 Vol %'Upper:44 Vol %'Vapor pressure at 20 °C (68 °F):0.79 g/cm³ (6.59255 lbs/gal)'Relative densityNot determined.'Vapor densityNot determined.'Vapor densityNot determined.'Vapor densityNot determined.'Vapor densityNot determined.'Vapor densityNot determined.'Cond. on page 7Cond. on page 7 | | Liquid |
| Structural Formula C17H19NO3 Molecular Weight 285.3 g/mol Odor threshold: Not determined. Formulation A 1 mg/ml solution in methanol pH-value: Not determined. ° Change in condition Meting point/Melting range: 98 °C (-144.4 °F) Boiling point/Melting range: 64.7 °C (148.5 °F) Flash point: • Flash point: 11 °C (51.8 °F) • Flammability (solid, gaseous): Highly flammable. • Auto igniting: 455 °C (851 °F) • Decomposition temperature: Not determined. • Ignition temperature: Product is not selfigniting. • Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. • Explosion limits: Lower: Lower: 5.5 Vol % Upper: 44 Vol % • Vapor pressure at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) Relative density Not determined. • Vapor density Not determined. • Vapor density Not determined. • Contd. on page 7 | Color: | |
| Molecular Weight285.3 g/molOdor threshold:Not determined.FormulationA 1 mg/ml solution in methanolPH-value:Not determined.Change in condition Melting point/Melting range:-98 °C (-144.4 °F) 64.7 °C (148.5 °F)Boiling point/Boiling range:64.7 °C (148.5 °F)Flash point:11 °C (51.8 °F)Flammability (solid, gaseous):Highly flammable.Auto igniting:455 °C (851 °F)Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.Explosion limits: | · Odor: | Alcohol-like |
| Odor threshold: Not determined. Formulation A 1 mg/ml solution in methanol PH-value: Not determined. Change in condition -98 °C (-144.4 °F) Boiling point/Boiling range: -98 °C (-144.4 °F) Boiling point/Boiling range: 64.7 °C (148.5 °F) Flash point: 11 °C (51.8 °F) Flammability (solid, gaseous): Highly flammable. Auto igniting: 455 °C (851 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/ vapor mixtures are possible. Explosion limits: Lower: Lower: 5.5 Vol % Upper: 44 Vol % Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) Relative density Not determined. Vapor density Not determined. <tr< th=""><th>· Structural Formula</th><th>C17H19NO3</th></tr<> | · Structural Formula | C17H19NO3 |
| • Formulation A 1 mg/ml solution in methanol • pH-value: Not determined. • Change in condition -98 °C (-144.4 °F) Melting point/Melting range: 64.7 °C (148.5 °F) • Flash point: 11 °C (51.8 °F) • Flammability (solid, gaseous): Highly flammable. • Auto igniting: 455 °C (851 °F) • Decomposition temperature: Not determined. • Ignition temperature: Product is not selfigniting. • Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. • Explosion limits: Lower: Lower: 5.5 Vol % Upper: 44 Vol % • Vapor pressure at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) • Relative density Not determined. • Vapor density Not determined. | · Molecular Weight | 285.3 g/mol |
| • pH-value: Not determined. • Change in condition Melting point/Melting range: -98 °C (-144.4 °F) 64.7 °C (148.5 °F) • Flash point: 11 °C (51.8 °F) • Flash point: 11 °C (51.8 °F) • Flammability (solid, gaseous): Highly flammable. • Auto igniting: 455 °C (851 °F) • Decomposition temperature: Not determined. • Ignition temperature: Product is not selfigniting. • Danger of explosion: Product is not explosive. However, formation of explosive air/ vapor mixtures are possible. • Explosion limits: Lower: Lower: 5.5 Vol % Upper: 44 Vol % • Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) • Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) • Relative density Not determined. • Vapor density Not determined. | | |
| Change in condition Melting point/Melting range: -98 °C (-144.4 °F) Boiling point/Boiling range: 64.7 °C (148.5 °F) Flash point: 11 °C (51.8 °F) Flammability (solid, gaseous): Highly flammable. Auto igniting: 455 °C (851 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/ vapor mixtures are possible. Explosion limits: Lower: 5.5 Vol % Upper: 44 Vol % Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) Relative density Not determined. Vapor density Not determined. (Contd. on page 7 | · Formulation | A 1 mg/ml solution in methanol |
| Melting point/Melting range: -98 °C (-144.4 °F) 64.7 °C (148.5 °F) • Flash point: 11 °C (51.8 °F) • Flammability (solid, gaseous): Highly flammable. • Auto igniting: 455 °C (851 °F) • Decomposition temperature: Not determined. • Ignition temperature: Product is not selfigniting. • Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. • Explosion limits: Lower: Lower: 5.5 Vol % Upper: 444 Vol % • Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) • Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Vapor density Not determined. • Vapor density Not determined. | · pH-value: | Not determined. |
| Boiling point/Boiling range: 64.7 °C (148.5 °F) • Flash point: 11 °C (51.8 °F) • Flammability (solid, gaseous): Highly flammable. • Auto igniting: 455 °C (851 °F) • Decomposition temperature: Not determined. • Ignition temperature: Product is not selfigniting. • Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. • Explosion limits: Lower: Lower: 5.5 Vol % Upper: 44 Vol % • Vapor pressure at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Vapor density Not determined. • Contd. on page 7 | · Change in condition | |
| Flash point: 11 °C (51.8 °F) Flammability (solid, gaseous): Highly flammable. Auto igniting: 455 °C (851 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Explosion limits: Lower: Lower: 5.5 Vol % Upper: 44 Vol % Vapor pressure at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Vapor density Not determined. Vapor density Not determined. Contd. on page 7 | | |
| • Flammability (solid, gaseous): Highly flammable. • Auto igniting: 455 °C (851 °F) • Decomposition temperature: Not determined. • Ignition temperature: Product is not selfigniting. • Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. • Explosion limits: Lower: Lower: 5.5 Vol % Upper: 44 Vol % • Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) • Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Vapor density Not determined. • Contd. on page 7 | Boiling point/Boiling range: | 64.7 °C (148.5 °F) |
| · Auto igniting: 455 °C (851 °F) · Decomposition temperature: Not determined. · Ignition temperature: Product is not selfigniting. · Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. · Explosion limits: Lower: Lower: 5.5 Vol % Upper: 44 Vol % · Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) · Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) · Relative density Not determined. · Vapor density Not determined. · Vapor analytic density Not determined. · Vapor density Not determined. · Contd. on page 7 | · Flash point: | 11 °C (51.8 °F) |
| • Decomposition temperature: Not determined. • Ignition temperature: Product is not selfigniting. • Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. • Explosion limits: Lower: Lower: 5.5 Vol % Upper: 44 Vol % • Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) • Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Vapor density Not determined. • Contd. on page 7 | · Flammability (solid, gaseous): | Highly flammable. |
| Ignition temperature: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Explosion limits: Lower: Lower: 5.5 Vol % Upper: 44 Vol % Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Contd. on page 7 | · Auto igniting: | 455 °C (851 °F) |
| • Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. • Explosion limits: 5.5 Vol % Lower: 5.5 Vol % Upper: 44 Vol % • Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) • Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Vapor analytic density Not determined. • Contd. on page 7 | · Decomposition temperature: | Not determined. |
| • Explosion limits: 5.5 Vol % Lower: 5.5 Vol % Upper: 44 Vol % • Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) • Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Vapor density Not determined. • Contd. on page 7 | · Ignition temperature: | Product is not selfigniting. |
| Lower: 5.5 Vol % Upper: 44 Vol % · Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) · Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) · Relative density Not determined. · Vapor density Not determined. · Vapor density Not determined. · Vapor density Not determined. · Contd. on page 7 | · Danger of explosion: | Product is not explosive. However, formation of explosive air/ vapor mixtures are possible. |
| Upper: 44 Vol % · Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) · Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) · Relative density Not determined. · Vapor density Not determined. · Vapor anation rate Not determined. | · Explosion limits: | |
| · Vapor pressure at 20 °C (68 °F): 128 hPa (96 mm Hg) · Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) · Relative density Not determined. · Vapor density Not determined. · Vapor density Not determined. · Evaporation rate Not determined. | Lower: | |
| • Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Evaporation rate Not determined. (Contd. on page 7 | Upper: | 44 Vol % |
| · Relative density Not determined. · Vapor density Not determined. · Evaporation rate Not determined. | · Vapor pressure at 20 °C (68 °F): | 128 hPa (96 mm Hg) |
| · Relative density Not determined. · Vapor density Not determined. · Evaporation rate Not determined. | · Density at 20 °C (68 °F): | 0.79 g/cm³ (6.59255 lbs/gal) |
| • Evaporation rate Not determined. (Contd. on page 7 | | Not determined. |
| (Contd. on page 7 | | |
| | · Evaporation rate | Not determined. |
| | | (Contd. on page 7 |

Printing date 07/15/2024

Revision date 07/15/2024

Trade name: Morphine (CRM)

| | (Contd. fro | om page 6 |
|--|--|-----------|
| Solubility in / Miscibility with Water at 20 °C (68 °F): | 1000 g/l | |
| · Partition coefficient (n-octanol | /water): Not determined. | |
| · Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| Solvent content: | | |
| Organic solvents: | 99.9 % | |
| VOC content: | 99.90 % | |
| | 999.0 g/l / 8.34 lb/gal | |
| Solids content: | 0.1 % | |
| · Other information | No further relevant information available. | |

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: oxidizing agents, reducing agents
- · Hazardous decomposition products: carbon dioxide, carbon monoxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

| ATE (Acute Toxicity Estimate) | | imate) |
|-------------------------------|----------|---|
| Oral | LD50 | 100 mg/kg (rat) |
| Dermal | LD50 | 300 mg/kg (rabbit) |
| Inhalative | LC50/4 h | 3.08 mg/l (rat) |
| 67-56-1 Methanol | | |
| Oral | LD50 | 100.1 mg/kg (rat) (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Symptoms: Nausea, Vomiting |
| | | (Contd. on page |

Printing date 07/15/2024

Revision date 07/15/2024

Trade name: Morphine (CRM)

| Demos | | (Contd. from page 7) | |
|--|--|--|--|
| Dermal | LD50 | 300.1 mg/kg (rabbit) (Expert judgment) | |
| | | Remarks: Classified according to Regulation (EU) 1272/2008, Annex | |
| | | VI (Table 3.1/3.2) | |
| Inhalative | LC50/4 h | 3.1 mg/l (rat) | |
| | | (Expert judgment) | |
| | | Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) | |
| | | Symptoms: Irritation symptoms in the respiratory tract. | |
| 57-27-2 N | lorphine | | |
| Oral | LD50 | 335 mg/kg (rat) | |
| | TDLO | 3,857 μg/kg/1W intermittent (man) | |
| | Intraperitoneal LD50 | | |
| | Subcutaneous LD50 | | |
| · Primarv i | rritant effect: | | |
| | kin: No irritant effect. | | |
| | /e: No irritating effect. | | |
| Sensitiza | | | |
| | tion possible through in | | |
| | tion possible through s al toxicological inforr | | |
| | | ng dangers according to internally approved calculation methods for | |
| preparatio | | ······································ | |
| Toxic | | | |
| | Harmful | | |
| Irritant | | | |
| - | jenic categories | | |
| · IARC (International Agency for Research on Cancer) | | | |
| None of the ingredients is listed. | | | |
| • | ional Toxicology Pro | - / | |
| None of the ingredients is listed. | | | |
| | • • | ty & Health Administration) | |
| None of t | None of the ingredients is listed. | | |
| | | | |
| 12 Ecologi | ical information | | |
| | | | |

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.

(Contd. on page 9)

US

Printing date 07/15/2024

Revision date 07/15/2024

Trade name: Morphine (CRM)


- · **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.



(Contd. from page 8)

Printing date 07/15/2024

Revision date 07/15/2024

Trade name: Morphine (CRM)

| | (Contd. from page 9 |
|--|---|
| · Environmental hazards: | Not applicable. |
| Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category Stowage Code | Warning: Flammable liquids 336 F-E,S-D B SW2 Clear of living quarters. |
| Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| Transport/Additional information: DOT Quantity limitations | On passenger aircraft/rail: 1 L On cargo aircraft only: 60 L |
| IMDG Limited quantities (LQ) Excepted quantities (EQ) | 1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml |
| · IATA · Remarks: | When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity. |
| · UN "Model Regulation": | UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S (METHANOL), 3 (6.1), II |

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

Sara
 Section 355 (extremely hazardous substances):
 None of the ingredients is listed.
 Section 313 (Specific toxic chemical listings):
 67-56-1 Methanol
 TSCA (Toxic Substances Control Act):
 67-56-1 Methanol
 ACTIVE
 Hazardous Air Pollutants
 67-56-1 Methanol
 Proposition 65
 Chemicals known to cause cancer:
 None of the ingredients is listed.
 (Contd. on page 11)

US

Printing date 07/15/2024

Revision date 07/15/2024

Trade name: Morphine (CRM)

(Contd. from page 10)

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

67-56-1 Methanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 07/15/2024 / -

• Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA: Occupational Safety & Health** TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids - Category 2 Acute Toxicity - Oral 3: Acute toxicity - Category 3 Sensitization - Respiratory 1: Respiratory sensitisation - Category 1 Sensitization - Skin 1: Skin sensitisation - Category 1 Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) - Category 1

* * Data compared to the previous version altered.