

## Safety Data Sheet

acc. to OSHA HCS

Date of issue: 12/03/2024

Revision date 12/03/2024

### **1** Identification

- Product identifier
- · Trade name: exo-THC methyl ether
- · Other means of identification
- · Article number: 40537
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- Details of the supplier of the safety data sheet
   Manufacturer/Supplier: Cayman Chemical Co.
   1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- Information department: Product safety department
   Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

## 2 Hazard(s) identification

| · | Classification | of the | substance | or | mixture |
|---|----------------|--------|-----------|----|---------|
|   |                |        |           |    |         |

GHS02 Flame

Flammable liquids 2 H225 Highly flammable liquid and vapor.

GHS07

Acute toxicity - oral 4H302 Harmful if swallowed.Acute toxicity - dermal 4H312 Harmful in contact with skin.Acute toxicity - inhalation 4H332 Harmful if inhaled.Fue initiation 24H212 Operation and print statements

Eye irritation 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

Page 1/11

Date of issue: 12/03/2024

Revision date 12/03/2024

Trade name: exo-THC methyl ether

|  | (Contd. from page 1)   |  |  |  |  |
|--|--|--|--|--|--|
| • Hazard pictogram   | 15   |  |  |  |  |
| $\wedge$   |  |  |  |  |  |
| <u> 〈徴</u> 〉〈!〉  | •  |  |  |  |  |
| GHS02 GHS07  |  |  |  |  |  |
| · Signal word Dang   | јег  |  |  |  |  |
| <ul> <li>Hazard-determini</li> <li>Acetonitrile</li> </ul> | ing components of labeling:  |  |  |  |  |
| · Hazard statement   | ts   |  |  |  |  |
| H225   | Highly flammable liquid and vapor.   |  |  |  |  |
| H302+H312+H332   | 2 Harmful if swallowed, in contact with skin or if inhaled.  |  |  |  |  |
| H319   | Causes serious eye irritation.   |  |  |  |  |
| <ul> <li>Precautionary sta</li> </ul>                      |  |  |  |  |  |
| P210   | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.                                   |  |  |  |  |
| P233   | Keep container tightly closed.   |  |  |  |  |
| P240   | Ground / bond container and receiving equipment.   |  |  |  |  |
| P241   | Use explosion-proof [electrical/ventilating/lighting] equipment.   |  |  |  |  |
| P242   | Use non-sparking tools.  |  |  |  |  |
| P243   | Take action to prevent static discharge.   |  |  |  |  |
| P261   | Avoid breathing dust/fume/gas/mist/vapors/spray  |  |  |  |  |
| P264   | Wash thoroughly after handling.  |  |  |  |  |
| P270   | Do not eat, drink or smoke when using this product.  |  |  |  |  |
| P271   | Use only outdoors or in a well-ventilated area.  |  |  |  |  |
| P280   | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.                                    |  |  |  |  |
| P301+P312  | If swallowed: Call a poison center/doctor if you feel unwell.  |  |  |  |  |
|  | If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].                         |  |  |  |  |
| P304+P340  | If inhaled: Remove person to fresh air and keep comfortable for breathing.   |  |  |  |  |
| P305+P351+P338   | If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |  |  |  |  |
| P321   | Specific treatment (see on this label).  |  |  |  |  |
| P330   | Rinse mouth.   |  |  |  |  |
| P362+P364  | Take off contaminated clothing and wash it before reuse.   |  |  |  |  |
| P337+P313  | If eye irritation persists: Get medical advice/attention.  |  |  |  |  |
| P370+P378  | In case of fire: Use CO2, powder or water spray to extinguish.   |  |  |  |  |
| P403+P235  | Store in a well-ventilated place. Keep cool.   |  |  |  |  |
| P501   | Dispose of contents/container in accordance with local/regional/national/international regulations.                              |  |  |  |  |
| <ul> <li>Information perta</li> </ul>                      | ining to particular dangers for man and environment:   |  |  |  |  |
| Classification sys   | stem:  |  |  |  |  |
| • NFPA ratings (sc   | ale 0 - 4)   |  |  |  |  |
|  |  |  |  |  |  |
|  | th = 2   |  |  |  |  |
| Fire =   | = 3<br>stivity = 0   |  |  |  |  |

Reactivity = 0 · HMIS-ratings (scale 0 - 4)

0

|            | - | •              |
|------------|---|----------------|
| HEALTH     | 2 | Health = 2     |
| FIRE       | 3 |                |
| REACTIVITY | 0 | Reactivity = 0 |

(Contd. on page 3)

US

Date of issue: 12/03/2024

#### Revision date 12/03/2024

(Contd. from page 2)

99.9%

0.1%

#### Trade name: exo-THC methyl ether

· Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Classification according to (d)(1)(ii) of § 1910.12000

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

· Hazards not otherwise classified

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

### **3 Composition/information on ingredients**

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

#### · Dangerous components:

CAS: 75-05-8 Acetonitrile RTECS: AL7700000

## Other ingredients

27179-29-9 exo-THC methyl ether

**4 First-aid measures** 

#### · Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **5 Fire-fighting measures**

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. **Special hazards arising from the substance or mixture** No further relevant information available.

(Contd. on page 4)

US -

Date of issue: 12/03/2024

#### Revision date 12/03/2024

#### Trade name: exo-THC methyl ether

#### · Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions:
- Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- · Protective Action Criteria for Chemicals

13 ppm

50 ppm

150 ppm

\_\_\_\_

75-05-8 Acetonitrile

75-05-8 Acetonitrile

· PAC-3:

· PAC-1:

· PAC-2:

75-05-8 Acetonitrile

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
   Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No further relevant information available.

(Contd. on page 5)

119

(Contd. from page 3)

Date of issue: 12/03/2024

## Revision date 12/03/2024

## Trade name: exo-THC methyl ether

(Contd. from page 4)

| Com                     | ponents with limit values that require monitoring at the workplace:  |
|-------------------------|--|
| 75-05                   | 5-8 Acetonitrile   |
| PEL                     | Long-term value: 70 mg/m³, 40 ppm  |
| REL                     | Long-term value: 34 mg/m³, 20 ppm  |
| TLV                     | Long-term value: 20 ppm<br>Skin, A4  |
| Addi                    | tional information: The lists that were valid during the creation were used as basis.  |
| Expo                    | osure controls   |
| -                       | opriate engineering controls No further data; see section 7.   |
|                         | onal protective equipment:   |
|                         | eral protective and hygienic measures:   |
|                         | away from foodstuffs, beverages and feed.<br>ediately remove all soiled and contaminated clothing.   |
|                         | hands before breaks and at the end of work.  |
|                         | I contact with the eyes.   |
|                         | I contact with the eyes and skin.  |
|                         | thing equipment:   |
|                         | se of brief exposure or low pollution use respiratory filter device. In case of intensive or long<br>sure use respiratory protective device that is independent of circulating air.  |
|                         | ection of hands:   |
|                         | Protective gloves  |
| Due                     | glove material has to be impermeable and resistant to the product/ the substance/ the preparatior<br>to missing tests no recommendation to the glove material can be given for the product/ to<br>aration/ the chemical mixture. |
| Seleo<br>degra          | ction of the glove material on consideration of the penetration times, rates of diffusion and t<br>adation   |
|                         | <b>rial of gloves</b><br>selection of the suitable gloves does not only depend on the material, but also on further marks  |
| quali<br>subsi<br>be ch | ty and varies from manufacturer to manufacturer. As the product is a preparation of sever<br>tances, the resistance of the glove material can not be calculated in advance and has therefore<br>necked prior to the application. |
| The e                   | e <b>tration time of glove material</b><br>exact break through time has to be found out by the manufacturer of the protective gloves and h<br>observed.  |
|                         | protection:  |
|                         | Tightly sealed goggles   |
|                         |  |
|                         | (Contd. on page  |

Date of issue: 12/03/2024

Revision date 12/03/2024

## Trade name: exo-THC methyl ether

(Contd. from page 5)

| Information on basic physical and chemic                        | al properties                                   |
|---|---|
| General Information Physical state                              | Fluid   |
| Color:  | According to product specification              |
| Odor:   | Ether-like                                      |
| Structural Formula  | C22H32O2  |
| Molecular Weight  |   |
| •   | 328.5 g/mol                                     |
| Storage Buffer<br>Odor threshold:                               | Not determined.                                 |
| Formulation   |   |
|   | A Solution in acetonitrile                      |
| Melting point/Melting range:                                    | -46 °C (-50.8 °F)                               |
| Boiling point/Boiling range:                                    | 81 °C (177.8 °F)                                |
| Flammability:   | Highly flammable.                               |
| Explosion limits:<br>Lower:                                     | 4.4 Vol %                                       |
|   | 4.4 VOI %<br>16 Vol %                           |
| Upper:  |   |
| Flash point:  | 2 °C (35.6 °F)                                  |
| Auto igniting:  | 525 °C (977 °F)                                 |
| Decomposition temperature:                                      | Not determined.                                 |
| PH-value:   | Not determined.                                 |
| Viscosity:  |   |
| Kinematic:  | Not determined.                                 |
| SOLUBILITY  |   |
| Dynamic at 20 °C (68 °F):                                       | 0.35 mPas                                       |
| Solubility in / Miscibility with                                | 4000 //   |
| Water at 25 °C (77 °F):   | 1000 g/l  |
| Partition coefficient (n-octanol/water):                        | Not determined.                                 |
| Vapor pressure at 20 °C (68 °F):                                | 98.64 hPa (74 mm Hg)                            |
| Vapor pressure at 50 °C (122 °F):                               | 330 hPa (247.5 mm Hg)                           |
| Density at 20 °C (68 °F):                                       | 0.79 g/cm³ (6.59255 lbs/gal)                    |
| Relative density  | Not determined.                                 |
| Vapor density   | Not determined.                                 |
| Particle characteristics  | Not applicable.                                 |
| Other information   |   |
| Appearance:   |   |
| Form:   | Liquid  |
| <ul> <li>Important information on protection of heat</li> </ul> | alth  |
| and environment, and on safety.                                 |   |
| Ignition temperature:   | Product is not selfigniting.                    |
| Danger of explosion:  | Product is not explosive. However, formation of |
|   | explosive air/vapor mixtures are possible.      |
| Solvent content:  |   |
| VOC content:  | 0.00 %  |
|   | 0.0 g/l / 0.00 lb/gal                           |
| Solids content:   | 0.1 %   |
| Change in condition   |   |
| Evaporation rate  | Not determined.                                 |

(Contd. on page 7)

Date of issue: 12/03/2024

Revision date 12/03/2024

#### Trade name: exo-THC methyl ether

(Contd. from page 6)

## **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

• Possibility of hazardous reactions No dangerous reactions known.

• Conditions to avoid No further relevant information available.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

|   | · Information on toxicological effects |   |  |  |
|---|--|---|--|--|
| <ul> <li>Acute toxicity:</li> <li>LD/LC50 values that are relevant for classification:</li> </ul>   |  |   |  |  |
|   |  | y Estimate)   |  |  |
| Oral  | LD50                                   | 618 mg/kg (mouse)   |  |  |
|   | LD50                                   | 1,502 mg/kg (rabbit)  |  |  |
| Inhalative  | LC50/4 h                               |   |  |  |
| 75-05-8 Ad  | cetonitrile                            | · · · · · · · · · · · · · · · · · · ·   |  |  |
| Oral  | LD50                                   | 617 mg/kg (mouse)<br>(OECD Test Guideline 401)  |  |  |
| Dermal  | LD50                                   | 1,500 mg/kg (rabbit)<br>(Expert Judgement)<br>Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table<br>3.1/3.2) |  |  |
| Inhalative  | LC50/4 h                               | 6.022 mg/l (mouse)<br>(OECD Test Guideline 403)   |  |  |
| <ul> <li>on the skin: No irritant effect.</li> <li>on the eye: Irritating effect.</li> <li>Sensitization: No sensitizing effects known.</li> <li>Additional toxicological information:<br/>The product shows the following dangers according to internally approved calculation methods for preparations:<br/>Harmful<br/>Irritant</li> <li>Interactive effects No interactive effects between components are known.</li> </ul> |  |   |  |  |
| · Carcinogenic categories   |  |   |  |  |
| · IARC (International Agency for Research on Cancer)  |  |   |  |  |
| None of the ingredients is listed.  |  |   |  |  |
| •   |  | cology Program)   |  |  |
| None of the ingredients is listed.  |  |   |  |  |
| None of th  | 5                                      |   |  |  |
| · OSHA-Ca   | (Occupat                               | ional Safety & Health Administration)<br>nts is listed.   |  |  |

Date of issue: 12/03/2024

Revision date 12/03/2024

#### Trade name: exo-THC methyl ether

#### · Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

### **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · **Bioaccumulative potential** No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.

### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

| UN-Number                  |                       |  |
|----------------------------|-----------------------|--|
| DOT, IMDG, IATA            | UN1648                |  |
| UN proper shipping name    |                       |  |
| DOT, IATA                  | Acetonitrile solution |  |
| IMDG                       | ACETONITRILE solution |  |
| Transport hazard class(es) |                       |  |
| DOT                        |                       |  |
|                            |                       |  |
| PLAMMABLE LOUD             |                       |  |
| 3                          |                       |  |
|                            |                       |  |

(Contd. from page 7)

Date of issue: 12/03/2024

Revision date 12/03/2024

Trade name: exo-THC methyl ether

|   | (Contd. from page   |
|---|---|
| · Label   | 3   |
| · IMDG, IATA  |   |
|   |   |
| · Class   | 3 Flammable liquids   |
| <sup>.</sup> Label  | 3   |
| · Packing group<br>· DOT, IMDG, IATA  | II  |
| · Environmental hazards:  | Not applicable.   |
| <ul> <li>Transport in bulk according to Annex II or<br/>MARPOL73/78 and the IBC Code</li> </ul>   | f<br>Not applicable.  |
| · Transport/Additional information:   |   |
| · DOT<br>· Quantity limitations   | On passenger aircraft/rail: 5 L<br>On cargo aircraft only: 60 L   |
| <ul> <li>IMDG</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>   | 1L<br>Code: E2<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 500 ml   |
| · IATA<br>· Remarks:  | When sold in quantities of less than or equal to 1 mL<br>or 1 g, with an Excepted Quantity Code of<br>E1, E2, E4, or E5, this item meets the De Minimi<br>Quantities exemption, per IATA 2.6.10.<br>Therefore packaging does not have to be labeled a<br>Dangerous Goods/Excepted Quantity. |
| <ul> <li>Special precautions for user</li> <li>Hazard identification number (Kemler cod</li> <li>EMS Number:</li> <li>Stowage Category</li> <li>Stowage Code</li> </ul> | Warning: Flammable liquids<br><b>de):</b> 33<br>F-E,S-D<br>B<br>SW2 Clear of living quarters.   |
| · UN "Model Regulation":  | UN 1648 ACETONITRILE SOLUTION, 3, II  |

## **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

## · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

### · Section 313 (Specific toxic chemical listings):

75-05-8 Acetonitrile

(Contd. on page 10)

CBD, D

A4

## Safety Data Sheet acc. to OSHA HCS

Date of issue: 12/03/2024

Revision date 12/03/2024

### Trade name: exo-THC methyl ether

• TSCA (Toxic Substances Control Act):

| () | Contd. from page 9) |
|----|---------------------|
|    |                     |
|    | ACTIVE              |
|    |                     |

• Hazardous Air Pollutants 75-05-8 Acetonitrile

75-05-8 Acetonitrile

Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

### · Carcinogenic categories

· EPA (Environmental Protection Agency)

75-05-8 Acetonitrile

• TLV (Threshold Limit Value)

75-05-8 Acetonitrile

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- Contact: -
- · Date of preparation 12/03/2024
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit

(Contd. on page 11)

Date of issue: 12/03/2024

Revision date 12/03/2024

#### Trade name: exo-THC methyl ether

REL: Recommended Exposure Limit Flammable liquids 2: Flammable liquids – Category 2 Acute toxicity - oral 4: Acute toxicity – Category 4 Eye irritation 2A: Serious eye damage/eye irritation – Category 2A (Contd. from page 10)

US